

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

aQL525
.U55
1962
Pt.8

T. Buchanan
- a replacement
of the

GENERAL CATALOGUE
OF THE
HOMOPTERA

FASCICLE VI
CICADELLOIDEA
PART 8
APHRODIDAE

QL523.
H7

Agricultural Research Service
UNITED STATES DEPARTMENT OF AGRICULTURE

United States
Department of
Agriculture



NATIONAL
AGRICULTURAL
LIBRARY

Advancing Access to
Global Information for
Agriculture

GENERAL CATALOGUE
OF THE
HOMOPTERA

U.S. Department of Agriculture
National Agricultural Library
APR 11 2018
"Received"
Acquisitions and Cataloging Branch

Fascicle VI
CICADELLOIDEA

Part 8
APHRODIDAE

By Z. P. METCALF, D. SC.
State College of the University of North Carolina

Contribution from the Entomology Department, North Carolina Agricultural Experiment Station, Raleigh, N.C. Manuscript approved by the Station Director of Research, and catalogued as Paper No. 1458.

Agricultural Research Service
UNITED STATES DEPARTMENT OF AGRICULTURE

Washington, D.C.

Issued April 1963

LIBRARY OF CONGRESS

CATALOGUE CARD NUMBER 28-7846

INTRODUCTION

A catalogue of animals should serve practically all fields of biology. It therefore should be as complete a listing of all the records of families, subfamilies, tribes, genera, species, and varieties as it is possible for the author to assemble. The nature of the reference is of the greatest importance. A student of zoogeography should be able to find a complete list of the regions inhabited by the various species. The student of ecology should be able to find references to all that is known about the life history, food plants, and other pertinent data. The student of economic entomology should be able to check the histories of those species that are suspected of being injurious to plants. The plant disease specialist should be able to check the current nomenclature of the species that are disease vectors, or are suspected of being disease vectors. Those research workers studying morphology, physiology, or genetics should be able to trace development in the field of their special interest. And finally, the student of taxonomy should be relieved of the burden of searching for past recordings, and the journals which publish taxonomic papers should be relieved of publishing past records and duplicating synonymy that is already well known. Thus it would be necessary to record only synonymy that has been developed since publication of the catalogue.

In this, as in other catalogues of the present series, the family is divided into genera, which are arranged in as nearly a phylogenetic order as our present knowledge will permit. The species are arranged under the genera in alphabetic sequence.

The notes that follow the references are generally self-explanatory, but three points may be mentioned here. Such notations as "[described]," "[notes]," "[key]," and the like are intended to be suggestive rather than precise or exclusive. The notation "[error]" means not accepted in this catalogue. Usually, the latest published synonymy is accepted, but not always. The notation "[comparative note]" is used to designate those references, often of the greatest taxonomic significance, in which two generic, specific, or other groups are compared. All references have been checked against the original save those marked with an asterisk (*), which have been accepted from reliable sources. Every effort has been made to have the references full and complete, and to give an indication of the character of the data contained. Where the writer knows that reprints have been issued with different pagination, this is indicated in parentheses

following the page numbers of the original. In the few cases where the matter has been reprinted under a different title with different pagination, separate references are given. Where authentic editions have been republished, they are cited as separate references. Genera established without included species have been dated from their original description, with their type fixation dated at the earliest time the action can logically be interpreted to have occurred.

Original spellings have been retained in all cases, except obvious typographical errors. Typographical errors are indicated by placing "[sic]" after the misspelled name. This is not for the purpose of calling attention to mistakes, but to make certain that students following the catalogue have a clear understanding of what is implied.

The determination of typographical errors is not always easy. These errors range from clearly apparent transpositions of letters to misspelled names of individuals, geographical locations, et cetera. So many generic names have been formed by the transposition and substitution of letters that one is often at a loss to know which names are misspelled and which are not; for example, *Neokolla* and *Keonolla*, or *Alebra*, *Elabra*, and *Eualebra*.

All variations in spelling save those which refer to endings only are appropriately cross-referred. The species have also been listed under every known generic combination so that it is possible to find any species without recourse to the index, which will be published at the completion of the Fascicle.

The writer takes no pride in the authorship of *nomina nova*. He uses them only when he thinks they are necessary. No new names are proposed for species or genera described by living authors without first giving the original author an opportunity to correct primary or secondary homonyms.

A catalogue is not a revision of a group. The location of the genera and species in the present catalogue is merely an attempt to reflect what is believed to be the general consensus of the best authorities at the present time. Doubtful genera and species have been included to call them to the attention of subsequent revisers.

An attempt has been made throughout this catalogue to interpret all references in the light of the period in which they were published. This is not always easy and leads perhaps to erroneous conclusions at times, but it is certainly much sounder from the standpoint of nomenclature than the tendency to evaluate references from previous decades in the light of present-day practices and procedures.

In this series we have departed from our previous method of giving latinized names to varieties that in the past have been designated by Arabic letters, Greek letters, numbers, or other designations. All varieties are catalogued, however, under the first designation, re-

ardless of its form. Some of these varieties may prove to be valid species with further study and then may be given latinized designations.

Primary homonyms of species have been replaced by *nomina nova*; secondary homonyms have been restored to their original names if the homonymy has been relieved by moving one or the other, or both species, to other genera.

All specific endings have been modified to agree with the suggestions made by Blackwelder 1940, *Journal of the Washington Academy of Sciences* **31**: 135-140. There are certain disadvantages inherent in this method, but it seems to the writer that these limitations are outweighed by the advantages. We are confronted by so many coined words that can have no gender it seems better to use this system and disregard apparent violations of Latin and Greek grammar. Where the gender of generic names can be determined, the appropriate adjustments are made in the specific names.

In a detailed catalogue such as this it is practically impossible to eliminate all errors. We will appreciate it very much if our attention is directed to all such mistakes. It is especially easy to overlook lists published in the proceedings of local natural history societies, references to species of economic importance published in scientific agricultural journals, references to vectors of plant diseases published in phytopathological journals, and references of a similar nature. It will be very much appreciated if authors will send us reprints of all articles dealing with the Homoptera. Also, it would seem that no changes in the nomenclature adopted in this catalogue should be made in the future without a full explanation.

All literature available to the writer before December 31, 1955, has been included in this catalogue.

The present catalogue of the Family Aphrodidae is the eighth part of the Cicadelloidea. This was virtually complete at the time of the death of Dr. Z. P. Metcalf on January 5, 1956. It was completed with the aid of Miss Virginia Wade, research analyst, North Carolina State College, who worked with Dr. Metcalf for 7 years, and the technical advice of Dr. David A. Young, North Carolina State College, and Dr. P. W. Oman, formerly in charge of the Insect Identification and Parasite Introduction Research Branch, Entomology Research Division, Agricultural Research Service, U.S. Department of Agriculture, Beltsville, Md. The higher categories utilized in this classification are those decided upon by Dr. Metcalf during his work on the catalogue.

In this part of the catalogue a method of literature citation has been adopted which differs from that used in the catalogues of the fulgoroid families. References are cited by author, year, and key

letter, e.g., Fabricius 1802a. The full reference can be obtained by consulting the *Bibliography of the Cicadelloidea* in which authors are arranged alphabetically, and their works chronologically under the author's name. This method of citation eliminates the necessity for a complete literature citation in the catalogue proper, and thus saves time, space, and publication costs. It is believed that the revised method will cause no great inconvenience to the reader. Dr. Metcalf himself advocated it under certain conditions, and it is felt that he would have approved its use for his catalogues.

The Family Aphrodidae consists of 27 genera and 119 species. In recent years there have been differences of opinion among specialists concerning which groups should be included in the Aphrodidae. The genera included below are, for the most part, those listed in Evans 1947a under the tribes Aphrodini and Errhomenellini. Family characters are not listed here because the diagnostic characters heretofore published for this group are weak, in some cases inaccurate, and obviously in need of restudy.

The following classification has been adopted for this family:

	Page
Family Aphrodidae.....	5
Subfamily Aphrodinae.....	11
Tribe Errhomenini.....	12
Tribe Aphrodini.....	33
Tribe Anoterostemmini.....	221
Tribe Doraturini.....	227

The species have been recorded from the following zoogeographical regions: 52 from the Palearctic Region, 22 from the Nearctic Region, 17 from the Oriental Region, 9 from the Ethiopian Region, 5 from the Australian Region, 4 from the Neotropical Region, 2 from the Malaysian Region, 1 from the Caribbean Region, and 7 from two or more regions.

The known geographic distribution of each species is indicated by superscript figures at the end of the lines, which correspond to geographic regions designated by the same superscript figures. In general the distribution is as given by the author of the reference, the country being considered the smallest unit, except in the case of large countries, where states and provinces are the smallest units. In the larger island groups, the individual islands are indicated wherever possible in view of the importance of island endemism.

Raleigh, North Carolina
August 1960

D. A. YOUNG
for
Z. P. METCALF

Family **APHRODIDAE** Haupt

<i>Acocephalidae</i>	Dohrn 1859a: 84 [Listed] Walker 1860a: 19 [Listed] Fuss 1862a: 18 <i>Family</i> [A list of species from Transylvania] Kirschbaum 1868b: 15 <i>Subfamily</i> [Key]
<i>Acocephalides</i>	Sahlberg 1871a: 352 <i>Tribe</i> [Described] :72 [Key to genera from Scandinavia]
<i>Acocephalini</i>	Puton 1875a: 132 <i>Tribe</i> [List of genera and species from Europe] White 1878a: 462 <i>Subfamily</i> [Listed] Martorell y Pena 1879a: 86 <i>Tribe</i> [List of species from Catalonia]
<i>Acocephalidae</i>	Cooke 1882a: 71 [List of species from England]
<i>Acocephalida</i>	Ferrari 1882a: 101 (29) <i>Tribe</i> [Key]
<i>Acocephalidae</i>	Bloomfield 1883a: 34 [List of species from England] Edwards 1884c: [List of species from England] Mayr 1884a: 27 <i>Subfamily</i> [Key] :29 [Key to genera from Central Europe]
<i>Acocephalina</i>	Atkinson 1885b: 102 (29) <i>Subfamily</i> [Catalogued] Equals <i>Acocephalides</i> Equals <i>Acocephalidae</i>
<i>Acocephalida</i>	Ferrari 1885b: 419 [List of species from Italy]
<i>Acocephalidae</i>	Edwards 1886a: 45 [Key]
<i>Acocephalini</i>	Puton 1886b: 79 <i>Tribe</i> [List of genera and species from the Palearctic Region] Ragusa 1887a: 186 [Listed] Dubois 1888a: 163 (67) [Listed]
<i>Acocephalidae</i>	Edwards 1888d: 16 [Described, key to genera from Great Britain]
<i>Acrocephalidae</i> [sic]	Targioni-Tozzetti 1888a: 401 [Listed]
<i>Acocephalidae</i>	Buckton 1889a: 270 <i>Subtribe</i> [Listed]
<i>Acocephalides</i>	Buckton 1890c: xli [Described] Hansen 1890a: 28 [Listed]
<i>Acocephalidae</i>	Saunders and Edwards 1890a: 13 [List of genera and species from Great Britain]
<i>Acocephalinae</i>	Buckton 1891a: 1 [Described] :35 [Key to genera]
<i>Acocephalini</i>	Duda 1892a: 32 <i>Tribe</i> [Listed]
<i>Acocephalida</i>	Ferrari 1892a: 572 (24) [List of species from Italy]
<i>Acocephalinae</i>	Southwick 1892b: 318 <i>Subfamily</i> [Listed]

- Acocephalina* Van Duzee 1892d: 296 *Subfamily* [List of genera from North America] :297 [Key] :298 [Key to genera from North America]
- Acocephalidae* Luff 1893: 208 [List of species from Guernsey]
Edwards 1894b: 16 *Family* [Key]
- Acocephalina* Van Duzee 1894a: *Subfamily* [Catalogued, catalogue of genera and species from North America]
Equals *Acocephalidae* Equals *Acocephalides*
Equals *Acocephalini*
Van Duzee 1894f: 215 [Comparative note]
- Acocephalidae* Edwards 1895a: 116 [Described, key to genera from Great Britain]
- Acocephalini* Melichar 1896a: 132 *Subfamily* [Key]
- Acocephali* [sic] Melichar 1896a: 182 *Subfamily* [Key to genera]
- Acocephalini* Oudemans 1897b: 289 [Notes]
- Acocephalidae* Bloomfield 1898a: 20 [Listed]
Edwards 1899a: 530 [Listed]
- Acocephalini* Melichar 1899b: 184 [List of species from Tunisia]
Puton 1899a: 93 *Tribe* [List of genera and species from the Palearctic Region.]
- Acocephalines* Lameere 1900a: 125 [Key] :134 [Key to genera from Belgium]
- Acocephalini* Melichar 1900a: 43 [List of species from Irkutsk]
Melichar 1900c: 268 *Group* [Listed]
- Acocephalinae* Montandon 1900a: 749 *Tribe* [List of species from Rumania]
- Acocephalini* Lambertie 1901a: 203 (75) *Tribe* [Listed]
- Acocephalinae* Leonardi 1901a: 145 [Listed]
- Acocephalini* Melichar 1901f: 5 [Described]
- Acocephalinae* Ball 1902b: 53, 54 [Comparative notes] :54 [Listed]
- Acocephalini* Cobelli 1902a: 17 *Subfamily* [List of genera and species from Tyrol]
- Acocephalinae* Matsumura 1902a: 387 *Subfamily* [Listed]
- Acocephalidae* Melichar 1902c: 123 (48) *Subfamily* [List of species from Western China, Persia, Maritime Territory, and Manchuria]
- Acocephalini* Graeffe 1903a: 51 (11) *Tribe* [A list of genera and species from Kustenland]
Melichar 1903b: 163 *Subfamily* [Review of genera and species from Ceylon]
Hüeber 1904a: 262 *Tribe* [List of genera and species from Germany]
Hüeber 1904b: 262 *Tribe* [List of genera and species from Germany]

- Acocephalinae* Wirtner 1904a: 221 *Subfamily* [Listed]
Acocephalidae Melichar 1905a: 300 *Subfamily* [New species from German East Africa]
 Morley 1905b: 27 [List of genera and species from England]
Acocephalinae Osborn 1905a: 501 *Subfamily* [List of genera from North America]
 Osborn 1905c: 501 *Subfamily* [List of genera from North America]
Acocephalidae Kirkaldy 1906c: 307 [Taxonomy]
Acocephalinae Matsumura 1906a: 71 *Subfamily* [List of genera and species from Prussia]
 Matsumura 1906b: 21 *Subfamily* [Listed]
 Bierman 1907f: 163 [Listed]
Acocephalidae Butler 1907a: 56 [List of species from England] :51 [Notes]
Acocephalina Kirkaldy 1907d: 73 *Subfamily* [Taxonomy]
Acocephalini Melichar 1907a: 1036 (12) [List of species from Spain]
Acocephalinae Distant 1908g: 158 [Key] :262 [Comparative note]
Acocephalaria Saunders and Edwards 1908a: 12 [List of genera and species from Great Britain]
Acocephalini Cobelli 1909a: 12 *Subfamily* [List of genera and species from Italy]
Acocephalaria Edwards 1909b: 840 [Listed]
Acocephalini Puhlmann 1909a: 46 *Subfamily* [List of species from Prussia]
Acocephalinae Van Duzee 1909a: 216 *Subfamily* [List of species from Florida]
Acocephalidae Bierman 1910a: 61 *Family* [Listed]
Acocephalini Jacobi 1910b: 124 *Tribe* [New species from German East Africa] :127 [Notes]
 Lambertie 1910a: 77 *Tribe* [List of genera and species from France]
Acocephalinae Smith 1910a: 103 *Subfamily* [Listed]
Acocephalidae Crumb 1911a: 234 *Family* [List of species from Kansas] Equals *Jassidae* [in part]
Acocephalini Licent 1911a: 50, 51 [Listed]
Acocephalinae Matsumura 1911b: 25 [Listed]
 Enderlein 1912a: 52, 155 *Subfamily* [Listed]
Acocephalaria Haupt 1912b: 451 (6) *Division* [List of species from Thuringia]
Acocephali [sic] Licent 1912a: 142 [Ecology] :79, 80, 82, 84, 88, 101, 107, 109, 110, 114 [Listed]

- Acocephalinae* Matsumura 1912b: 280 *Subfamily* [Listed]
Acocephalaria Oshanin 1912a: 103 *Tribe* [List of genera and species from the Palearctic Region] Equals *Eupellicides* [in part] Equals *Cephalelini* [in part]
Acocephalinae Schmidt 1912g: 155 *Subfamily* [List of genera and species from Pomerania]
Acocephalidae Crumb 1913a: 133 [Key to subfamilies] :130 *Family* [Key]
Acocephali [sic] Melichar 1913e: 7 *Tribe* [List of species from Woronege]
[Acocephalinae] Matsumura 1914b: 81, 89 [Key]
Acocephalaria Melichar 1914a: 129 (3) *Subfamily* [List of species from Caucasus]
Acocephalini Baker 1915a: 50 *Tribe* [Listed]
Acocephalidae [Issiki] 1915a: 111 [List of species from Honshu]
Acocephali [sic] Jacobsen 1915a: 322 *Subfamily* [List of species from Denmark]
Acocephalinae Matsumura 1915a: 156, 183 [List of species from Korea]
Acocephalina Osborn 1915a: 106 [Key]
Acocephalinae Jensen-Haarup 1916a: 39 *Subfamily* [Key]
Matsumura 1916b: 404 [Notes, key to genera] :391 [Key]
Acocephalaria Oshanin 1916a: 81 *Tribe* [Bibliography]
Acucephalini Van Duzee 1916a: 68 *Tribe* [List of genera and species from the Nearctic Region]
Jacobi 1917a: 550 *Tribe* [New species from Madagascar]
Acocephalinae Matsumura 1917b: 404 [Notes, key to genera] :391 [Key]
Acucephalini Van Duzee 1917b: 617 *Tribe* [Catalogued, catalogue of genera and species from the Nearctic Region] Equals *Acocephalinae* Subfamily Equals *Acocephalides* Equals *Acocephalina* Subfamily Equals *Acocephalidae* Subfamily Equals *Acocephalidae* Family
Acocephalini Mc Atee 1918a: 118 [Listed]
Acocephalinae Jensen-Haarup 1918a: 35 *Subfamily* [Described, key to genera]
Jensen-Haarup 1920a: 102 *Subfamily* [Described, key to genera] :82 [Key]
Acucephalini Lawson 1920a: 108 *Tribe* [Described, key, key to genera]

- Acucephalinae* Matsumura 1920a: 335 [Review of species from Japan]
- Acucephalini* Osborn 1920a: 162 [Comparative note]
 Readio 1922a: 238 *Tribe* [Listed]
 De Long 1923a: 85 *Tribe* [Described, key, key to genera]
- Acocephalaria* Haupt 1924d: 287 *Tribe* [Listed]
 Hofmanner 1924a: 52 *Tribe* [Listed]
 Buchner 1925a: 91 *Tribe* [Listed] :145–150 [Symbionts]
- Acocephalini* Handlirsch 1925a: 1119 *Tribe* Equals *Cephalelides* [in part] Equals *Paropidae* [in part] Equals *Cephalelidae* [in part] Equals *Eupelicides* [in part] Equals *Eupelicidae* [in part] Equals *Dorididae* [in part] Equals *Dorydini* [in part] Equals *Jassinae* [in part] Equals *Hecalusaria* [in part] Equals *Selenocephalaria* [in part] Equals *Eupelicinae* [in part] Equals *Cephalelini* [in part] Equals *Cephalelusaria* [in part] Equals *Hecalusaria* [in part] Equals *Phrynemorphini* [in part] Equals *Acocephalinae* Equals *Chiasmusaria* Equals *Acocephalaria* Equals *Errhomenidae* Equals *Acocephalides*
- Acocephalaria* Kupka 1925a: 107 *Tribe* [Listed]
- Acocephalinae* Singh-Pruthi 1925b: 211 *Subfamily* [Listed]
 Haupt 1926b: 308 *Subfamily* [Listed]
- Acucephalini* Naudé 1926a: 28 *Tribe* [Described, key, review of genera and species from South Africa]
- Acocephalines* Remy-Perrier 1926a: 77 *Tribe* [Key] :78 [Key to genera from France]
- Aphrodinae* Haupt 1927a: 19 *Subfamily* [New genera and species from Palestine]
- Acocephalinae* Lindberg 1927b: 29 *Subfamily* [Listed]
- Acocephalaria* Richter 1928a: 205 [Symbionts]
- Aphrodinae* Haupt 1929b: 1074 [Listed]
 Haupt 1929c: 243, 250 *Subfamily* [Key]
- Acocephalinae* Lindberg 1929b: 4 *Subfamily* [Listed]
- Acucephalini* Naudé 1929c: 8 *Tribe* [Review of species from South Africa]
- Acocephalinae* [sic] Matsumura 1931b: *Subfamily* [Listed]
- Acocephalinae* Matsumura 1932b: 284 [Listed]
- Acocephalidae* Kato 1933r: 456 *Family* [New species from Japanese Subregion]

- Acocephalini* Mc Atee 1934a: 100 [Listed]
Acucephalinae Merino 1934a: 72 [Phylogeny] :73 [Notes]
Acocephalidae Okamoto 1934a: 404 [Listed]
 Thornley 1934a: 78 [Listed]
Acocephalinae Haupt 1935a: 166 [Comparative note]
Aphrodini Haupt 1935a: 163 *Tribe* [Key]
Acocephalines Remy-Perrier 1935a: 77 *Tribe* [Key] 78 [Key to genera from France]
Acocephalidae Merino 1936a: 315 [Phylogeny]
Acucephalini Brown 1939a: 664 *Tribe* [List of species from Indiana]
Acocephalaria de Seabra 1939c: 171 *Tribe* [List of species from Portugal]
Acucephalinae Metcalf 1939a: 247 [Listed]
Acocephalidae Kato 1940p: 699 (51) *Family* [Listed]
Aphrodini Haupt 1941a: 47 [Listed]
Aphrodinae Rau 1942a: 516 [Symbionts]
Acocephalaria de Seabra 1942a: 9 *Tribe* [Listed]
Aphrodinae Medler 1943a: 38 *Subfamily* [Catalogued, key to genera from Minnesota] :6 [Key]
Aphrodini Oman 1943c: 16 [Listed]
Acocephalinae Holgersen 1944a: 23 *Subfamily* [Listed]
Acucephalinae Metcalf 1944b: 158 [Bibliography]
Aphrodinae Kloet and Hincks 1945a: 53 [List of species from Great Britain]
 De Long and Knoll 1946a: 28 *Subfamily* [List of genera and species from the Nearctic Region]
 Evans 1947a: 146, 148 [Described, catalogue of genera, ecology, zoogeography] :156 [Described] :117, 150, 157 [Taxonomy] :106 [Listed]
Acocephali Evans 1947a: 144 [Taxonomy]
Aphrodidae Lindberg 1947a: 27 [Catalogue of genera and species from Finland] :72 [List of genera and species from Finland]
Aphrodinae Osborn and Knoll 1947a: 330 [List of species from Ohio]
 De Long 1948a: 178 *Subfamily* [Described, review of genera and species from Illinois] :110, 111 [Key]
Aphrodidae Lindberg 1948b: 134 [List of species from Cyprus]
Errhomenellidae Ossiannilsson 1948a: 10 [List of species from Sweden]

- Aphrodini* Fagel 1949a: 146 [List of species from Belgium]
Aphrodidae Lindberg 1949a: 35 [List of species from the Balkan Peninsula]
Aphrodinae Müller 1949a: 354, 356 [Symbionts]
 Oman 1949a: 57 *Subfamily* [Described] :27 [Key] :5 [Notes] :19 [Parasites] :58 [Listed]
 Ossiannilsson 1949a: 118 *Subfamily* [Listed]
 China 1950a: 245 *Subfamily* [List of species from Great Britain]
 Moore 1950a: 259 *Subfamily* [List of species from Quebec]
 Moore 1950b: 34 *Subfamily* [List of species from Quebec]
 Evans 1951a: 7 [Taxonomy] :10 [Listed]
Aphrodidae Metcalf 1951a: 11 *Family* [Phylogeny]
Aphrodinae Caldwell, in Caldwell and Martorell 1952a: 37 *Subfamily* [Described] :5 [Key]
 Fischer 1952a: 112 [List of species from Swabia]
Acocephalaria Buchner 1953a: 671 [Symbionts]
Aphrodidae Ishihara 1953b: 34 *Family* [Catalogue of genera and species from Japan] :9 [Key, key to genera]
Erromenellidae Ishihara 1953b: 18 *Family* [Catalogue of genera and species from Japan]
 [sic]
Acocephalinae Mathur 1953a: 157 *Subfamily* [Listed]
Acocephalinae Brues, Melander, and Carpenter 1954a: 147
Aphrodinae Dlabola 1954a: 143 *Subfamily* [Key] :148 [Key to tribes, catalogued]
 Evans 1954a: 134 [Zoogeography]
Acocephalinae Ishihara 1954a: 244 [Listed]
Aphrodinae Lindberg 1954a: 205 *Subfamily* [Listed]

Subfamily **APHRODINAE** Evans

- Acocephalini* Fokker 1891a: 371 *Tribe* [List of genera and species from the Netherlands]
Acocephalina Van Duzee 1894e: 197 [List of genera and species from New York]
Acocephalini Melichar 1899b: 184 [Listed]
Acocephalina Kirkaldy 1906c: 294 *Subfamily* [Key] :307 [Taxonomy]
Acocephalinae Bierman 1908a: 166 [Listed]
 Crumb 1911a: 234 *Subfamily* [List of species from Kansas]
 Crumb 1913a: 133 *Subfamily* [Key] :133 [Key to genera]

- Acocephalini* Baker 1915a: 50 *Tribe* [Listed]
Acocephalina Metcalf 1915a: 53 (21) *Subfamily* [A list of species from North Carolina]
Acocephalini Baker 1923a: 349, 350, 374 [Notes]
Acocephalinae de Bergevin 1925d: 320 [Listed]
Acocephalaria Buchner 1925a: 145 *Tribe* [Listed]
Acocephalinae Singh-Pruthi 1925b: 210, 213 [Comparative notes]
 de Bergevin 1926a: 28, 31, 32 [Comparative notes]
 259 [Listed]
 Richter 1928a: 193 *Subfamily* [Listed]
Acocephalaria de Bergevin 1929a: 7, 9 *Tribe* [Listed]
Acocephalinae Esaki and Hashimoto 1930a: 29 [Listed]
 Singh-Pruthi 1930a: 18, 29 [Listed]
 Brues and Melander 1932a: 114 [Key]
 Enderlein 1942a: 194 [List of genera from Germany, key]
 Singh-Pruthi 1934a: 16, 17, 30 *Subfamily* [Listed]
 Singh-Pruthi 1934a: 82 [Listed]
Acocephalaria Wu 1935a: 78 *Division* [Catalogued, catalogue of genera and species from China] Equals *Acocephalini* Equals *Acocephalidae* Equals *Acocephalida* Equals *Eupelicides* [in part] Equals *Acocephalides*
Acocephalinae Merino 1936a: 352 [Notes, key to divisions] :316 [Phylogeny] :317 [Notes]
 Evans 1947a: 151, 246 [Taxonomy]
Aphrodini Evans 1947a: 107 [Zoogeography]
Acocephalinae Evans 1947a: 150, 240 [Taxonomy]
Aphrodini Oman 1949a: 57 *Tribe* [Described] :5 [Notes]
 Ossiannilsson 1949a: 118 *Tribe* [Listed]
 Evans 1951a: 6 [Listed] :7, 9 *Tribe* [Taxonomy]
Aphrodinae Wagner 1951b: 26 [Listed]
 Ribaut 1952a: 328 *Subfamily* [Described, review of genera and species from France] :6 [Morphology] :13 [Key]
Aphrodini Dlabola 1954a: 149 *Tribe* [Review of genera and species from Czechoslovakia, key, catalogued]
Aphrodinae Evans 1955a: 15 [Listed]
 Evans 1955b: 7 [Listed]

Tribe **ERRHOMENINI** Fieber

- Errhomenidae* Fieber 1872a: 9 [List of genera and species from Europe]
Acocephalini Cobelli 1904a: 558 *Subfamily* [Listed]

- Chiasmusaria* Distant 1908g: 390 *Division* [Described, key to genera]
- Errhomenini* Baker 1915a: 50 *Tribe* [Taxonomy]
- Errhomenellini* Baker 1923a: 349 [Notes] :345 [Comparative note]
China 1925c: 483 *Tribe* [New genus from Yunnan]
- Errhomenini* Handlirsch 1925a: 1121 [Listed]
- Errhomenellini* Myers 1927a: 689 *Tribe* [Listed]
- Errhomenellinae* Haupt 1929b: 1074 [Listed]
Haupt 1929c: 250 *Subfamily* [Key to genera] :243
Subfamily [Key]
- Errhomenellini* Haupt 1935a: 166 *Tribe* [Key to genera] :163 [Key]
Oman 1938c: 163 *Tribe* [Described, revision of genera and species from the Nearctic Region]
Oman 1943c: 15 [Listed]
- Errhomenellinae* Evans 1947a: 152 *Subfamily* [Taxonomy]
- Errhomenellini* Evans 1947a: 151, 152 [Described, ecology, distribution, list of genera] :115 [Key] :152, 157, 165, 174 [Taxonomy] :106, 146 *Tribe* [Listed] :156 [Comparative note] :107 [Zoogeography]
- Errhomenellini* Evans 1948b: 514 [Phylogeny, zoogeography]
[sic]
- Errhomenellini* Oman 1949a: 75 *Tribe* [Key to genera] :61 [Key] :5, 11 [Listed]
- Errhomenellidae* Ossiannilsson 1949a: 138 [Listed]
- Errhomenellini* Evans 1951a: 7 *Tribe* [Taxonomy]
- Errhomenellidae* Ishihara 1953b: 4 *Family* [Key, key to genera]
- Errhomenellini* Dlabola 1954a: 153 *Tribe* [Review of genera and species from Czechoslovakia, catalogued] :149 [Key]
- Errhomenellidae* Smreczynski 1954a: 103 [Listed]

Genus **Pagaronia** Ball

- HAPLOTYPE *Pagaronia* 13-punctata [n. sp.] Ball 1902a: 19
- HAPLOTYPE [*Pagaronia*] 13-punctata Van Duzee 1916a: 67
- HAPLOTYPE [*Pagaronia*] 13-punctata Van Duzee 1917b: 606
- HAPLOTYPE *Pagaronia* 13-punctata Osborn 1926b: 236
- TYPE *Pagaronia* 13-punctata Oman 1938c: 165
- TYPE *Pagaronia* 13-punctata De Long and Knull 1946a: 19
- TYPE *Pagaronia* 13-punctata Evans 1947a: 152
- LOGOTYPE *Pagaronia* tredecimpunctata Oman 1949a: 76

- Pagaronia* Ball 1902a: 19 [gen. n.]
Woodworth 1903a: 44 [Comparative note]
Kirkaldy 1909e: 70 [Taxonomy]

- Pagaronia Waterhouse 1912a: 208 [Listed]
 Crumb 1913a: 132 [Key]
 Woodworth 1913a: 268 [Notes]
 Van Duzee 1916a: 67 [Listed]
 Van Duzee 1917b: 606 [Catalogued, catalogue of species from the Nearctic Region]
 Buys 1924a: 32 [Described] :24 [Key]
 Melichar 1926a: 343 [Key]
 Osborn 1926b: 236 [Catalogued]
 Stearns 1927a: 9 [List of species from Virginia]
 Leonard 1928a: 161 [List of species from New York]
 Osborn 1928b: 226 [Described] :222 [Key] :369 [List of species from Ohio]
 Deay 1933a: 239 [Described] :229 [Key]
 Schulze, Kükenthal and Heider 1933b: 2448 [Catalogued]
 De Long and Caldwell 1937c: 11 [List of species from the Nearctic Region]
 Brimley 1938a: 92 [Listed]
 Oman 1938c: 164 [Described, catalogued, key to species, key] :168 [Comparative note] :163 [Ecology]
 Neave 1940a: 522 [Catalogued]
 Oman 1943c: 15 [Listed]
 Metcalf 1944b: 157 [Bibliography]
 De Long and Knull 1946a: 19 [Catalogue of species from the Nearctic Region]
 Evans 1947a: 152 [Catalogued] :151 [Ecology]
 Oman 1949a: 76; pl. 14, fig. 4; pl. 33, fig. 6; pl. 43, fig. 5 [Described, catalogued, illustrated] :75 [Key] :5 [Notes]

confusa Oman

- Pagaronia confusa* Oman 1938c: 167; pl. 5, figs. 3, 3a [n. sp., illustrated] ¹ :165 [Key]
 [*Pagaronia*] *confusa* De Long and Knull 1946a: 19 [Catalogued] ^{1,2}
P[agaronia] confusa Frazier and Freitag 1946a: 634 [Disease vector]
Pagaronia confusa De Long and Severin 1949a: 180; figs. 7A-D [Described, illustrated, food plants] ^{1, 2} :171, 182 [Listed] ¹
P[agaronia] confusa Hewitt, Frazier, Freitag, and Winkler 1949a: 211 [Disease vector] ¹
P[agaronia] confusa Oman 1949a: 76 [Catalogued] :11 [Disease vector]

confusa Oman—Continued

Pagaronia confusa Severin 1949b: 191, 192, 193; pl. 3, figs. C–D [Disease vector, illustrated] ¹

P[agaronia] confusa Freitag, Frazier, and Flock 1952a: 533–534 [Disease vector] ¹

LOCALITIES: ¹ California. ² Nevada.(?)

furcata Oman

Pagaronia furcata Oman 1938c: 168; pl. 5, figs. 2–2b [n. sp. illustrated] ¹ :165 [Key]

[Pagaronia] furcata De Long and Knull 1946a: 19 [Catalogued] ¹

P[agaronia] furcata Frazier and Freitag 1946a: 634 [Disease vector]

Pagaronia furcata De Long and Severin 1949a: 171 [Listed] ¹

P[agaronia] furcata Hewitt, Frazier, Freitag, and Winkler 1949a: 211 [Disease vector] ¹

[Pagaronia] furcata Oman 1949a: 76 [Catalogued] :11 [Disease vector]

P[agaronia] furcata Freitag, Frazier, and Flock 1952a: 533–534 [Disease vector] ¹

LOCALITIES: ¹ California.

miniaticeps Fowler. See *Tettigella* (?) *miniaticeps* Fowler. Family Tettigellidae.

mollicella Fowler

Tettigonia mollicella Fowler 1900d: 289 [n. sp., illustrated, comparative note] ^{1, 2, 3}

Tettigoniella mollicella Osborn 1909a: 462 [Listed] ⁷

Tettigonia mollicella Herrera 1923a: 113 [Listed] ²

Pagaronia mollicella Osborn 1926b: 237 [Described, catalogued] ^{1, 2, 5, 6} Equals *Tettigonia mollicella* Fowl.

Cicadella mollicella Ballou 1935a: 189 [Food plants] ⁴

Cicadella mollicella Ballou 1936a: 23, 24, 32, 46 [Food plants] ⁴

Cicadella mollicella Ballou 1936b: 459 [Food plants] ⁴

Plesiommata mollicella Christensen 1942b: 337 [Listed] ⁸

LOCALITIES: ¹ Mexico. ² Veracruz. ³ Tabasco. ⁴ Costa Rica. ⁵ Bolivia.

⁶ Brazil. ⁷ Guatemala. ⁸ Argentina.

octopunctata Kirkaldy (var.). See *Pagaronia treddecimpunctata* var. *octopunctata* Kirkaldy.

treddecimpunctata Ball

Pagaronia 13-punctata Ball 1902a: 20 [n. sp.] ¹

P[agaronia] 13-punctata Kirkaldy 1909e: 70 [Listed] ¹

Pagaronia 13-punctata Gibson 1913a: 135 [Listed] ²

tredecimpunctata Ball—Continued

- [*Pagaronia*] *tredecimpunctata* Woodworth 1913a: 269 [Listed] ¹
 [*Pagaronia*] 13-*punctata* Van Duzee 1916a: 67 [Listed] ³
Pagaronia 13-*punctata* Van Duzee 1917a: 292 [Listed] ¹
Pagaronia 13-*punctata* Van Duzee 1917b: 606 [Catalogued] ¹
Paragomia [sic] 13-*punctata* Johnson and Ledig 1918a: 7 [Listed] ¹
Pagaronia 13-*punctata* Downes 1927a: 22 [Listed] ¹
Pagaronia 13-*punctata* Swain 1936a: 50 [Listed] ¹
 [*Pagaronia*] 13-*punctata* De Long and Caldwell 1937c: 11 [Catalogued] ¹
Pagaronia 13-*punctata* Oman 1938c: 166; pl. 5, figs. 4, 4a [Described, catalogued, illustrated] ¹ :165 [Key] :167, 168 [Comparative notes]
 [*Pagaronia*] 13-*punctata* De Long and Knull 1946a: 20 [Catalogued] ¹
P[agaronia] 13-*punctata* Frazier and Freitag 1946a: 634 [Disease vector]
Pagaronia 13-*punctata* Evans 1947a: 152 [Listed] ⁴
Pagaronia 13-*punctata* De Long and Severin 1949a: 181; figs. 8 A–D [Described, illustrated, food plants] ¹ :180 [Comparative note] :171 [Listed] ¹
P[agaronia] 13-*punctata* Hewitt, Frazier, Freitag, and Winkler 1949a: 211 [Disease vector] ¹
 [*Pagaronia*] *tredecimpunctata* Oman 1949a: 76 [Catalogued] :11 [Disease vector]
P[agaronia] 13-*punctata* Severin 1949b: pl. 3, figs. E–F [Illustrated]
P[agaronia] 13-*punctata* Freitag, Frazier, and Flock 1952a: 533–34 [Disease vector] ¹

LOCALITIES: ¹ California. ² British Columbia. ³ Pacific States. ⁴ North America.

tredecimpunctata var. **octopunctata** Kirkaldy

- [*Pagaronia tredecimpunctata*] var. *octopunctata* Kirkaldy 1909e: 70 [n. var.] ¹
 [*Pagaronia* 13-*punctata*] *octopunctata* Van Duzee 1916a: 67 [Listed]
 [*Pagaronia* 13-*punctata*] *octopunctata* Van Duzee 1917b: 606 [Catalogued]
 [*Pagaronia*] *octopunctata* Oman 1938c: 167 [Comparative note]
 [*Pagaronia* 13-*punctata*] *octopunctata* De Long and Knull 1946a: 20 [Catalogued]
 [*Pagaronia* 13-*punctata*] *octopunctata* De Long and Severin 1949a: 181 [Listed]

tredecimpunctata var. **octopunctata** Kirkaldy—Continued

[*Pagaronia octopunctata* Oman 1949a: 76 [Catalogued] To [*Pagaronia*] *tredecimpunctata* Ball

LOCALITIES: ¹ California.

tredecimpunctata var. *triunata* Ball. See *Pagaronia triunata* Ball.

tripunctata Fitch. See *Plesiommata tripunctata* Fitch. Family Tettigellidae.

triunata Ball

Pagaronia 13-punctata triunata Ball 1902a: 20 [n. var.] ¹

[*Pagaronia 13-punctata*] *triunata* Van Duzee 1916a: 67 [Listed]

Pagaronia 13-punctata triunata Van Duzee 1917a: 293 [Listed] ¹

[*Pagaronia 13-punctata*] *triunata* Van Duzee 1917b: 606 [Catalogued]

Pagaronia triunata Oman 1938c: 165; pl. 5, figs. 1, 1a [Described, illustrated, catalogued, key] ¹ Equals *Pagaronia 13-punctata triunata* Ball :167 [Comparative note]

[*Pagaronia*] *triunata* De Long and Knull 1946a: 20 [Catalogued] ¹

Pagaronia triunata Frazier and Freitag 1946a: 634 [Disease vector]

Pagaronia triunata De Long and Severin 1949a: 183; figs. 9 A–D [Described, illustrated, food plants] ¹ Equals *P[agaronia] 13-punctata [triunata]* Ball :181 [Food plants] :171 [Listed] ¹

Pagaronia triunata Hewitt, Frazier, Freitag, and Winkler 1949a: 211 [Disease vector] ¹

[*Pagaronia*] *triunata* Oman 1949a: 76 [Catalogued] :11 [Disease vector]

Pagaronia triunata Severin 1949b: 191, 192, 193; pl. 3, figs. G–H [Disease vector, illustrated] ¹

Pagaronia triunata Tilden 1951a: 155 [Listed] ¹

Pagaronia triunata Freitag, Frazier, and Flock 1952a: 533–534 [Disease vector] ¹

LOCALITIES: ¹ California.

Genus Friscanus Oman

ORTHOTYPE *Errhomenellus friscanus* Oman 1938c: 168

TYPE *Errhomenellus friscanus* De Long and Knull 1946a: 20

TYPE *Errhomenellus friscanus* Evans 1947a: 152

ORTHOTYPE *Errhomenellus friscanus* Oman 1949a: 77

Friscanus Oman 1938c: 168 [gen. n.] :164 [Key]
 Oman 1943c: 15 [Listed]
 De Long and Knull 1946a: 20 [Catalogue of species from the Nearctic Region]

- Friscanus Evans 1947a: 152 [Catalogued]
 Oman 1949a: 77; pl. 14, fig. 5; pl. 33, fig. 7 [Described, catalogued, illustrated] :75 [Key]
 Neave 1950a: 100 [Catalogued]

friscanus Ball

- Errhomenellus friscanus* Ball 1909b: 182 [n. sp.] ¹
 [Errhomenellus] *friscanus* Van Duzee 1916a: 67 [Listed] ²
Errhomenellus friscanus Van Duzee 1917b: 609 [Catalogued] ¹
Memnonia simplex Van Duzee 1917a: 294 [n. sp.] ¹
 [Errhomenellus] *friscanus* De Long and Caldwell 1937c: 12 [Catalogued] ¹
 [Memnonia] *simplex* De Long and Caldwell 1937c: 16 [Catalogued] ¹
Friscanus friscanus Oman 1938c: 169; pl. 5, fig. 6 [Described, catalogued, illustrated] ¹ Equals *Errhomenellus friscanus* Ball
 Equals *Memnonia simplex* Van D. :163 [Ecology]
Memnonia simplex Essig and Usinger 1940a: 165 [Catalogued]
 [Friscanus] *friscanus* De Long and Knull 1946a: 20 [Catalogued] ¹
 Equals *Errhomenellus [friscanus]* Ball Equals *Memnonia simplex* Van D.
Friscanus friscanus Frazier and Freitag 1946a: 634 [Disease vector]
Friscanus friscanus Evans 1947a: 151; figs. 13C, H-I [Ecology, illustrated]
Errhomenellus friscanus Evans 1947a: 152 [Listed] ¹
Friscanus friscanus De Long and Severin 1949a: 184; figs. 10 A-D [Described, illustrated, food plants] ¹ Equals *Errhomenellus [friscanus]* Ball Equals *Memnonia simplex* Van D. :171 [Listed]
Friscanus friscanus Hewitt, Frazier, Freitag, and Winkler 1949a: 211 [Disease vector] ¹
 [Friscanus] *friscanus* Oman 1949a: 77; pl. 4, fig. 2 [Catalogued, nymph described, illustrated] Equals *Errhomenellus friscanus* Ball :11 [Disease vector]
 [Friscanus] *simplex* Oman 1949a: 77 [Catalogued] Equals *Memnonia simplex* Van D. To [Friscanus] *friscanus* Ball
Friscanus friscanus Severin 1949b: 191, 192, 193; pl. 2, figs. G-I [Disease vector, illustrated] ¹
Friscanus friscanus Freitag, Frazier, and Flock 1952a: 533-534 [Disease vector] ¹

LOCALITIES: ¹ California. ² Pacific States.

simplex Van Duzee. See *Friscanus friscanus* Ball.

Genus **Errhomenus** Fieber

HAPLOTYPE *E[rrhomenus] brachypterus* [n. sp.] Fieber 1866a: 501

TYPE *Errhomenus brachypterus* Evans 1947a: 152

HAPLOTYPE *Errhomenus brachypterus* Metcalf 1952a: 230

[*Errhomenellus* Puton]

[ORTHOTYPE *Errhomenus brachypterus* Puton 1886b: 79]

TYPE *E[rrhomenellus] brachypterus* Oshanin 1912a: 104]

[HAPLOTYPE [*Errhomenellus*] *brachypterus* Van Duzee 1916a: 67]

[HAPLOTYPE [*Errhomenellus*] *brachypterus* Van Duzee 1917b: 609]

[TYPE *E[rrhomenellus] brachypterus* Haupt 1929c: 250]

[TYPE *E[rrhomenellus] brachypterus* Haupt 1935a: 166]

[TYPE [*Errhomenellus*] *brachypterus* Oman 1938c: 169]

[TYPE *Errhomenus brachypterus* Ribaut 1952a: 353]

[TYPE *E[rrhomenellus] brachypterus* Dlabola 1954a: 154]

- Errhomenus** Fieber 1865a: 44 [nom. nud., listed]
 Fieber 1866a: 501 [gen. n., key]
 Dallas 1867a: 571 [Key]
 Kirschbaum 1868b: 15 [Key] :73 [Listed]
 Fieber 1872a: 9 [List of species from the European Region]
 Marschall 1873a: 363 [Catalogued]
 Fieber 1875a: 391 (104) [Key]
 Puton 1875a: 132 [Listed]
 Reiber and Puton 1880a: 61 [List of species from Alsace and Lorraine]
 Mayr 1881a: 91 (15) [Listed]
 Ferrari 1882a: 110 (38) [Key]
 Scudder 1882b: 116 [Listed]
 Mayr 1884a: 28 [Key]
Errhomenellus Puton 1886b: 79 Nom. nov. pro *Errhomenus* Fieber [1866]
Errhomenus Then 1886a: 25 [Listed]
Errhomenellus Coubeaux 1892a: 35 (2) [Listed]
 Bezzi 1893a: 110 (30) [Listed] Equals *Errhomenum*
Errhomenus Melichar 1896a: 185 [Described, catalogued] :182 [Key]
Errhomenellus Horváth 1897c: 50 [List of species from Hungary] Equals *Errhomenus* Fieb.
Errhomenus Baker 1898d: 260 [Listed]
Errhomenellus Dubois 1898a: 236 [Ecology of species from France]
 Puton 1899a: 95 Equals *Errhomenus* Fieb.
Errhomenus Strobl 1900a: 211 [Listed]

- Errhomenellus* Ball 1902a: 19 [Comparative note]
Errhomenus Cobelli 1902a: 17 [Listed]
Errhomenellus Hüeber 1904a: 263 Equals *Errhomenus* Fieb.
 Hüeber 1904b: 263 Equals *Errhomenus* Fieb.
 Oshanin 1906a: 97 [Catalogued] Equals *Errhomenus* Fieb.
 Kirkaldy 1907d: 80 [Taxonomy, key]
 Horváth 1908b: 10 [Zoogeography]
 Kirkaldy 1909e: 70 [Taxonomy]
 Horváth 1912e: 568 [Listed]
 Oshanin 1912a: 104 [List of species from the Palearctic Region] Equals *Errhomenus* Fieb.
 Waterhouse 1912a: 99 [Listed]
 Crumb 1913a: 137 [Catalogued] Equals *Errhomenus* Fieb. :132 [Key]
Errhomenus von Dalla Torre 1913a: 151 [List of species from Tyrol]
Errhomellus [sic] Woodworth 1913a: 268 [Notes]
Errhomenellus Oshanin 1916a: 80 [Bibliography]
 Van Duzee 1916a: 67 Equals *Errhomenus* Fieb.
 Van Duzee 1917b: 609 [Catalogued, catalogue of species from the Nearctic Region] Equals *Errhomenus* Fieb.
 Baker 1923a: 349 [Notes]
 Buys 1924a: 23 [Listed]
 Haupt 1924d: 287, 288 [Taxonomy, comparative notes]
 Buchner 1925a: 220 [Symbionts]
 Blöte 1927b: 77 [Listed]
 Haupt 1929c: 250 [Key] :182 [Listed]
 Haupt 1929b: 1074 [Listed]
Errhomenus Schulze, Kükenthal and Heider 1929a: 1196 [Catalogued]
Errhomenellus Schulze, Kükenthal and Heider 1929a: 1196 [Catalogued] Equals *Errhomenus* Fieb.
 Haupt 1935a: 166 [Described, comparative note] Equals *Errhomenus* Fieb. :163; fig. 303 [Illustrated] :167 [Key to species]
 De Long and Caldwell 1937c: 12 [List of species from the Nearctic Region]
 Oman 1938c: 169 [Comparative note] :164 [Listed]
 Neave 1939b: 291 [Catalogued]
Errhomenus Neave 1939b: 290 [Catalogued]

- Errhomenellus* Metcalf 1944b: 157 [Bibliography]
 Evans 1947a: 152 [Catalogued] Equals *Errhomenus*
 Fieb. :152, 165, 212 [Taxonomy]
- Errhomenus* Evans 1947a: 152 To *Errhomenellus* Put.
- Ehromenellus* [sic] Neave 1950a: 82 [Catalogued] To *Errho*[*menellus*]
 Puton
- Errhomenus* Metcalf 1952a: 230 [Catalogued] Equals *Errho-*
menellus Put.
- Errhomenellus* Ribaut 1952a: 353 [Described, review of species
 from France] :11 [Morphology] :16, 350 [Key]
 :349 [Notes]
 Dlabola 1945a: 154 [Described, review of species
 from Czechoslovakia, catalogued] :68 [Ecology
 of species from Czechoslovakia]
 Smreczynski 1954a: 103 [List of species from
 Poland]

brachypterus Fieber

- Errhomenus brachypt[erus]* Fieber 1865a: 44 [nom. nud., listed]
- Errhomenus brachypterus* Fieber 1866a: 512; pl. VII, figs. 9a–c
 [n. sp., illustrated] ^{1, 2, 3} :501 Equals *Euacanthus* [*brachypterus*]
 Mink [nom. nud.] Equals [*Errhomenus*] *helveticus* Frey [nom.
 nud.] :501, 514 [Listed]
- Errhomenus brachypterus* Dallas 1867a: 574 [Catalogued] ^{1, 2}
- E*[*rrhomenus*] *brachypterus* Kirschbaum 1868b: 73 [Described] ⁴
- [*Errhomenus*] *brachypterus* Fieber 1872a: 9 [Listed] ^{1, 2, 5}
- [*Errhomenus*] *brachypterus* Puton 1875a: 132 [Listed] ^{1, 2, 5, 6}
- E*[*rrhomenus*] *brachypterus* Reiber and Puton 1880a: 61 [Ecol-
 ogy] ^{25, 37}
- [*Errhomenus*] *brachypterus* Mayr 1881a: 91 (15) [Listed] ⁸
- Errhomenus brachypterus* von Dalla Torre 1882a: 57 [Listed] ⁸
- Errhomenus brachypterus* Heller and von Dalla Torre 1882a: 18
 [Listed] ⁸
- Errhomenus brachypterus* Lethierry 1882a: ciii [Listed] ⁹
- E*[*rrhomenus*] *brachypterus* Mayr 1884a: 28 [Listed] ^{1, 2, 7, 8}
- [*Errhomenellus*] *brachypterus* Puton 1886b: 79 [Listed] ^{1, 2, 5, 6}
- E*[*rrhomenus*] *brachypterus* Then 1886a: 25 [Listed] ⁶
- Errhomenellus brachypterus* Fauvel 1887a: 17 [Listed] ⁵
- Errhomenellus brachypterus* Horváth 1887b: 273 [Listed] ²²
- Errhomenellus brachypterus* Fokker 1891b: ccxli [Listed] ⁹
- Errhomenellus brachypterus* de Carlini 1892b: 89 [Listed] ¹⁰
- [*Errhomenellus*] *brachypterus* Coubeaux 1892a: 35 (2) [Listed] ⁹
- Errhomenellus brachypterus* Lethierry 1892b: 24 [Listed] ⁹
- [*Errhomenellus*] *brachypterus* Bezzi 1893a: 110 (30) [Listed] ¹⁰

brachypterus Fieber—Continued

- Errhomenellus brachypterus* Fokker 1894a: 84 [Listed] ⁸
Errhomenus brachypterus Rey 1894b: 30 [Notes] ⁵
Errhomenus brachypterus Melichar 1896a: 186; pl. IX, figs. 13–14
 [Described, food plants, illustrated, catalogued] ^{1, 8, 14, 23, 24}
[Errhomenellus] brachypterus Horváth 1897c: 50 [Listed] ¹⁴
Errhomenus brachypterus Baker 1898d: 260 [Listed] ¹¹
E[rrhomenellus] brachypterus Dubois 1898a: 236 [Ecology] ⁵
[Errhomenellus] brachypterus Puton 1899a: 95 [Listed] ^{1, 2, 5, 6}
Errhomenellus brachypterus Montandon 1900a: 749 [Listed] ¹⁵
[Errhomenus] brachypterus Strobl 1900a: 211 [Listed] ¹²
Errhomenellus brachypterus Then 1900a: 127 [Comparative note]
Errhomenus brachypterus Cobelli 1902a: 17 [Listed] ¹⁰
[Errhomenellus] brachypterus Hübner 1904a: 263 [Listed] ¹
[Errhomenellus] brachypterus Hübner 1904b: 263 [Listed] ¹
[Errhomenellus] brachypterus Oshanin 1906a: 97 [Catalogued] ^{1, 2, 5, 8, 9, 14, 15} Equals *Errhomenus brachypterus* Fieb.
Errhomenus brachypterus Mac Gillavry 1910a: 45 [Listed] ¹⁷
[Errhomenellus] brachypterus Oshanin 1912a: 104 [Listed] ¹⁶
Errhomenellus brachypterus Crumb 1913a: 137 [Listed]
E[rrhomenus] brachypterus von Dalla Torre 1913a: 151 [Listed] ⁸
E[rrhomenellus] brachypterus Melichar 1914c: 260 [Comparative note]
Errhomenellus brachypterus Prohaska 1923a: 85 [Ecology] ²⁴
Errhomenellus brachypterus Haupt 1924d: 287 [Notes] ^{1, 26}
E[rrhomenellus] brachypterus Blöte 1927b: 77; fig. 35 [Described, illustrated] ¹⁷
Errhomenellus brachypterus Blöte 1927d: 223 [Listed] ¹⁷ Equals *Errhomenus [brachypterus] Fieb.*
Errhomenellus brachypterus Haupt 1929c: 242; fig. 55 [Illustrated]
[Errhomenellus] brachypterus Haupt 1935a: 167; fig. 313 [Described, ecology, illustrated] ²⁷
Errhomenellus [sic] brachypterus Rapp 1935a: 45 [Listed] ²⁸
Errhomenellus brachypterus Nast 1936d: 485 (3) [Listed] ¹⁸
Errhomenellus brachypterus Nast 1938e: 431 (1) [Listed] ¹⁸
[Errhomenellus] brachypterus Oman 1938c: 169 [Comparative note]
Errhomenellus brachypterus Wagner 1938c: 405 [Listed] ⁴
Errhomenellus brachypterus Wagner 1938g: 28 [Ecology] ^{29, 30}
Errhomenellus brachypterus Dlabola 1941a: [1] [Listed] ^{20, 21}
Errhomenellus brachypterus Franz 1943a: 377 [Ecology] ⁶
Errhomenellus brachypterus Reclaire 1944a: 230 [Ecology] ¹⁷
 Equals *Errhomenus b[rachypterus] Fieb.*
Errhomenellus brachypterus Dlabola 1945a: 35 [Listed] ³¹

brachypterus Fieber—Continued*Errhomenellus brachypterus* Moosbrugger 1946a: 70 [Listed] ¹⁹*Errhomenellus brachypterus* Evans 1947a: 151; figs. 13D–E [Illustrated]*Errhomenus brachypterus* Evans 1947a: 152 [Listed] ¹*Errhomenellus brachypterus* Villiers 1947a: 55; pl. V, fig. 72 [Described, illustrated, ecology] ⁵*Errhomenellus brachypterus* Evans 1951a: 7 [Taxonomy]*Errhomenellus* [sic] *brachypterus* Obenberger 1952a: 102 [Listed] ¹³*Errhomenellus brachypterus* Ribaut 1952a: 354; figs. 935–938 [Described, ecology, illustrated] ^{11, 32, 33, 34, 35, 36, 37}*E[rrhomenellus] brachypterus* Dlabola 1954a: 154; pl. VIII, figs. 85–86; pl. XXVIII, figs. 546–548 [Notes, illustrated, catalogued]²⁰ Equals *Errhomenus* [*brachypterus* Fieb.] :53, 68 [Ecology]*E[rrhomenellus] brachypterus* Smreczynski 1954a: 103 [Listed] ¹⁸LOCALITIES: ¹ Germany. ² Switzerland. ³ Southern France. ⁴ Baden.⁵ France. ⁶ Austria. ⁷ Alsace-Lorraine. ⁸ Tyrol. ⁹ Belgium. ¹⁰ Italy.¹¹ Central Europe. ¹² Styria. ¹³ Czechoslovakia. ¹⁴ Hungary. ¹⁵ Ru-mania. ¹⁶ Europe. ¹⁷ Netherlands. ¹⁸ Poland. ¹⁹ Vorarlberg. ²⁰ Bo-hemia. ²¹ Moravia. ²² Croatia. ²³ Württemberg. ²⁴ Carinthia. ²⁵ Al-sace. ²⁶ Prussia. ²⁷ Hesse-Nassau. ²⁸ Thuringia. ²⁹ Northern Germany.³⁰ Hamburg. ³¹ Siberia. ³² Franche-Comté. ³³ Dauphiné. ³⁴ Auvergne.³⁵ Languedoc. ³⁶ Southern Europe. ³⁷ Lorraine.**brachypterus** var. **helveticus** Melichar[*Errhomenus*] *helveticus* Fieber 1866a: 501 [nom. nud.] To*E[rrhomenus] brachypterus* Mink[*Errhomenus brachypterus*] *helveticus* Melichar 1896a: 186 [n. var.]**flavopunctatus** Melichar*Errhomenellus flavopunctatus* Melichar 1914c: 260 [n. sp.] ¹*E[rrhomenellus] flavopunctatus* Haupt 1924d: 288 [Listed] ^{2,3}[*Errhomenellus*] *flavovarius* [sic] Haupt 1935a: 167 [Described] ³*E[rrhomenellus] flavovarius* [sic] Reclaire 1944a: 230 [Listed] ⁴*E[rrhomenellus] flavopunctatus* Dlabola 1954a: 154 [Notes] Equals*E[rrhomenellus] flavovarius* [sic] Mel. :68 [Ecology] ¹LOCALITIES: ¹ Moravia. ² France. ³ Württemberg. ⁴ Netherlands.*helveticus* Melichar (var.). See *Errhomenus brachypterus* var. *helveticus* Melichar.*lineatus* Baker. See *Errhomus lineatus* Baker.*montanus* Baker. See *Errhomus montanus* Baker.*oregonensis* Baker. See *Errhomus oregonensis* Baker.Genus **Errhomus** OmanORTHOTYPE *Errhomenus lineatus* Oman 1938c: 169TYPE *Errhomenus lineatus* De Long and Knull 1946a: 20

TYPE *Errhomenus lineatus* Evans 1947a: 152

ORTHOTYPE *Errhomenus lineatus* Oman 1949a: 75

Errhomus Oman 1938c: 169 [gen. n., key to species] :164
[Key] :168, 173 [Comparative notes] :163
[Ecology]

[Errhomus] Oman 1938c: 170 [subg. n., key]

(Errhomus)

Errhomus Oman 1943c: 15 [Listed]
De Long and Knull 1946a: 20 [Catalogue of species from the Nearctic Region]
Evans 1947a: 152 [Catalogued] :151 [Ecology] :158
[Zoogeography]
Oman 1949a: 75 [Described, key, catalogued] :76
[Comparative note]
Neave 1950a: 89 [Catalogued]
Evans 1951a: 8 [Taxonomy]
Oman 1952a: 15 [Key to species]

aridus Ball. See *Carsonus aridus* Ball.

aridus furcatus Oman. See *Carsonus aridus furcatus* Oman.

aridus incertus Oman. See *Carsonus aridus incertus* Oman.

filamentus Oman

Errhomus filamentus Oman 1952a: 14; fig. 1D [n. sp., illustrated] ¹
:15 [Key]

LOCALITIES: ¹ Oregon.

furcatus Oman. See *Carsonus aridus furcatus* Oman.

incertus Oman. See *Carsonus aridus incertus* Oman.

irroratus Ball. See *Carsonus irroratus* Ball.

irroratus spicatus Oman. See *Carsonus irrotus spicatus* Oman.

lineatus Baker

Errhomenus lineatus Baker 1898d: 261 [n. sp.] ¹ :262 [Comparative note]

[*Errhomenellus*] *lineatus* Van Duzee 1916a: 67 [Listed] ²

Errhomenellus lineatus Van Duzee 1917b: 609 [Catalogued] ¹

Errhomenellus lineatus Downes 1919a: 15 [Listed] ³

Errhomenellus lineatus Downes 1927a: 18 [Listed] ³

[*Errhomenellus*] *lineatus* De Long and Caldwell 1937c: 12 [Catalogued] ¹

Errhomus (*Errhomus*) *lineatus* Oman 1938c: 172; pl. 6, figs. 8, 8a
[Described, catalogued, illustrated] ^{1, 4} Equals *Errhomenus lineatus* Bak.

[*Errhomus*] *lineatus* Oman 1938c: 170 [Key]

[*Errhomus*] *lineatus* De Long and Knull 1946a: 20 [Catalogued] ^{1, 4}
Equals *Errhomenus [lineatus]* Bak.

lineatus Baker—Continued

Errhomenus lineatus Evans 1947a: 152 [Listed] ⁵

[*Errhomonus*] *lineatus* Oman 1949a: 75; pl. 14, fig. 2; pl. 33, fig. 4
[Illustrated, catalogued] ⁶ Equals *Errhomenus lineatus* Bak.

E[rrhomonus] lineatus Oman 1952a: 13, 14 [Comparative notes] :15
[Key]

LOCALITIES: ¹ Washington. ² Pacific States. ³ British Columbia. ⁴ Idaho.

⁵ North America. ⁶ Northwestern States.

maculatus Gillette and Baker. See *Carsonus maculatus* Gillette and Baker.

montanus Baker

Errhomenus montanus Baker 1898d: 262 [n. sp., comparative
note] ¹

[*Errhomenellus*] *montanus* Ball 1909b: 182 [Comparative note]

[*Errhomenellus*] *montanus* Van Duzee 1916a: 67 [Listed]

Errhomenellus montanus Van Duzee 1917b: 609 [Catalogued] ¹

Errhomenellus montanus Readio 1922a: 236; pl. XXVII, fig. 4
[Morphology of ovipositor described, illustrated]

[*Errhomenellus*] *montanus* De Long and Caldwell 1937c: 12 [Cat-
alogued] ¹

Errhomus (*Errhomonus*) *montanus* Oman 1938c: 171; pl. 5, figs. 5,
5a [Described, catalogued, illustrated] ^{1, 2} Equals *Errhomenus*
montanus Bak.

[*Errhomus*] *montanus* Oman 1938c: 170 [Key] :172 [Comparative
note]

[*Errhomus*] *montanus* De Long and Knull 1946a: 20 [Cata-
logued] ^{1, 2} Equals *Errhomenus* [*montanus*] Bak.

[*Errhomus*] *montanus* Oman 1949a: 75 [Catalogued] ³ Equals
Errhomenus montanus Bak.

E[rrhomonus] montanus Oman 1952a: 13 [Comparative note]

*[*Errhomonus*] *obesa* [sic] Oman 1952a: 15 [Key]

LOCALITIES: ¹ Colorado. ² Utah. ³ Northwestern States.

obesa. Typographical error for *Errhomus montanus* Baker.

oregonensis Baker

Errhomenus oregonensis Baker 1898d: 262 [n. sp.] ¹

[*Errhomenellus*] *oregonensis* Van Duzee 1916a: 67 [Listed] ²

Errhomenellus oregonensis Van Duzee 1917b: 609 [Catalogued] ¹

[*Errhomenellus*] *oregonensis* De Long and Caldwell 1937c: 12
[Catalogued] ¹

Ehromenellus [sic] *oregonensis* Van Duzee 1937c: 120 [De-
scribed] ^{1, 3}

* Confirmed by Oman in litt.

oregonensis Baker—Continued

Errhomus (*Errhomus*) *oregonensis* Oman 1938c: 171; pl. 6, figs. 7, 7a [Described, catalogued, illustrated] ^{1, 3} Equals *Errhomenus oregonensis* Bak.

[*Errhomus*] *oregonensis* Oman 1938c: 170 [Key] :171 [Comparative note]

[*Errhomus*] *oregonensis* De Long and Knull 1946a: 20 [Catalogued] ^{1, 3, 4} Equals *Errhomenus* [*oregonensis*] Bak.

[*Errhomus*] *oregonensis* Oman 1949a: 75 [Catalogued] ⁵ Equals *Errhomenus oregonensis* Bak.

[*Errhomus*] *oregonensis* Oman 1952a: 15 [Key]

Errhomus oregonensis Wolfe 1955c: 15, 27 [Food plants] ³

LOCALITIES: ¹ Oregon. ² Pacific States. ³ Washington. ⁴ California.

⁵ Northwestern States.

similis Oman

Errhomus similis Oman 1952a: 14; fig. 1C [n. sp., illustrated] ^{1, 2} :15 [Key]

E[rrhomus] similis Wolfe 1955c: 15, 27 [Food plants] ¹

LOCALITIES: ¹ Washington. ² Oregon.

spicatus Oman. See *Carsonus irroratus spicatus* Oman.

wolfei Oman

Errhomus wolfei Oman 1952a: 13; figs. 1A–B [n. sp., food plants, illustrated] ¹ :14 [Comparative note] :15 [Key]

E[rrhomus] wolfei Wolfe 1955c: 15 [Notes, ecology] ¹ :27, 28, 29, 30, 31 [Food plants]

LOCALITIES: ¹ Washington.

Genus **Carsonus** Oman

ORTHOTYPE *Acocephalus maculatus* Oman 1938c: 173

TYPE *Acocephalus maculatus* De Long and Knull 1946a: 20

TYPE *Acocephalus maculatus* Evans 1947a: 152

TYPE *Acocephalus maculatus* Oman 1949a: 76

[*Errhomus*] Oman 1938c: 173 [subg. n.] :170 [Key]
(*Carsonus*)

Carsonus Oman 1943c: 15 [Listed]

Errhomus De Long and Knull 1946a: 20 [Catalogue of species
(*Carsonus*) from the Nearctic Region]

Carsonus Evans 1947a: 152 [Catalogued]

Oman 1949a: 76 [Described, catalogued] Equals
Errhomus (*Carsonus* Oman) :75 [Key]

Neave 1950a: 45 [Catalogued]

aridus Ball

Errhomenellus aridus Ball 1909b: 183 [n. sp.] ¹

[*Errhomenellus*] *aridus* Van Duzee 1916a: 67 [Listed] ²

Errhomenellus aridus Van Duzee 1917b: 609 [Catalogued] ¹

[*Errhomenellus*] *aridus* De Long and Caldwell 1937c: 12 [Catalogued] ¹

[*Errhomus*] *aridus* Oman 1938c: 170 [Key] :174, 176 [Comparative notes]

Errhomus (*Carsonus*) *aridus* Oman 1938c: 175; pl. 6, fig. 10 [Described, catalogued, illustrated] ^{1,3,4,5} Equals *Errhomenellus aridus* Ball

[*Errhomus* (*Carsonus*)] *aridus* De Long and Knull 1946a: 20 [Catalogued] ^{1,4,5} Equals *Errhomenellus* [*aridus*] Ball

Errhomus aridus Evans 1947a: 151; figs. 13 A–B [Illustrated]

Errhomus aridus Fautin 1947a: 306 [Ecology] ³

[*Carsonus*] *aridus* Oman 1949a: 76 [Catalogued] ⁶ Equals *Errhomenellus aridus* Ball

Errhomus aridus Evans 1951a: 7 [Taxonomy]

Carsonus aridus Wolfe 1955c: 9 [Ecology] ⁵ :28, 33 [Food plants]

LOCALITIES: ¹ Nevada. ² Western States. ³ Utah. ⁴ Colorado. ⁵ Washington. ⁶ Northwestern States.

aridus furcatus Oman

Errhomus (*Carsonus*) *aridus furcatus* Oman 1938c: 175; pl. 6, figs. 11, 11a [n. subsp., illustrated] ¹

[*Errhomus* (*Carsonus*)] *aridus furcatus* De Long and Knull 1946a: 20 [Catalogued] ¹

[*Carsonus aridus*] *furcatus* Oman 1949a: 76 [Catalogued]

[*Carsonus*] *furcatus* Oman 1949a: 76 [Catalogued] Equals *Errhomus furcatus* Oman To [*Carsonus*] *aridus*

C[*arsonus*] *aridus furcatus* Wolfe 1955c: 9 [Ecology] ¹ :33 [Food plants]

LOCALITIES: ¹ Washington.

aridus incertus Oman

Errhomus (*Carsonus*) *aridus incertus* Oman 1938c: 176 [n. subsp.] ¹

[*Errhomus* (*Carsonus*)] *aridus incertus* De Long and Knull 1946a: 20 [Catalogued] ¹

[*Carsonus aridus*] *incertus* Oman 1949a: 76 [Catalogued]

[*Carsonus*] *incertus* Oman 1949a: 76 [Catalogued] Equals *Errhomus incertus* Oman To [*Carsonus*] *aridus*

LOCALITIES: ¹ California.

furcatus Oman. See *Carsonus aridus furcatus* Oman.

incertus Oman. See *Carsonus aridus incertus* Oman.

irroratus Ball

Errhomenellus irroratus Ball 1902a: 18 [n. sp.] ¹

Errhomenellus irroratus Woodworth 1903a: 44 [Listed] ¹

Errhomenellus irroratus Van Duzee 1914a: 53 [Food plants] ¹

[*Errhomenellus*] *irroratus* Van Duzee 1916a: 67 [Listed] ²

Errhomenellus irroratus Van Duzee 1917b: 609 [Catalogued] ¹

[*Errhomenellus*] *irroratus* De Long and Caldwell 1937c: 12 [Catalogued] ¹

[*Errhomus*] *irroratus* Oman 1938c: 170 [Key] :174, 175 [Comparative notes]

Errhomus (*Carsonus*) *irroratus* Oman 1938c: 173; pl. 6, figs. 12–12c [Described, catalogued, illustrated] ¹ Equals *Errhomenellus irroratus* Ball

[*Errhomus* (*Carsonus*)] *irroratus* De Long and Knoll 1946a: 20 [Catalogued] ¹ Equals *Errhomenellus [irroratus]* Ball

[*Carsonus*] *irroratus* Oman 1949a: 76 [Catalogued] ³ Equals *Errhomenellus irroratus* Ball

C[arsonus] irroratus Wolfe 1955c: 9 [Ecology] ⁴ :33 [Food plants]

LOCALITIES: ¹ California. ² Pacific States. ³ Northwestern States. ⁴ Washington.

irroratus spicatus Oman

Errhomus (*Carsonus*) *irroratus spicatus* Oman 1938c: 174; pl. 6, fig. 13 [n. subsp., illustrated] ^{1,2}

[*Errhomus* (*Carsonus*)] *irroratus spicatus* De Long and Knoll 1946a: 20 [Catalogued] ²

[*Carsonus irroratus*] *spicatus* Oman 1949a: 76 [Catalogued]

[*Carsonus*] *spicatus* Oman 1949a: 76 [Catalogued] Equals *Errhomus spicatus* Oman To [*Carsonus*] *irroratus*

C[arsonus] irroratus spicatus Wolfe 1955c: 9 [Ecology] ² :33 [Food plants]

LOCALITIES: ¹ Oregon. ² Washington.

maculatus Gillette and Baker

Acocephalus maculatus Gillette and Baker 1895a: 83; 3 figs. [n. sp., illustrated] ¹

Acocephalus maculatus Gillette 1898c: 31 [Listed]

A[cocephalus] maculatus Ball 1900a: 66 [Notes]

[*Errhomenellus*] *maculatus* Ball 1902a: 18 [Comparative note]

[*Errhomenellus*] *maculatus* Ball 1909b: 183 [Comparative note]

[*Errhomenellus*] *maculatus* Van Duzee 1916a: 67 [Listed]

Errhomenellus maculatus Van Duzee 1916b: 248 [Listed] ²

Errhomenellus maculatus Van Duzee 1917a: 293 [Listed] ²

Errhomenellus maculatus Van Duzee 1917b: 609 [Catalogued] ^{1, 2} Equals *Acocephalus [maculatus]* Gill. and Bak.

maculatus Gillette and Baker—Continued

Errhomenellus maculatus Swain 1936a: 50 [Listed] ¹ Equals
Acocephalus maculatus Gill. and Bak.

[*Errhomenellus*] *maculatus* De Long and Caldwell 1937c: 12
 [Catalogued] ^{1, 2}

Errhomus (*Carsonus*) *maculatus* Oman 1938c: 174; pl. 6, fig.9
 [Described, catalogued, illustrated] ³ Equals *Acocephalus macu-*
latus Gill. and Bak.

[*Errhomus*] *maculatus* Oman 1938c: 170 [Key] :175 [Comparative
 note]

[*Errhomus* (*Carsonus*)] *maculatus* De Long and Knull 1946a: 20
 [Catalogued] ^{1, 2, 3} Equals *Acocephalus* [*maculatus*] Gill. and
 Bak.

Acocephalus maculatus Evans 1947a: 152 [Listed] ⁴

[*Carsonus*] *maculatus* Oman 1949a: 76; pl. 14, fig. 3; pl. 33, fig.5
 [Illustrated, catalogued] ⁵ Equals *Acocephalus maculatus* Gill
 and Bak.

LOCALITIES: ¹ Colorado. ² California. ³ Utah. ⁴ North America. ⁵ North-
 western States.

spicatus Oman. See *Carsonus irroratus spicatus* Oman.

Genus **Bathysmatophorus** Sahlberg

HAPLOTYPE *Bathysmatophorus reuteri* [n. sp.] Sahlberg 1871a: 109

TYPE *B*[*athysmatophorus*] *reuteri* Oshanin 1912a: 100

HAPLOTYPE [*Bathysmatophorus*] *reuteri* Van Duzee 1916a: 67

HAPLOTYPE [*Bathysmatophorus*] *reuteri* Van Duzee 1917b: 608

TYPE *B*[*athysmatophorus*] *reuteri* Haupt 1929c: 249

TYPE *B*[*athysmatophorus*] *reuteri* Oman 1938c: 176

TYPE *Bathysmatophorus reuteri* Evans 1947a: 152

Bathysmato- phorus	Sahlberg 1871a: 109 [gen. n.] :68 [Key] :42 [Listed]
	Fieber 1872a: 9 [Listed]
	Fieber 1875a: 395 (108) [Key]
	Puton 1875a: 131 [List of species from Europe]
	Reuter 1875a: 233 [Polymorphism]
	Puton 1886b: 79 [List of species from the Palearctic Region]
	Puton 1899a: 95 [List of species from the Palearctic Region]
	Oshanin 1906a: 55 [Catalogued, catalogue of species from the Palearctic Region]
	Kirkaldy 1907d: 81 [Key]
	Oshanin 1912a: 100 [List of species from the Pale- arctic Region]
	Crumb 1913a: 132 [Key]

- Bathematophorus* [sic] Woodworth 1913a: 268 [Notes]
- Bathysmatophorus Van Duzee 1916a: 67 [Listed]
 Van Duzee 1917b: 608 [Catalogue of species from the Nearctic Region]
 Buys 1924: 23 [Listed]
 Lindberg 1924a: 42 [List of species from Finland]
 Schulze, Kükenthal and Heider 1926c: 382 [Catalogued]
- Batysmatophorus* [sic] Haupt 1929c: 249 [Key]
- Bathysmatophorus Haupt 1935a: 166 [Comparative note]
 De Long and Caldwell 1937c: 11 [List of species from the Nearctic Region]
 Oman 1938c: 176 [Comparative note] :164 [Listed]
 Neave 1939a: 405 [Catalogued]
 Jacobi 1944: 57 [Zoogeography]
 Metcalf 1944b: 158 [Bibliography]
 Ossiannilsson 1946c: 82 [Described, review of species from Sweden] :81 [Key]
 Evans 1947a: 152 [Catalogued]
 Lindberg 1947a: 26 [Catalogued, catalogue of species from Finland] :72 [List of species from Finland]
 Zachvatkin 1948a: 170 [Key, key to species]

b Sahlberg (var.) [*reuteri*]. See *Bathysmatophorus reuteri* var. *b* Sahlberg.

c Sahlberg (var.) [*reuteri*]. See *Bathysmatophorus reuteri* var. *c* Sahlberg.

reuteri Sahlberg

- B[athysmatophorus] reuteri* Sahlberg 1871a: 111; pl. 1, fig. 15
 [n. sp., illustrated] ¹ :35, 42 [Listed] ²
- Bathysmatophorus reuteri* Fieber 1872a: 9 [Listed] ²
- [*Bathysmatophorus] reuteri* Puton 1875a: 131 [Listed] ³
- Bathysmatophorus reuteri* Reuter 1885a: 30 [Listed] ⁶
- Bathysmatophorus reuteri* Douglas 1886a: 44 [Food plants] ⁵
- [*Bathysmatophorus] reuteri* Puton 1886b: 79 [Listed] ³
- Bathysmatophorus reuteri* Baker 1898d: 260 [Listed] ³ :261 [Comparative note]
- [*Bathysmatophorus] reuteri* Puton 1899a: 95 [Listed] ³
- [*Bathysmatophorus] reuteri* Oshanin 1906a: 55 [Catalogued] ^{1, 4, 6, 8, 10}
- Bathysmatophorus reuteri* Oshanin 1910a: 154 [Listed] ⁹
- [*Bathysmatophorus] reuteri* Oshanin 1912a: 100 [Listed] ^{6, 7, 10}
- Bathysmatophorus reuteri* Lindberg 1924a: 8 [Notes] ² :42 [Listed] ²

reuteri Sahlberg—Continued

Bathysmatophorus reuteri Kusnezov 1932b: 167 [Comparative note]

B[athysmatophorus] reuteri Haupt 1935a: 166 [Listed]

Bathysmatophorus reuteri Ossiannilsson 1935b: 130 [Notes, ecology] ^{2, 6, 7, 11, 12}

B[athysmatophorus] reuteri Oman 1938c: 176 [Notes]

B[athysmatophorus] reuteri Jacobi 1943a: 28 [Comparative note]

B[athysmatophorus] reuteri Ossiannilsson 1946c: 82; figs. 125, 126 [Described, ecology, illustrated] ^{2, 11}

Bathysmatophorus reuteri Evans 1947a: 152 [Listed] ¹

B[athysmatophorus] reuteri Lindberg 1947a: 26 [Catalogued] ²
:72 [Listed] ²

Bathysmatophorus reuteri Ossiannilsson 1948a: 10, 24 [Listed] ^{2, 11}

B[athysmatophorus] reuteri Zachvatkin 1948a: 170 [Key]

Bathysmatophorus reuteri Kontkanen 1949b: 93 [Listed] ²

Bathysmatophorus reuteri Kontkanen 1952b: 562 [Listed] ²

LOCALITIES: ¹ Lapland. ² Finland. ³ Scandinavia. ⁴ Ural Mountains.
⁵ England. ⁶ Siberia. ⁷ Amur. ⁸ Khabar. ⁹ Archangel. ¹⁰ Northern
Russia. ¹¹ Sweden. ¹² Russia.

reuteri var. **b** Sahlberg

[*Bathysmatophorus reuteri* var. *b*. Sahlberg 1871a: 112 [n. var.]

reuteri var. **c** Sahlberg

[*Bathysmatophorus reuteri*] var. *c*. Sahlberg 1871a: 112 [n. var.]

sachtlebeni Jacobi

Bathysmatophorus sachtlebeni Jacobi 1943a: 28 [n. sp.] ¹

LOCALITIES: ¹ Manchuria.

shabliovskii Kusnezov

Bathysmatophorus shabliovskii Kusnezov 1932b: 166 [n. sp.] ¹

B[athysmatophorus] shabliowskii [sic] Jacobi 1943a: 28 [Comparative note]

LOCALITIES: ¹ Maritime Territory.

shabliowskii. Typographical error for *Bathysmatophorus shabliovskii* Kusnezov.
uhleri Baker. See *Lystridea uhleri* Baker.

Genus **Thatuna** Oman

ORTHOTYPE *Thatuna gilletti* [n. sp.] Oman 1938c: 177

TYPE *Thatuna gilletti* De Long and Knull 1946a: 20

TYPE *Thatuna gilletti* Evans 1947a: 152

ORTHOTYPE *Thatuna gilletti* Oman 1949a: 77

- Thatuna* Oman 1938c: 176 [gen. n.] :164 [Key] :178 [Comparative note]
 Oman 1943c: 15 [Listed]
 De Long and Knull 1946a: 20 [Catalogue of species from the Nearctic Region]
 Evans 1947a: 152 [Catalogued]
 Oman 1949a: 77 [Described, catalogued] :75 [Key]
 Neave 1950a: 269 [Catalogued]

gilletti Oman

- Thatuna gilletti* Oman 1938c: 177; pl. 6, figs. 14-14b [n. sp., illustrated] ¹
 [*Thatuna*] *gilletti* De Long and Knull 1946a: 20 [Catalogued] ¹
Thatuna gilletti Evans 1947a: 152 [Listed] ¹
Thatuna gilletti Oman 1949a: 77; pl. 14, fig. 6; pl. 33, fig. 8 [Illustrated, catalogued] ^{1, 2}
Thatuna gilletti Wolfe 1955a: 25 [Ecology] ²
Thatuna gilletti Wolfe 1955c: 33 [Food plants]

LOCALITIES: ¹ Idaho. ² Washington.

Genus Lystridea Baker

- HAPLOTYPE *Lystridea conspersa* Baker 1898d: 261
 TYPE *Lystridea conspersa* Oman 1938c: 178
 TYPE *Bathysmatophorus uhleri* De Long and Knull 1946a: 20
 TYPE *Lystridea conspersa* Evans 1947a: 152
 HAPLOTYPE *Lystridea conspersa* Oman 1949a: 78

- Lystridea* Baker 1898d: 261 [gen. n.]
 Oman 1938c: 178 [Described, catalogued] :164 [Key]
 Oman 1943c: 15 [Listed]
 De Long and Knull 1946a: 20 [Catalogue of species from the Nearctic Region]
 Evans 1947a: 152 [Catalogued] :151 [Ecology]
 Oman 1949a: 78 [Described, catalogued] :75 [Key]
 Neave 1950a: 144 [Catalogued]

conspersa Baker. See *Lystridea uhleri* Baker.

nuda Oman

- Lystridea nuda* Oman 1938c: 179; pl. 6, figs. 15, 15a [n. sp., illustrated] ¹
 [*Lystridea*] *nuda* Oman 1938c: 178 [Key]
 [*Lystridea*] *nuda* De Long and Knull 1946a: 20 [Catalogued] ¹
 [*Lystridea*] *nuda* Oman 1949a: 78 [Catalogued] ¹

LOCALITIES: ¹ California.

uhleri Baker

Bathysmatophorus uhleri Baker 1898d: 260 [n. sp.]¹ Equals
Lystridea conspersa Uhl.

Lystridea conspersa Baker 1898d: 261 [n. sp.]¹

Bathysmatophorus uhleri Woodworth 1903a: 44 [Listed]¹

[*Bathysmatophorus*] *uhleri* Van Duzee 1916a: 67 [Listed]²

Bathysmatophorus uhleri Van Duzee 1917a: 293 [Listed]¹

Bathysmatophorus uhleri Van Duzee 1917b: 608 [Catalogued]¹

[*Bathysmatophorus*] *uhleri* De Long and Caldwell 1937c: 11 [Catalogued]¹

[*Errhomenellus*] *uhleri* Van Duzee 1937c: 120 [Comparative note]

Lystridea uhleri Oman 1938c: 178; pl. 6, fig. 16 [Described, catalogued, illustrated, key]^{1, 3} Equals *Bathysmatophorus uhleri* Bak. :178, 180 Equals *Lystridea conspersa* Bak. :179, 180 [Comparative notes]

[*Lystridea*] *uhleri* De Long and Knull 1946a: 20 [Catalogued]¹
Equals [*Lystridea*] *conspersa* Bak. Equals *Bathysmatophorus uhleri*] Bak.

Lystridea uhleri Evans 1947a: 151; figs. 13F–G [Illustrated]

Bathysmatophorus uhleri Evans 1947a: 152 [Listed]⁴ Equals
Bathysmatophorus uhleri Bak.

[*Lystridea*] *uhleri* Oman 1949a: 78; pl. 14, fig. 7; pl. 33, fig. 9
[Illustrated, catalogued]¹ Equals [*Lystridea*] *conspersa* Bak.
Equals *Bathysmatophorus uhleri* Bak.

Lystridea uhleri Tilden 1951a: 155 [Listed]¹

LOCALITIES: ¹ California. ² Pacific States. ³ Oregon. ⁴ North America.

Tribe **APHRODINI** Blöte

- Acocephalini* Reiber and Puton 1880a: 61 *Tribe* [List of genera and species from Alsace and Lorraine]
Bezzi 1893a: 110 (30) [Listed]
- Acocephalaria* Oshanin 1906a: 84 *Division* [Catalogued, catalogue of genera and species from the Palearctic Region] Equals *Acocephalini* Equals *Acocephalidae*
Equals *Acocephalida* Equals *Eupelicides* [in part] Equals *Acocephalides*
- Acocephalini* Crumb 1913a: 133 [Key]
- Acocephalaria* Haupt 1917d: 243 *Tribe* [Listed]
Britten 1919a: 17 [Listed]
Haupt 1924d: 287 *Tribe* [Listed]
- Aphrodini Blöte 1927b: 5 *Tribe* [Key] :62 [Key to genera]
Blöte 1927d: 221 [Listed]
Haupt 1935a: 166 [Comparative note] :167 *Tribe* [Listed]

- Acocephalines* Rémy-Perrier 1935a: 77 *Tribe* [Key] :78 [Key to genera]
Acocephalini Merino 1936a: 313 [Phylogeny]
Acucephalini Evans 1938c: 21 *Tribe* [Taxonomy]
Aphrodini Haupt 1941a: 47 [Parasites]
 Evans 1947a: 156 [Described] :253 [New species from Australia and Africa] :115 [Key] :150, 157, 178, 240, 250 *Tribe* [Taxonomy] :106, 146 [Listed]
Acocephali Evans 1947a: 144 [Taxonomy]
Acocephalini Evans 1947a: 121, 141, 155, 178, 207, 220 [Taxonomy]
Acucephalini Evans 1947a: 143, 146, 182, 196, 240 [Taxonomy]
Acocephalaria Evans 1947a: 126, 137, 143, 144, 152, 214 [Taxonomy]
Aphrodini Evans 1955a: 15 [List of species from Africa]

Genus **Baileyus** Singh-Pruthi

ORTHOTYPE *Baileyus brunneus* [n. sp.] Singh-Pruthi 1930a: 31

TYPE *B[aileyus] brunneus* Singh-Pruthi 1936a: 110

TYPE *Baileyus brunneus* Evans 1947a: 149

- Baileyus* Singh-Pruthi 1930a: 31 [gen. n.]
 Neave 1939a: 385 [Catalogued]
 Evans 1947a: 149 [Catalogued]

brachynotus Singh-Pruthi

Baileyus brachynotus Singh-Pruthi 1936a: 109; pl. VIII, figs. 10-10a [n. sp., illustrated] ^{1, 2}

LOCALITIES: ¹ Tibet. ² Eastern Himalayas.

brunneus Singh-Pruthi

Baileyus brunneus Singh-Pruthi 1930a: 31; pl. III, figs. 1, 1a-b; text figs. 43, 44 [n. sp., illustrated] ^{1, 2, 3}

B[aileyus] brunneus Singh-Pruthi 1936a: 109 [Listed] ² :110 [Comparative note]

Baileyus brunneus Evans 1947a: 149 [Listed] ¹

LOCALITIES: ¹ Eastern Himalayas. ² Tibet. ³ Sikkim.

Genus **Stroggylocephalus** Flor

HAPLOTYPE *Cicada agrestis* Flor 1861a: 210

TYPE *Str[onglylocephalus] agrestis* Oshanin 1912a: 104

HAPLOTYPE [*Stroggylocephalus*] *agrestis* Van Duzee 1916a: 68

HAPLOTYPE [*Stroggylocephalus*] *agrestis* Van Duzee 1917b: 617

- TYPE *St[rongylocephalus] agrestis* Haupt 1929c: 251
 TYPE *Str[ongylocephalus] agrestis* Haupt 1935a: 167
 TYPE *Cicada agrestis* Medler 1943a: 38
 TYPE *Cicada agrestis* De Long and Knoll 1946a: 28
 TYPE *Stroggylocephalus agrestis* Evans 1947a: 150
 HAPLOTYPE *Cicada agrestis* Oman 1949a: 57
 TYPE [*Strongylocephalus*] *agrestis* China 1950a: 245
 TYPE *Cicada agrestis* Ribaut 1952a: 344
 TYPE *S[troggylocephalus] agrestis* Dlabola 1954a: 149
 TYPE *Cicada agrestis* Esaki and Ito 1954a: 73

[*Amblycephalus* Kirschbaum]

[ORTHOTYPE *A[mblycephalus] agrestis* Kirschbaum 1858b: 357]

- Amblycephalus* Kirschbaum 1858b: 357 [gen. n.]
 [*Acocephalus*]
 (*Stroggylo-* Flor 1861a: 210 [subg. n.] :198 [Key]
 cephalus)
 [*Acocephalus*] Marshall 1866b: 197 [Notes]
 (*Strongylo-* Kirschbaum 1868b: 73 [Key] :74 [Listed]
 cephalus)
 [*Selenocephalus*] Oshanin 1870a: 57 [Listed]
 (*Stroggylo-* Oshanin 1871b: 36 [Listed]
 cephalus)
Strongylocephalus Sahlberg 1871a: 352 [Described] :72 [Key] :54
 [Listed]
 Fieber 1872a: 10 [List of species from Europe]
 Equals *Selenocephalus* [in part] Equals *Aco-*
 cephalus Marsh. [in part] Equals *Stroggylo-*
 cephalus Flor
Amblycephalus Marschall 1873a: 352 [Catalogued]
Strongylocephalus Scott 1873b: 264 [Notes]
 Lethierry 1874a: 263 (59) [Ecology of species from
 France]
 Scott 1874g: 120 [Notes, review of species from
 Great Britain]
 Fieber 1875a: 398 (111) [Key]
 Puton 1875a: 132 [Listed]
 Douglas and Scott 1876a: 74 [Catalogued] Equals
 Stroggylocephalus Flor
 Signoret 1879a: 89 [Described, catalogued] Equals
 Amblycephalus Kirschb. :50 [Key]
 Signoret 1880a: 57 (85) [Comparative note]

- Strongylocephalus* Reuter 1881b: 233 [Listed]
 Mayr 1884a: 29 [Key] Equals *Stroggylocephalus*
 Flor
 Ivanoff 1885a: 124 (42) [Described] :101 (19) [Key]
 Puton 1886b: 79 [List of species from the Palearctic
 Region]
 Then 1886a: 26 [Listed]
 Edwards 1888d: 17; pl. III, fig. 5 [Key to species,
 described, illustrated, catalogued, key] :16
 [Notes]
 Saunders and Edwards 1890a: 13 [Listed]
 Buckton 1891a: 4 [Described] :35 [Key] :8 [Com-
 parative note] :1 [Listed]
 Fokker 1891a: 371 [Listed]
 Oshanin 1891a: 45 [Zoogeography]
 Coubeaux 1892a: 35 (2) [Listed]
 Van Duzee 1892d: 298 [Key]
 Bezzi 1893a: 111 (31) [Listed]
 Giglio-Tos 1894a: 13 [Listed]
 Van Duzee 1894a: 287 [Catalogued]
 Van Duzee 1894e: 197 [Listed]
 Edwards 1895a: 117; pl. 2, fig. 2 [Described, key,
 to species, illustrated]
 Melichar 1896a: 188 [Described, key to species
 from Central Europe, catalogued] :183 [Key]
 Horváth 1897c: 50 [List of species from Hungary]
 Dubois 1898a: 236 [Ecology of species from France]
 Puton 1899a: 94 [List of species from the Palearctic
 Region]
 Kirkaldy 1909f: 338 [Listed]
 Lambertie 1901a: 204 (76) [Listed]
 Cobelli 1902a: 17 [Listed]
 Graeffe 1903a: 52 (12) [Ecology of species from
 Kustenland]
 Hüeber 1904a: 262 [Listed]
 Hüeber 1904b: 262 [Listed]
 Kirkaldy 1904c: 282 [Listed]
Stroggylo-
cephalus
Strongylocephalus Osborn 1905a: 501, 514 [Listed]
 Osborn 1905c: 501, 514 [Listed]
Stroggylo-
cephalus Kirkaldy 1906c: 334 [Comparative note] Equals
Strongylocephalus Fieb.

- Strongylocephalus* Matsumura 1906a: 71 [Listed]
 Oshanin 1906a: 95 [Catalogued, catalogue of species from the Palearctic Region] Equals *Stroggylocephalus* Flor
 Horváth 1908b: 9 [Listed]
 Saunders and Edwards 1908a: 12 [Listed]
 Lambertie 1910a: 78 [Listed]
 Horváth 1912e: 567 [Listed]
 Matsumura 1912b: 295 [Catalogued] :281 [Comparative note]
 Oshanin 1912a: 104 [List of species from the Palearctic Region]
 Schmidt 1912g: 156 [Listed]
 Crumb 1913a: 133 [Key]
 Crumb 1913a: 130 [Notes]
- Strongylocephalus* [sic]
Strongylocephalus von Dalla Torre 1913a: 151 [List of species from Tyrol]
 Jacobsen 1915a: 323 [List of species from Denmark]
 Schumacher 1915a: 99 [Listed]
 Matsumura 1916b: 405 [Key]
 Oshanin 1916a: 81 [Bibliography]
- Stroggylocephalus* Van Duzee 1916a: 68 [List of species from the Nearctic Region] Equals *Strongylocephalus* Kirschb.
- Strongylocephalus* Matsumura 1917b: 405 [Key]
- Stroggylocephalus* Van Duzee 1917b: 617 [Catalogued, catalogue of species from the Nearctic Region] Equals *Strongylocephalus* [sic] Kirschb.
- Strongylocephalus* Jensen-Haarup 1918a: 38 [Described, key to species] :36 [Key]
- Stroggylocephalus* Britton 1920a: 49 [Listed]
- Strongylocephalus* Jensen-Haarup 1920a: 112 [Described, key to species] :103 [Key]
 Tullgren and Wahlgren 1920a: 143 [Key] :147 [Listed]
- Stroggylocephalus* De Long 1923a: 85 [Described, key]
- Strongylocephalus* Buchner 1924a: 51 [Symbionts]
- Stroggylocephalus* Buys 1924a: 42 [Described] :40 [Key]

- Strongylocephalus* Lindberg 1924a: 42 [List of species from Finland]
:16 [Notes]
Buchner 1925a: 148, 205, 221 [Symbionts]
Handlirsch 1925a: 1119 [Listed]
- Amblycephalus* Schulze, Kükenthal and Heider 1926a: 126 [Catalogued]
- Strongylocephalus* Blöte 1927b: 63 [Key] :74 [Listed]
Poisson and Poisson 1927a: 137 [Listed]
Filipieff 1928a: 150 [Key] :152 [Listed]
- Stroggylocephalus* Leonard 1928a: 163 [List of species from New York]
Osborn 1928b: 241 [Described] :370 [List of species from Ohio]
- Strongylocephalus* Poisson and Poisson 1928a: 84 [Listed]
Haupt 1929b: 1074 [Listed]
Haupt 1929c: 251 [Key]
Buchner 1930a: 522 [Symbionts]
Brues and Melander 1932a: 114 [Listed]
Enderlein 1932a: 195 [Key]
Singh-Pruthi 1934b: 77 [Comparative note]
Haupt 1935a: 167 [Described]
Karl 1935a: 137 [Listed]
Wagner 1935a: 14 [List of species from Northern Germany]
- Stroggylocephalus* De Long and Caldwell 1937c: 16 [Catalogued]
- Strongylocephalus* Kuntze 1937a: 358 [Ecology of species from Mecklenburg]
Kuntze 1937b: 25 [Ecology of species from Mecklenburg]
Schultze, Kükenthal, and Heider 1937a: 3323 [Catalogued] Equals *Stroggylocephalus* Flor
- Stroggylocephalus* Schulze, Kükenthal, and Heider 1937a: 3321 [Catalogued]
- Strongylocephalus* China 1938b: 194 [List of species from Great Britain]
- Stroggylocephalus* Oman 1938b: 361 [Comparative note]
Brown 1939a: 664 [List of species from Indiana]
- Amblycephalus* Neave 1939a: 137 [Catalogued]
- Strongylocephalus* Wagner 1939a: 135 [Listed]
Neave 1940b: 334 [Catalogued] Equals *Stroggylocephalus* Flor
- Stroggylocephalus* Neave 1940b: 332 [Catalogued]

- Strongylocephalus* Wagner 1941a: 148 [Listed]
 Rau 1942a: 516 [Symbionts]
- Stroggylo-
 cephalus Medler 1943a: 38 [Described, key, catalogued]
- Strongylocephalus* Kloet and Hincks 1945a: 53 [List of species from Great Britain]
- Stroggylo-
 cephalus De Long and Knull 1946a: 28 [List of species from the Nearctic Region]
 Evans 1947a: 150 [Catalogued]
- Strongylocephalus* Evans 1947a: 150 [Catalogued] To *Stroggylocephalus* Flor
 Lindberg 1947a: 27 [Catalogued] :72 [List of species from Finland]
 Ossiannilsson 1947b: 166 [Described, review of species from Sweden] :151 [Key]
- Stroggylo-
 cephalus De Long 1948a: 178 [Described, key, review of species from Illinois, catalogued]
- Strongylocephalus* Zachvatkin 1948a: 172 [Key] :174 [Key to species]
- Acocephalus* Oman 1949a: 57 To *Aphrodes* Curt. [error]
 (Stroggylo-
 cephalus)
- Acocephalus* Oman 1949a: 57 To *Aphrodes* Curt. [error]
 (Stroggylo-
 cephalus)
- Strongylocephalus* China 1950a: 245 [List of species from Great Britain]
- Stroggylo-
 cephalus Ossiannilsson 1950a: 130 [Morphology of wing coupling, wing-coupling apparatus described]
- Strongylocephalus* Ribaut 1952a: 344 [Described, review of species from France] :18, 328 [Key] :10, 11 [Morphology].
 Buchner 1953a: 308, 555 [Symbionts]
- Acocephalus* Ishihara 1953b: 34 To *Aphrodes* Curt. [error]
 (Stroggylo-
 cephalus)
- Acocephalus* Ishihara 1953b: 34 To *Aphrodes* Curt. [error]
 (Stroggylo-
 cephalus)
- Strongylocephalus* Brues, Melander, and Carpenter 1954a: 147 [Listed]
- Stroggylo-
 cephalus Dlabola 1954a: 149 [Described, key, review of species from Czechoslovakia, catalogued] :67 [Ecology of species from Czechoslovakia]
 Esaki and Ito 1954a: 73 [Catalogued, catalogue of species from Japan] Equals *Strongylocephalus* Kirschb.

Strongylocephalus Smreczynski 1954a: 121 [List of species from Poland]

agrestis. Typographical error for *Stroggylocephalus agrestis* Fallén.

***agrestis* Fallén**

C[icada] agrestis Fallén 1806a: 23 [n. sp.] ¹

[*Cicada*] *agrestis* Billberg 1820a: 73 [Listed] ¹

T[ettigonia] mixta Say 1825a: 341 [n. sp.] ²

C[icada] agretis [sic] Fallén 1826a: 36 [Described, catalogued]

[*Amblycephalus*] *maculipes* Curtis 1829a: 192 [nom. nud., listed] ¹⁷

[*Amblycephalus*] *maculipes* Curtis 1835a: pl. 572 [n. sp.] ⁵

Selenocephalus agrestis Herrich-Schäffer 1835a: 115 Equals

Cic[ada] agrestis Fall.]

[*Cacada*] *agrestis* Herrich-Schäffer 1835a: 101 To *Selenoceph[alus] agrestis* Fall.]

[*Amblycephalus*] *maculipes* Curtis 1837a: 221 [Listed] ¹⁷

[*Selenocephalus*] *agrestis* Gistel 1837a: 109 (14) [Listed] ⁶

Cicada agr[estis] Burmeister 1838b: [3] To [*Selenocephalus obsoletus*] var.—Burm. [error]

Sel[enocephalus] agrestis Burmeister 1838b: [3] To [*Selenocephalus obsoletus*] var.—Burm. [error]

Selenocephalus agrestis Walker 1851b: 852 [Catalogued] ³ Equals

Cicada agrestis Fall.

Tettigonia (?) *maculipes* Walker 1851b: 780 [Catalogued] ⁵

Equals *Amblycephalus maculipes* Curt.

Tettigonia mixta Walker 1852a: 1157 [Catalogued] ²

[*Tettigonia maculipes*] Signoret 1853d: 179 (7) [Taxonomy]

A[mblycephalus] agrestis (?) Kirschbaum 1858b: 357 [Listed]

[*Selenocephalus*] *agrestis* Dohrn 1859a: 84 [Listed] ¹

[*Euacanthus*] *maculipes* Dohrn 1859a: 88 [Listed] ⁵

T[ettigonia] mixta Say 1859c: 258 [n. sp., reprinted] ²

[*Selenocephalus*] *agrestis* Bellier de la Chavignerrie and Signoret 1860a: 740 [Listed] ⁴

[*Selenocephalus*] *agrestis* Signoret 1860b: 740 [Listed] ⁴

[*Euacanthus*] *maculipes* Walker 1860a: 22 [Listed] ⁵

Acocephalus (*Stroggylocephalus*) *agrestis* Flor 1861a: 210 [Described] ^{1, 5, 6} Equals *Cicada [agrestis]* Fall.] Equals *Amblycephalus irroratus* Curt.

[*Amblycephalus*] *maculipes* Curtis 1862a: pl. 572 [n. sp., reprinted] ⁵

Acocephalus (*Selenocephalus*) *agrestis* Marshall 1865g: 85 Equals

[*Amblycephalus*] *irroratus* Curt. Equals [*Amblycephalus*] *maculipes* Curt.

A[cocephalus] agrestis Marshall 1865j: 145 [Comparative note]

agrestis Fallén—Continued

- [*Acocephalus*] *agrestis* Morris 1865a: 111 [Listed] ¹⁷
A[cocephalus] agrestis Bold 1866b: 207 [Listed] ⁵
Acocephalus agrestis Marshall 1866b: 197 [Catalogued] Equals
Amblycephalus irroratus Curt. Equals *Cicada agrestis* Fall.
 Equals *Euacanthus irroratus* Lew. Equals *Iassus conspersus*
 Herr.-Schäff. [error] Equals *Selenocephalus obsoletus* Germ.
 [error] Equals *Phrynomorphus nitidus* Curt. [error]
 [*Acocephalus*] *agrestis* Marshall 1866l: 118 [Listed] ²³
Ac[cocephalus] agrestis Bold 1867a: 130 [Ecology] ⁵
A[cocephalus] (Str[ongylocephalus]) agrestis Kirschbaum 1868b:
 74 [Described, catalogued] ^{7, 8}
Acocephalus agrestis Kirschbaum 1868b: 81 To *Sel[enocephalus]*
obsoletus (?) [error]
Selenocephalus (Stroggylocephalus) agrestis Oshanin 1871b: 36
 [Listed] ⁴⁰
Cicada [agrestis] Sahlberg 1871a: 354 To *Strongylocephalus*
agrestis Sahlb. [nec Fall.] [error]
Acocephalus (Strongylocephalus) agrestis Sahlberg 1871a: 354
Strongylocephalus agrestis [nec] Fall. [error]
Strongylocephalus agrestis Fieber 1872a: 10 [Listed] ³ Equals
Strongylocephalus irroratus Curt. (?)
Amblycephalus maculipes Fieber 1872a: 16 [Listed] ⁵
Strongylocephalus [agrestis] Scott 1873b: 264 Equals *A[cocephalus]*
agrestis Fabr.
[Stroggylocephalus] agrestis Lethierry 1874a: 263 (59) [Ecology] ¹⁸
A[cocephalus] agrestis Raddatz 1874a: 87 [Listed] ¹¹
Strongylocephalus agrestis Scott 1874g: 121 [Described, cata-
 logued] ⁵ Equals *Cicada agrestis* Fall. Equals *Acocephalus*
(Strongylocephalus) agrestis Flor
[Strongylocephalus] agrestis Puton 1875a: 132 [Listed] ³ Equals
Strongylocephalus irroratus Curt. (?)
[Amblycephalus] maculipes Puton 1875a: 149 [Listed] ¹⁷
Strongylocephalus agrestis Scott 1875i: 98 To *[Athysanus] ob-*
scurellus Kirschb. [error]
[Strongylocephalus] agrestis Douglas and Scott 1867a: 74 [Cata-
 logued] ⁵ Equals *Cicada agrestis* Fall. Equals *Acocephalus*
(Stroggylocephalus) agrestis Flor
Stronglocephalus [sic] agrestis Dale 1878a: 307 [Listed] ⁵
Strongylocephalus agrestis Lethierry 1878c: xxxviii [Listed] ¹⁹
S[troggylocephalus] agrestis Signoret 1879a: 90; pl. 2, fig. 18
 [Described, illustrated, catalogued] ¹
[Stroggylocephalus] agrestis Signoret 1879a: 92 [Comparative
 note]

agrestis Fallén—Continued

- S[trongylocephalus] agrestis* Reiber and Puton 1880a: 62 [Listed] ¹²
Strongylocephalus agrestis Signoret 1880a: 57 (85) [Taxonomy, catalogued]
[Strongylocephalus] agrestis Reuter 1881b: 234 [Notes] ¹⁰
Strongylocephalus agrestis Cooke 1882a: 71 [Listed] ⁵
Acocephalus agrestis Parfitt 1882a: 116 [Parasites] ⁵
Strongylocephalus agrestis Edwards 1884c: 714 [Listed] ⁵
Strongylocephalus agrestis Lomnicki 1884a: 235 [Listed] ¹⁵
S[troggylocephalus] agrestis Mayr 1884a: 30 [Listed] ^{3, 12, 13}
Strongylocephalus agrestis Ivanoff 1885a: 91 (9) [Listed] ¹⁴
St[roggylocephalus] agrestis Ivanoff 1885a: 124 (42) [Described] ¹⁴
[Strongylocephalus] agrestis Puton 1886b: 79 [Listed] ³ Equals
[Strongylocephalus] irroratus Curt. (?)
S[trongylocephalus] agrestis Then 1886a: 26 [Food plants] ^{3, 15, 16}
Strongylocephalus agrestis Edwards 1888d: 18 [Described, catalogued] ⁵ Equals *Cicada agrestis* Fall.
[Stroggylocephalus] agrestis Edwards 1888d: 17 [Key]
Strongylocephalus agrestis Edwards 1889a: 710 [Ecology] ⁵
[Strongylocephalus] agrestis Saunders and Edwards 1890a: 13 [Listed] ¹⁷
Acocephalus [mixtus] Van Duzee 1890c: 390 Equals *Tettigonia mixta* Say
Strongylocephalus agrestis Buckton 1891a: 5; pl. XXXIX, figs. 2, 2a-d [Described, illustrated, catalogued] ⁵ Equals *Cicada agrestis* Fall.
S[troggylocephalus] agrestis Buckton 1891a: 6 [Comparative note]
Acocephalus (Strongylocephalus) agrestis Buckton 1891a: 44 [Parasites]
Strongylocephalus agrestis Oshanin 1891a: 45 [Zoogeography]
Strongylocephalus agrestis Carpentier and Dubois 1892a: 436 [Ecology] ¹⁸
Strongylocephalus agrestis Coubeaux 1892a: 35 (2) [Listed] ¹⁹
Acocephalus mixtus Southwick 1892b: 318 [Listed] ²¹
[Stroggylocephalus] agrestis Bezzi 1893a: 111 (31) [Listed] ²⁰
Strongylocephalus agrestis M'Gregor 1894a: 100 [Listed] ²³
Strongylocephalus agrestis Van Duzee 1894a: 287 [Catalogued] ^{21, 22}
 Equals *Cicada agrestis* Fall. Equals *Selenocephalus agrestis* Fall.
Acocephalus mixtus Van Duzee 1894a: 288 [Catalogued] ^{21, 22, 27}
 Equals *Tettigonia mixta* Say
A[cocephalus] mixtus Van Duzee 1894e: 197 [Food plants]

agrestis Fallén—Continued

- S[trongylocephalus] agrestis* Edwards 1895a: 118 [Described, key] ^{5, 23} :118, 119 [Comparative notes] : pl. 14, fig. 3 [Illustrated]
- Strongylocephalus agrestis* Melichar 1896a: 189; pl. IX, figs. 19–21 [Described, food plants, illustrated, catalogued, key] ^{3, 7, 13, 15, 20} Equals *Amblycephalus irroratus* Curt. Equals *Cicada [agrestis]* Fall. Equals *Acocephalus [agrestis]* Flor :189, 190 [Comparative notes]
- Acocephalus agrestis* Melichar 1896a: 266 To *Athysanus obscurellus* Kirschb. [error]
- [*Strongylocephalus] agrestis* Horváth 1897c: 50 [Listed] ³²
- Strongylocephalus agrestis* Osborn and Ball 1897a: 232 [Listed] ²⁴
- S[troggylocephalus] agrestis* Dubois 1898a: 236 [Ecology] ¹⁸
- Strongylocephalus agrestis* Melichar 1899c: 140 (3) [Ecology] ^{20, 49}
- [*Strongylocephalus] agrestis* Puton 1899a: 94 [Listed] ³ Equals [*Strongylocephalus] irroratus* Curt. (?)
- Strongylocephalus agrestis* Ball 1900a: 64 [Described] ^{21, 22, 24, 25} Equals *Tettigonia mixta* Say
- S[troggylocephalus] agrestis* Ball 1900a: 66 [Comparative notes]
- Strongylocephalus agrestis* Melichar 1900a: 43 [Listed] ²⁶
- A[cocephalus] mixtus* Smith 1900a: 94 [Listed] ⁹⁷
- Strongylocephalus agrestis* Bachmetjew 1901a: 251 [Notes] ¹⁴
- Strongylocephalus agrestis* Kirkalky 1901f: 339 [Listed] ^{21, 22, 24}
- Strongylocephalus agrestis* Colbelli 1902a: 17 [Listed] ¹⁶
- Strongylocephalus agrestis* Slosson 1902a: 321 [Listed] ²⁸
- Strongylocephalus agrestis* Graeffe 1903a: 52 (12) [Ecology] ⁶⁵
- [*Strongylocephalus] agrestis* Hüeber 1904a: 262 [Listed] ¹³
- [*Strongylocephalus] agrestis* Hüeber 1904b: 262 [Listed] ¹³
- Strongylocephalus agrestis* Osborn 1905a: 514 [Catalogued] ²¹ Equals *Cicada agrestis* Fall. Equals *Selenocephalus agrestis* Burm.
- Strongylocephalus agrestis* Osborn 1905c: 514 [Catalogued] ²¹ Equals *Cicada agrestis* Fall. Equals *Selenocephalus agrestis* Burm.
- Strongylocephalus agrestis* Matsumura 1906a: 71 [Listed] ⁸
- [*Stroggylocephalus] agrestis* Oshanin 1906a: 95 [Catalogued] ^{1, 13, 17, 18, 21, 22, 24, 26, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41} Equals *Cicada agrestis* Fall. Equals *Amblycephalus irroratus* Curt. (?) Equals *Acocephalus (Strongylocephalus) agrestis* Flor
- Strongylocephalus agrestis* Butler 1907a: 51 [Notes] ⁵ :56 [Listed] ⁵
- Strongylocephalus agrestis* Oshanin 1907b: 229 (17) [Listed] ⁴²
- Strongylocephalus agrestis* Horváth 1908b: 6 [Listed] ^{3, 43}
- Strongylocephalus agrestis* Oshanin 1908b: 422 [Listed] ^{19, 42}

agrestis Fallén—Continued

- Strongylocephalus agrestis* Saunders and Edwards 1908a: 12 [Listed] ¹⁷
- Strongylocephalus agrestis* Whittaker 1908a: 20 [Listed] ⁵
- Strongylocephalus agrestis* Matsumura 1910c: 104 [Listed] ⁴⁵
- Stroglylocephalus* [sic] *agrestis* Matsumura 1910d: 22; pl. XIII, fig. 10 [Economics, illustrated, catalogued] ^{3, 29, 43, 45, 47, 50}
- Strongylocephalus agrestis* Matsumura 1910d: [36] [Notes]
- Strongylocephalus agrestis* Butler 1912b: 189 [Listed] ⁴⁶
- Strongylocephalus agrestis* Dahl 1912a: 354 (16), 372 (34) [Ecology] ⁸ :439 (101) [Key]
- Strongylocephalus agrestis* Horváth 1912e: 564 [Listed] ^{3, 43}
- Strongylocephalus agrestis* Matsumura 1912b: 295 [Catalogued] ^{3, 36, 43, 45, 47, 48} Equals *Cicada agrestis* Fall.
- [*Strongylocephalus*] *agrestis* Oshanin 1912a: 104 [Listed] ^{3, 35, 36, 37} Equals [*Strongylocephalus*] *irroratus* Curt.
- [*Strongylocephalus*] *agrestis* Schmidt 1912g: 156 [Listed] ¹³
- St[roglylocephalus] *agrestis* von Dalla Torre 1913a: 151 [Listed] ¹⁶
- Strongylocephalus agrestis* Quaintance 1913a: 61 [Economics] ^{45, 47}
- Strongylocephalus agrestis* [Nawa] 1914a: 190 [Economics]
- [*Strongylocephalus*] *agrestis* Jacobsen 1915a: 323 [Listed] ⁵⁴
- Strongylocephalus agrestis* Matsumura 1915a: 156, 183 [Listed] ⁶¹
- Strongylocephalus agrestis* Schumacher 1915a: 99 [Listed] ^{3, 35, 36, 43, 45, 47, 50} Equals *Cicada agrestis* Fall. Equals *Acocephalus* (*Strongylocephalus*) *agrestis* Flor
- Strongylocephalus agrestis* Matsumura 1916b: 406 [Notes]
- [*Stroglylocephalus*] *agrestis* Van Duzee 1916a: 68 [Listed] ⁵¹ Equals [*Stroglylocephalus*] *mixta* Say
- Strongylocephalus agrestis* Matsumura 1917b: 406 [Notes]
- Strongylocephalus agrestis* Pierce 1917b: 206 [Food plants] ^{45, 52}
- Stroglylocephalus agrestis* Van Duzee 1917b: 617 [Catalogued] ^{3, 21, 22, 24, 25, 28, 53} Equals *Selenocephalus* [*agrestis*] Equals *Cicada* [*agrestis*] Fall. Equals *Tettigonia mixta* Say
- Str[ongylocephalus] *agrestis* Jensen-Haarup 1918a: 39 [Described, key] ⁵⁴
- [*Stroglylocephalus agrestis*] [sic] Britton 1920a: 49 [Listed] ⁵³
- Strongylocephalus agrestis* Jensen-Haarup 1920a: 113 [Described, key] ^{3, 30, 36, 43, 54, 55, 56}
- Strongylocephalus agrestis* Matsumura 1920a: 337; pl. [11], fig. 13; pl. [12], fig. 9 [Described, economics, illustrated] ⁴⁷
- Strongylocephalus agrestis* Tullgren and Wahlgren 1920a: 147 [Notes] ⁵⁷
- Stroglylocephalus agrestis* Lawson 1922c: 333 [Listed] ⁵⁹
- Strongylocephalus agrestis* Mac Gillavry 1922a: 69 [Catalogued] ⁶⁶

agrestis Fallén—Continued

- Stroggylocephalus agrestis* Readio 1922a: 238; pl. XXIX, fig. 3
[Morphology of ovipositor, described, illustrated]
- S[troggylocephalus] agrestis* De Long 1923a: 85 [Described, catalogued] ⁵³ Equals *Cicada agrestis* Fall. Equals *Tettigonia mixta* Say
- Cicada agrestis* Sherborn 1923a: 149 [Catalogued]
- Stroggylocephalus agrestis* Buys 1924a: 42; pl. V, figs. 49a, b; pl. XII, figs. 132, 133 [Described, catalogued, illustrated] ²¹
Equals *Cicada [agrestis]* Fall.
- S[trongylocephalus] agrestis* Lindberg 1924a: 17; figs. 1–2 [Notes, illustrated] ¹⁰ :42 [Listed] ¹⁰
- Strongylocephalus agrestis* Lindberg 1924b: 40 [Ecology] ¹
- Strongylocephalus agrestis* Buchner 1925a: 91 [Listed] :148
[*Symbionts*]
- Strongylocephalus agrestis* Miyoshi 1926a: 308 [Economics] ⁴⁷
- S[troggylocephalus] agrestis* Blöte 1927b: 74; fig. 32 [Described, illustrated] ⁶⁸
- Strongylocephalus agrestis* Blöte 1927c: 57 [Taxonomy] ⁵⁸
- Strongylocephalus agrestis* Blöte 1927d: 222 [Listed] ⁵⁸
- Strongylocephalus agrestis* Poisson and Poisson 1927a: 137, 145
[Listed] ^{18, 43, 67}
- S[trongylocephalus] agrestis* Filipieff 1928a: 152 [Described] ¹⁴
- Strongylocephalus agrestis* Ivanov 1928b: 494 [Listed] ⁶⁸
- Strongylocephalus agrestis* Ivanov 1928c: 190 [Listed] ⁶⁸
- S[troggylocephalus] agrestis* Leonard 1928a: 163 [Listed] ²¹
- Strongylocephalus agrestis* Osborn 1928b: 241 [Notes] ^{21, 22, 24, 25, 60} :370 [Listed]
- Strongylocephalus agrestis* Peus 1928a: 572, 573, 574, 652, 654, 668 [Ecology] ⁶⁹
- Strongylocephalus agrestis* Kusnezov 1929a: 314 [Listed] ³⁵
- Strongylocephalus agrestis* Kusnezov 1929f: 34 [Notes] ³⁵
- Strongylocephalus agrestis* Britten 1930a: 72 [Listed] ⁵
- Stroggylocephalus agrestis* Hendrickson 1930a: 81 [Ecology] ²⁴
- Strongylocephalus agrestis* Clausen 1931a: 45 [Food plants] ^{45, 47, 50, 61}
- Strongylocephalus agrestis* Haupt 1931b: 227 [Food plants] ¹³
- Strongylocephalus agrestis* Rabeler 1931a: 227, 228, 229, 265, 297
[Ecology] ¹¹
- S[trongylocephalus] agrestis* Enderlein 1932a: 195 [Listed] ¹³
- Strongylocephalus agrestis* Esaki 1932a: 4 [Food plants] ⁴⁷
- Strongylocephalus agrestis* Matsumura 1932b: 286; [pl. 19],
fig. 13; [pl. 20], fig. 9 [Notes, illustrated] ⁴⁷
- Strongylocephalus agrestis* Peus 1932a: 111 [Ecology] ³

agrestis Fallén—Continued

- Stroggylocephalus agrestis* Walley 1932b: 153 [Listed] ⁷⁰
Stroggylocephalus agrestis Lowry 1933a: 69 [Ecology] ²⁸
Strongylocephalus agrestis Anonymous 1934d: 23 [Food plants] ⁴⁵
Strongylocephalus agrestis Murray 1934a: 263 [Ecology] ²³
Strongylocephalus agrestis Ossiannilsson 1934a: 134 [Listed] ¹
Strongylocephalus agrestis Thornley 1934a: 78 [Listed] ⁵
Strongylocephalus agrestis Halbert 1935a: 309, 311 [Listed] ⁷¹
[*Strongylocephalus*] *agrestis* Haupt 1935a: 168; fig. 315 [Described, ecology, illustrated] ¹³
[*Stroggylocephalus*] *agrestis* Karl 1935a: 137 [Listed] ⁷²
S[trongylocephalus] agrestis Wagner 1935a: 14 [Ecology] ^{5, 11, 54, 66, 73, 74, 75}
[*Stroggylocephalus*] *agrestes* [sic] De Long and Caldwell 1937c: 16 [Catalogued] ^{21, 22, 24, 25, 28, 53}
Strongylocephalus agrestis Kuntze 1937a: 307, 324, 325, 327, 328, 330, 334, 358 [Ecology] ¹¹
S[troggylocephalus] agrestis Kuntze 1937b: 25 [Ecology] ¹¹ Equals *Acocephalus a[gr]estis* Fall.]
Strongylocephalus agristis [sic] Watanabe 1937a: 114, 248 [Economics] ⁴⁷
Strongylocephalus agrestis Nast 1938d: 227 (3) [Listed] ⁷⁶
Stroggylocephalus agrestis Brown 1939a: 664; pl. 1, fig. 1 [Notes, illustrated] ⁷⁷
Stroggylocephalus agrestis Osborn 1939a: 120 [Listed]
S[trongylocephalus] agrestis Wagner 1939a: 135 [Listed] ⁷
Strongylocephalus agrestis Li 1940a: 252 [Listed] ⁵⁰
Strongylocephalus agrestis Lang 1941a: 1 [Notes] ^{62, 63}
S[trongylocephalus] agrestis Wagner 1941a: 148 [Food plants] ^{72, 78}
Strongylocephalus agrestis Müller 1942a: 548, 622 [Morphology of ovipositors] :560; fig. 13 [Oviposition, illustrated]
Strongylocephalus agrestis Ossiannilsson 1942a: 36 [Listed] ¹
Strongylocephalus agrestis Dlabola 1943a: 1 [Listed] ^{62, 63}
Strongylocephalus agrestis Jacobi 1943a: 30 [Listed] ⁹⁸
Stroggylocephalus [sic] *agrestis* McClure 1943a: 14 [Ecology] ⁷⁹
Stroggylocephalus agrestis Medler 1943a: 38 [Described, catalogued] ⁸⁰ Equals *Cicada agrestis* Fall.
Strongylocephalus agrestis [Miwa] 1943a: [Economics] ⁴⁵
Strongylocephalus agrestis Holgersen 1944a: 24 [Ecology] ⁵⁷ :36 [Listed] ⁵⁷
Strongylocephalus agrestes [sic] Moore 1944a: 43 [Listed] ⁷⁰
Strongylocephalus agrestis Reclaire 1944a: 229 [Ecology] ⁶⁶
[*Stroggylocephalus*] *agrestis* Kloet and Hincks 1945a: 53 [Listed] ¹⁷

agrestis Fallén—Continued

- [*Stroggylocephalus*] *agrestis* De Long and Knull 1946a: 28 [Catalogued] ^{21, 22, 24, 25, 28, 53} Equals *Cicada* [*agrestis* Fall.]
- Strongylocephalus agrestis* Lang 1946a: 152 [Listed] ⁶³
- Strongylocephalus agrestis* Moosbrugger 1946a: 70 [Listed] ⁶⁴
- Stroggylocephalus agrestis* Evans 1947a: 150 [Listed] ³⁹
- S[trongylocephalus] agrestis* Lindberg 1947a: 27 [Catalogued] ¹⁰
Equals *Cicada agrestis* Fall. Equals *S[trongylocephalus] megerlei* Reut. [error]
- [*Stroggylocephalus*] *agrestis* Lindberg 1947a: 72 [Listed] ¹⁰
- S[trongylocephalus] agrestis* Ossiannilsson 1947b: 166; figs. 340, 341, 370 [Described, key, ecology, illustrated] ^{1, 10, 54, 57}
- Strongylocephalus agrestis* Villiers 1947a: 55; pl. IV, fig. 69 [Described, illustrated, ecology] ¹⁸
- Stroggylocephalus agrestis* De Long 1948a: 178 [Described, ecology, catalogued] ^{21, 25, 82} Equals *Cicada agrestis* Fall. Equals *Tettigonia mixta* Say
- Strongylocephalus agrestis* Ossiannilsson 1948a: 16 [Listed] ^{1, 10, 54, 57, 74, 83, 84}
- S[trongylocephalus] agrestis* Zachvatkin 1948a: 174 [Key]
- S[trongylocephalus] agrestis* Fagel 1949a: 146 [Ecology] ¹⁹
- Strongylocephalus agrestis* Linnavuori 1949a: 68 [Ecology] ¹⁰
- Strongylocephalus agrestis* Müller 1949a: 356 [Symbionts]
- [*Aphrodes*] *agrestis* Oman 1949a: 58 [Catalogued] ^{85, 86} Equals *Cicada agrestis* Fall. Equals [*Aphrodes*] *mixta* Say
- [*Aphrodes*] *mixta* Oman 1949a: 58 [Catalogued] Equals *Tettigonia mixta* Say To [*Aphrodes*] *agrestis*
- [*Stroggylocephalus*] *agrestis* China 1950a: 245 [Listed] ¹⁷
- Stroggylocephalus agrestis* Moore 1950a: 259 [Listed] ⁷⁰
- Stroggylocephalus agrestis* Moore 1950b: 34 [Listed] ⁷⁰
- Stronglocephalus* [sic] *agrestis* Wade 1951a: 55 [Bibliography]
- Strongylocephalus agrestis* Kontkanen 1952b: 562 [Listed] ^{10, 43}
- Stroggylocephalus agrestis* Linnavuori 1952a: 14 [Ecology] ¹⁰
- Strongylocephalus agrestis* Ribaut 1952a: 345; figs. 911–915 [Described, ecology, illustrated] ^{35, 36, 37, 67, 81, 87, 88, 89, 90, 91, 92, 93, 94, 95}
Equals [*Strongylocephalus*] *irroratus* Curt. (?) :344 [Key] :346 [Comparative note]
- Strongylocephalus agrestis* Box 1953b: 48 [Food plants] ^{45, 47, 50}
- [*Aphrodes*] *agrestis* Ishihara 1953b: 35 [Catalogued] ^{3, 36, 37, 45, 48, 99}
Equals *Cicada* [*agrestis* Fall.] Equals *Tettigonia mixta* Say
- Stroggylocephalus agrestis* Kontkanen 1953a: 101, 103 [Ecology, catalogued] ^{10, 13}

agrestis Fallén—Continued

Strongylocephalus agrestis Marchand 1953a: 145, 147; fig. 2
[Ecology, illustrated] ⁸

A[phrodes] agrestis Beirne 1954f: 199; fig. 2 [Notes, illustrated]
^{70, 79, 96} Equals *A[phrodes] mixtus* Say

S[troggylocephalus] agrestis Dlabola 1954a: 149; pl. VII, figs.
81–82; pl. XXVII, figs. 528–530 [Notes, illustrated, catalogued]
^{44, 62, 63} :67 [Ecology] ^{44, 62, 63}

Stroggylocephalus agrestis Esaki and Ito 1954a: 74 [Catalogued,
food plants] ^{1, 3, 9, 35, 36, 43, 45, 47, 48, 61, 98} Equals *Acocephalus*
(*Strongylocephalus*) *agrestis* Kirschb. Equals *Cicada agrestis*
Fall. Equals *Selenocephalus agrestis* Burm. :3 [Economics] ⁴⁷

S[trongylocephalus] agrestis Smreczynski 1954a: 121 [Notes] ⁷⁶

LOCALITIES: ¹ Sweden. ² Missouri. ³ Europe. ⁴ Sicily. ⁵ England.
⁶ Bavaria. ⁷ Hesse. ⁸ Prussia. ⁹ Kyushu. ¹⁰ Finland. ¹¹ Mecklenburg.
¹² Alsace-Lorraine. ¹³ Germany. ¹⁴ Russia. ¹⁵ Galicia. ¹⁶ Tyrol. ¹⁷ Great
Britain. ¹⁸ France. ¹⁹ Belgium. ²⁰ Italy. ²¹ New York. ²² Michigan.
²³ Scotland. ²⁴ Iowa. ²⁵ Colorado. ²⁶ Irkutsk. ²⁷ Canada. ²⁸ New Hamp-
shire. ²⁹ Africa. ³⁰ Lapland. ³¹ Austria. ³² Hungary. ³³ Northern
Russia. ³⁴ Central Russia. ³⁵ Turkestan. ³⁶ Siberia. ³⁷ Nearctic Region.
³⁸ Archangel. ³⁹ Livonia. ⁴⁰ Moscow. ⁴¹ Tashkent. ⁴² Leningrad.
⁴³ North America. ⁴⁴ Slovakia. ⁴⁵ Formosa. ⁴⁶ Wales. ⁴⁷ Japan.
⁴⁸ Honshu. ⁴⁹ Dalmatia. ⁵⁰ China. ⁵¹ Northern States. ⁵² Oriental
Region. ⁵³ Connecticut. ⁵⁴ Denmark. ⁵⁵ Northern Africa. ⁵⁶ Western
Asia. ⁵⁷ Norway. ⁵⁸ Netherlands. ⁵⁹ Kansas. ⁶⁰ Ohio. ⁶¹ Korea.
⁶² Bohemia. ⁶³ Moravia. ⁶⁴ Vorarlberg. ⁶⁵ Kustenland. ⁶⁶ Holland.
⁶⁷ Normandy. ⁶⁸ Kiev. ⁶⁹ Northwestern Germany. ⁷⁰ Quebec. ⁷¹ Ireland.
⁷² Pomerania. ⁷³ Schleswig-Holstein. ⁷⁴ Northern Germany. ⁷⁵ Hamburg.
⁷⁶ Poland. ⁷⁷ Indiana. ⁷⁸ Mecklenburg region. ⁷⁹ Manitoba. ⁸⁰ Minnesota.
⁸¹ Languedoc. ⁸² Illinois. ⁸³ Oland. ⁸⁴ Eastern Baltic States. ⁸⁵ Central
States. ⁸⁶ Northeastern States. ⁸⁷ French Flanders. ⁸⁸ Hainaut.
⁸⁹ Picardy. ⁹⁰ Lorraine. ⁹¹ Ile de France. ⁹² Alsace. ⁹³ Dauphiné.
⁹⁴ Central Europe. ⁹⁵ Northern Europe. ⁹⁶ Ontario. ⁹⁷ New Jersey.
⁹⁸ Manchuria. ⁹⁹ Amur.

agrestis var. **b** Sahlberg

[*Stroggylocephalus agrestis*] var. *b* Sahlberg 1871a: 354 [n. var.]

agrestis var. **c** Sahlberg

[*Stroggylocephalus agrestis*] var. *c* Sahlberg 1871a: 354 [n. var.]

agrestis var. **d** Marshall

[*Acocephalus agrestis*] var. *d* Marshall 1866b: 198 [n. var.] ¹

LOCALITIES: ¹ Great Britain.

agrestis var. **e** Marshall

[*Acocephalus agrestis*] var. *e* Marshall 1866b: 198 [n. var.] ¹

LOCALITIES: ¹ Great Britain.

agrestis var. **irroratus** Curtis

- [*Amblycephalus*] *irroratus* Curtis 1829a: 192 [nom. nud., listed] ¹
 [*Amblycephalus*] *irroratus* Curtis 1835a: pl. 572 [n. sp.] ²
 [*Amblycephalus*] *irroratus* Curtis 1837a: 222 [Listed] ¹
Tettigonia irrorata Walker 1851b: 780 [Catalogued] ² Equals
Amblycephalus irroratus Curt.
 [*Tettigonia irrorata*] Signoret 1853d: 179 (7) [Taxonomy]
 [*Evacanthus*] *irroratus* Dohrn 1859a: 88 [Listed] ²
 [*Euacanthus*] *irroratus* Walker 1860a: 22 [Listed] ³
Amblycephalus irroratus Flor 1861a: 210 To *Acocephalus* (*Strongylocephalus*) *agrestis* Fall.
 [*Amblycephalus*] *irroratus* Curtis 1862a: pl. 572 [n. sp., reprinted] ²
 [*Amblycephalus*] *irroratus* Marshall 1865g: 85 To *Acocephalus*
 (*Selenocephalus*) *agrestis* Fall.
 [*Acocephalus agrestis*] var. *c* Marshall 1866b: 198 Nom. nov. pro
Amblycephalus irroratus Curtis [Described] ¹
Amblycephalus irroratus Marshall 1866b: 197 To *Acocephalus*
agrestis Fall.
Euacanthus irroratus Marshall 1866b: 197 To *Acocephalus*
agrestis Fall.
Strongylocephalus irroratus Fieber 1872a: 10 To *Strongylocephalus*
agrestis Fall. (?)
Amblycephalus irroratus Scott 1874g: 121 To *Athysanus ob-*
scurellus Kirschb. [error]
Strongylocephalus irroratus Puton 1875a: 132 To [*Strongylo-*
cephalus] *agrestis* Fall. (?)
Amblycephalus irroratus Douglas and Scott 1876a: 87 To [*Athy-*
sanus] *obscurellus* [error]
Amblycephalus irroratus Signoret 1879a: 91 To *S[troggylocephalus]*
megerlei Fieb. (?) [error]
 [*Strongylocephalus*] *irroratus* Puton 1886b: 79 To [*Strongylo-*
cephalus] *agrestis* Fall. (?)
 [*Athysanus*] *irroratus* Puton 1886b: 83 To [*Athysanus*] *obscurellus*
 Kirschb. [error]
Amblycephalus irroratus Buckton 1891a: 6 To *Strongylocephalus*
megerlei Scott (?) [error]
Amblycephalus irroratus Melichar 1896a: 189 To *Strongylo-*
cephalus agrestis Fall.
 [*Athysanus*] *irroratus* Puton 1899a: 89 To [*Athysanus*] *lineolatus*
 Brullé (?) [error]
 [*Strongylocephalus*] *irroratus* Puton 1899a: 94 To [*Strongylo-*
cephalus agrestis Fall. (?)

agrestis var. **irroratus** Curtis—Continued

- Amblycephalus irroratus* Oshanin 1906a: 95 To [*Stroggylocephalus*] *agrestis* Fall. (?) :146 To [*Athysanus*] *lineolatus* Brullé (?) [error]
 [*Athysanus*] *irroratus* Oshanin 1912a: 108 To [*Athysanus*] *lineolatus* Brullé (?) [error]
 [*Strongylocephalus*] *irroratus* Oshanin 1912a: 104 To [*Strongylocephalus*] *agrestis* Fall. (?)
 [*Athysanus*] *irroratus* de Bergevin 1913d: 97 (4) To *Athysanus lineolatus* [sic] Brullé (?) [error]
 [*Euscelis*] *irroratus* Ribaut 1952a: 91 To *Euscelis lineolatus* Brullé (?) [error]
 [*Strongylocephalus*] *irroratus* Ribaut 1952a: 345 To *Strongylocephalus agrestis* Fall. (?)

LOCALITIES: ¹ Great Britain. ² England. ³ Southern England.

agrestis var. *nitidus* Curtis. See *Euscelis lineolata* Brullé. Family EUSCELIDAE.

agrestis Sahlberg [nec Fallén]. See *Stroggylocephalus livens* Zetterstedt.

agrestis. Typographical error for *Stroggylocephalus agrestis* Fallén.

b Sahlberg (var.) [*agrestis*]. See *Stroggylocephalus agrestis* var. *b* Sahlberg.

c Sahlberg (var.) [*agrestis*]. See *Stroggylocephalus agrestis* var. *c* Sahlberg.

d Marshall (var.) [*agrestis*]. See *Stroggylocephalus agrestis* var. *d* Marshall.

e Marshall (var.) [*agrestis*]. See *Stroggylocephalus agrestis* var. *e* Marshall.

irroratus Curtis. See *Stroggylocephalus agrestis* var. *irroratus* Curtis.

livens Zetterstedt

Ph[oletaera] livens Zetterstedt 1840a: 288 [n. sp.] ¹

Ph[oletaera] nigropunctata Zetterstedt 1840a: 288 [n. sp.] ¹

Acocephalus livens Walker 1851b: 849 [Catalogued] ¹ Equals

Pholetaera livens Zett. Equals *Pholetaera* [*livens*] *nigropunctata* Zett. (?)

[*Acucephalus*] *livens* Dohrn 1859a: 84 [Listed] ²

[*Acucephalus livens*] *nigropunctatus* Dohrn 1859a: 84 [Listed] ¹

[*Acocephalus* (*Acocephalus*) *rusticus livens*] Flor 1861a: 201 Equals
Pholetaera livens Zett.

[*Acocephalus* (*Acocephalus*) *rusticus nigropunctatus*] Flor 1861a: 201 Equals [*Pholetaera*] *nigropunctata* Zett.

Acucephalus nigropunctatus Sahlberg 1867a: 232 [Listed] ¹

A[cucephalus] livens Sahlberg 1868b: 191 [Listed] ³

A[cucephalus] nigropunctatus Sahlberg 1868b: 191 [Listed] ³

Strongylocephalus agrestis [nec Fallén] Sahlberg 1871a: 353; pl. II, fig. 30 [Described, illustrated] ^{4, 5, 6, 7}; : 354 Equals *Acocephalus* (*Strongylocephalus*) *agrestis* Flor [error] Equals
Cicada [*agrestis* Fall] [error] :54 [Listed] ^{4, 5}

livens Zetterstedt—Continued

- A[cocephalus] nigropunctatus* Sahlberg 1871a: 360 [Described, catalogued] ^{4, 5} Equals *Pholetaera [nigropunctata]* Zett. Equals *Pholetaera livens* Zett. :37 [Ecology] :54 [Listed] ^{4, 5}
- [Acocephalus albifrons]* var. *i* Sahlberg 1871a: 362 Nom. nov. pro *Pholetaera livens* Zetterstedt [1840] [Described] ⁶
- Strongylocephalus megerlei* Fieber 1872a: 10 [nom. nud., listed] ²
- [Acocephalus] livens* Fieber 1872a: 10 To *[Acocephalus] rusticus* Fabr. [error]
- [Acocephalus] nigropunctata* Fieber 1872a: 10 To *[Acocephalus] rusticus* Fabr. [error]
- Strongylocephalus megerlei* Scott 1874g: 122 [n. sp.] ⁷
- [Strongylocephalus] megerlei* Puton 1875a: 132 [Listed] ²
- [Acocephalus] nigropunctatus* Puton 1875a: 133 [Listed] ⁶ Equals *[Acocephalus] livens* Zett.
- [Strongylocephalus] megerlei* Douglas and Scott 1876a: 74 [Catalogued] ⁷
- A[cocephalus] livens* Signoret 1879a: 76 (30) To *A[cocephalus] albifrons* Linné [error]
- [Acocephalus albifrons] nigropunctatus* Signoret 1879a: 80 (34) [Described]
- [Acocephalus albifrons] livens* Signoret 1879a: 81 (35) [Described]
- A[cocephalus] nigropunctatus* Signoret 1879a: 76 (30) To *A[cocephalus] albifrons* Linné [error]
- S[troggylocephalus] megerlei* Signoret 1879a: 91; pl. 2, fig. 19 [Described, illustrated, catalogued] ⁸ Equals *Amblycephalus irroratus* Curt. (?) [error]
- Strongylocephalus megerlei* Norman 1880a: 213 [Listed] ⁹
- A[cocephalus] nigropunctatus* Reuter 1880a: 207 To *A[cocephalus] albifrons* Linné [error]
- Strongylocephalus megerlei* Reuter 1880a: 207 Equals *S[trongylocephalus] agrestis* Sahlb. [nec Fall.]
- S[trongylocephalus] megerlei* Reuter 1881b: 234 [Notes] ⁴
- [Acocephalus albifrons nigropunctatus]* Reuter 1881b: 234 Equals *A[cocephalus] nigropunctatus* Zett.
- St[roggylocephalus] megerlei* Mayr 1884a: 30 [Listed] ²
- [Strongylocephalus] megerlei* Puton 1886b: 79 [Listed] ^{8, 10, 26}
- [Acocephalus] livens* Puton 1886b: 80 To *[Acocephalus] albifrons* Linné [error]
- [Acocephalus] nigropunctatus* Puton 1886b: 80 To *[Acocephalus] albifrons* Linné [error]
- S[trongylocephalus] megerlei* Then 1886a: 26 [Listed] ²

livens Zetterstedt—Continued

- Strongylocephalus megerlei* Edwards 1888d: 18 [Described, catalogued] ⁷
- [*Stroggylocephalus*] *megerlei* Edwards 1888d: 18 [Key]
- A[cocephalus] nigropunctatus* Edwards 1888d: 21 To *Acocephalus albifrons* Linné [error]
- Strongylocephalus megerlei* Edwards 1889a: 706 [Ecology] ⁷
- [*Strongylocephalus*] *megerlie* Saunders and Edwards 1890a: 13 [Listed] ²⁶
- Strongylocephalus megerlei* Buckton 1891a: 6; pl. XL, figs. 3, 3a-b [Described, catalogued, illustrated] ⁷ Equals *Amblycephalus irroratus* Curt. (?) [error]
- Acocephalus nigropunctatus* Buckton 1891a: 7 To *Acocephalus albifrons* Linné [error]
- [*Acocephalus albifrons*] *nigropunctatus* Buckton 1891a: 7 To *Acocephalus albifrons* Linné [error]
- [*Stroggylocephalus*] *megerlei* Fokker 1891a: 371 [Listed] ¹¹
- [*Strongylocephalus*] *meigerlei* [sic] Coubeaux 1892a: 35 (2) [Listed] ¹²
- [*Acocephalus*] *livens* Duda 1892a: 32 To [*Acocephalus*] *albifrons* Linné [error]
- [*Acocephalus*] *nigropunctatus* Duda 1892a: 32 To [*Acocephalus*] *albifrons* Linné [error]
- Strongylocephalus megerlei* Lethierry 1892b: 24 [Listed] ¹²
- S[troggylocephalus] megerlei* Giglio-Tos 1894a: 13 [Notes] ¹³
- S[trongylocephalus] megerlei* Edwards 1895a: 118 [Described, ecology] ⁷
- Strongylocephalus megerlei* Melichar 1896a: 189 [Described, catalogued, key] ²
- S[troggylocephalus] megerlei* Dubois 1898a: 236 [Ecology] ⁸
- Strongylocephalus megerlei* Lambertie 1899b: cxlv [Ecology] ⁸
- [*Strongylocephalus*] *megerlei* Puton 1899a: 94 [Listed] ^{8, 10, 14, 26}
- [*Acocephalus*] *livens* Puton 1899a: 94 To [*Acocephalus*] *albifrons* Linné [error]
- [*Acocephalus*] *nigropunctatus* Puton 1899a: 94 To [*Acocephalus*] *albifrons* Linné [error]
- [*Strongylocephalus*] *megerlei* Lambertie 1901a: 204 (76) [Listed] ⁸
- Strongylocephalus megerlei* (?) Hübner 1904a: 262 [Listed] ¹⁰
- [*Acocephalus*] *livens* Hübner 1904a: 263 To [*Acocephalus*] *albifrons* Linné [error]
- [*Acocephalus*] *nigropunctatus* Hübner 1904a: 263 To [*Acocephalus*] *albifrons* Linné [error]
- Strongylocephalus megerlei* (?) Hübner 1904b: 262 [Listed] ¹⁰

livens Zetterstedt—Continued

[*Acocephalus*] *livens* Hüeber 1904b: 263 To [*Acocephalus*] *albifrons* Linné [error]

[*Acocephalus*] *nigropunctatus* Hüeber 1904b: 263 To [*Acocephalus*] *albifrons* Linné [error]

Pholetaera livens Oshanin 1906a: 92 To [*Acocephalus*] *albifrons* Linné [error]

Acocephalus nigropunctatus Oshanin 1906a: 92 To [*Acocephalus*] *albifrons* Linné [error]

Pholetaera nigropunctata Oshanin 1906a: 92 To [*Acocephalus*] *albifrons* Linné [error]

[*Stroggylocephalus megerlei*] Oshanin 1906a: 96 [Catalogued] ^{4, 8, 10, 26}

Strongylocephalus megerlei Oshanin 1908b: 422 [Listed] ¹¹

[*Strongylocephalus*] *megerli* [sic] Saunders and Edwards 1908a: 12 [Listed] ²⁶

Strongylocephalus megerlei Lambertie 1909a: cxv [Listed] ⁸

[*Strongylocephalus*] *megerlei* Lambertie 1910a: 78 [Listed] ⁸

[*Acocephalus*] *livens* Lambertie 1910a: 78 To [*Acocephalus*] *albifrons* Linné [error]

[*Acocephalus*] *nigropunctatus* Lambertie 1910a: 78 To [*Acocephalus*] *albifrons* Linné [error]

[*Acocephalus*] *livens* Oshanin 1912a: 104 To [*Acocephalus*] *albifrons* Linné [error]

[*Acocephalus*] *nigropunctatus* Oshanin 1912a: 104 To [*Acocephalus*] *albifrons* Linné [error]

[*Stroggylocephalus*] *megerlei* Oshanin 1912a: 104 [Listed] ^{2, 8, 16}

Strongylocephalus megerlei (?) Mac Gillavry 1914a: 94 [Listed] ^{15, 17}

[*Strongylocephalus*] *megerlei* Jacobsen 1915a: 323 [Listed] ¹⁶

[*Acucephalus*] *livens* Van Duzee 1916a: 68 To [*Acucephalus*] *albifrons* Linné [error]

[*Acucephalus*] *nigropunctata* Van Duzee 1916a: 68 To [*Acucephalus*] *albifrons* Linné [error]

Pholetaera livens Van Duzee 1917b: 620 To *Acucephalus albifrons* Linné [error]

Pholetaera nigropunctata Van Duzee 1917b: 620 To *Acucephalus albifrons* Linné [error]

Str[ongylocephalus] megerlei Jensen-Haarup 1918a: 39 [Described, key] ¹⁶

Str[ongylocephalus] megerlei Jensen-Haarup 1920a: 113 [Described, key] ^{4, 7, 8, 16}

Strongylocephalus megerlei Tullgren and Wahlgren 1920a: 147 [Notes] ¹⁸

livens Zetterstedt—Continued

- Str[ongylocephalus] megerlei* (?) Mac Gillavry 1922a: 69 [Listed]
A[cocephalus] (Pholetaera) livens Lindberg 1924a: 16 [Listed]
[Acocephalus] nigropunctatus Lindberg 1924a: 42 To *[Acocephalus] histrionicus* Fabr. [error] :16 [Listed]
[Strongylocephalus] megerlei Lindberg 1924a: 17, 18; fig. 3 [Notes, illustrated] ⁴ :42 [Listed] ⁴
[Aphrodes albifrons] livens Blöte 1927b: 72 [Described] ¹¹
S[troggylocephalus] megerlei Blöte 1927b: 74 [Described] ¹¹
[Aphrodes albifrons] livens Blöte 1927d: 222 [Listed] ¹¹
Strongylocephalus megerlei Blöte 1927d: 222 [Listed] ¹¹
Pholetaera livens Sherborn 1927c: 3625 [Catalogued]
Strongylocephalus megerlei Ivanov 1928b: 494 [Listed] ¹⁹
Strongylocephalus megerlei Ivanov 1928c: 190 [Listed] ¹⁹
S[trongylocephalus] mergelei [sic] Poisson and Poisson 1928a: 84 [Listed] ⁸
[Strongylocephalus] megerlei Haupt 1935a: 168 [Described, ecology] ²⁰
Strongylocephalus megerlei Kuntze 1937a: 327, 358, 372 [Ecology] ²¹
S[troggylocephalus] megerlei Kuntze 1937b: 25 [Ecology] ²¹
[Strongylocephalus] megerlei China 1938b: 194 [Listed] ²⁶ Equals *[Strongylocephalus] megerli* (sic) Edw.
Strongylocephalus megerlei Nast 1938e: 431 (1) [Listed] ^{2, 22}
Strongylocephalus livens Ossianilsson 1938b: 68 [Catalogued] ¹
 Equals *Pholetaera livens* Zett. :68, 78 Equals *Strongylocephalus megerlei* Scott Equals *Pholetaera nigropunctata* Zett.
S[trongylocephalus] megerlei Wagner 1941a: 148 [Listed] ^{23, 24, 25} :176 [Notes]
Strongylocephalus livens Holgersen 1944a: 33, 36 [Listed] ¹⁸ :24 [Ecology] ^{4, 5, 7, 8, 16, 18}
[Strongylocephalus] megerlei Holgersen 1944a: 24 [Listed]
A[phrodes] a[lbifrons] livens Reclaire 1944a: 229 [Listed] ¹⁵
S[trongylocephalus] megerlei Reclaire 1944a: 229 [Ecology] ¹⁵
[Stroggylocephalus] megerlei Kloet and Hincks 1945a: 53 [Listed] ²⁶
Acocephalus nigropunctatus Lindberg 1947a: 29 To *A[phrodes] histrionicus* Fabr. [error]
S[trongylocephalus] livens Lindberg 1947a: 27 [Catalogued] ⁴
 Equals *Pholetaera livens* Zett. Equals *Strongylocephalus megerlei* Scott
S[trongylocephalus] megerlei Lindberg 1947a: 27 To *S[trongylocephalus] agrestis* Fall. [error]
[Stroggylocephalus] livens Lindberg 1947a: 72 [Listed] ⁴

livens Zetterstedt—Continued

S[trongylocephalus] livens Ossiannilsson 1947b: 167; figs. 342, 343 [Described, ecology, illustrated]^{4, 5, 16, 18} Equals [*Strongylocephalus nigropunctatus* Zett. Equals [*Strongylocephalus megerlei* Scott :166 [Key]

Pholetaera livens De Long 1948a: 178 To *Aphrodes albifrons* Linné [error]

Pholetaera nigropunctata De Long 1948a: 178 To *Aphrodes albifrons* Linné [error]

Strongylocephalus livens Ossiannilsson 1948a: 16 [Listed]^{4, 5, 16, 18, 27} Equals [*Strongylocephalus*] *nigropunctatus* Zett. Equals [*Strongylocephalus*] *megerlei* Scott

Strongylocephalus megerlei Fagel 1949a: 146 [Ecology]¹²

Strongylocephalus livens Linnavuori 1949d: 154 [Ecology]⁴

[*Aphrodes*] *livens* Oman 1949a: 58 [Catalogued] Equals *Pholetaera livens* Zett. To [*Aphrodes*] *albifrons* [error]

[*Aphrodes*] *nigropunctata* Oman 1949a: 58 [Catalogued] Equals *Pholetaera nigropunctata* Zett. To [*Aphrodes*] *albifrons* [error]

[*Stroggylocephalus*] *livens* China 1950a: 245 [Listed]²⁶ Equals [*Stroggylocephalus*] *megerlei* Scott

Strongylocephalus livens Ribaut 1952a: 346; figs. 916–919 [Described, ecology, illustrated]^{4, 5, 7, 10, 15, 16, 18, 22, 28, 29, 30} Equals [*Strongylocephalus*] *nigropunctatus* Zett. Equals [*Strongylocephalus*] *megerlei* Scott :344 [Key]

[*Stroggylocephalus*] *livens* Kontkanen 1953a: 101, 103 [Ecology, catalogued]^{4, 10}

LOCALITIES: ¹ Lapland. ² Europe. ³ Karelia. ⁴ Finland. ⁵ Sweden. ⁶ Scandinavia. ⁷ England. ⁸ France. ⁹ Scotland. ¹⁰ Germany. ¹¹ Netherlands. ¹² Belgium. ¹³ Palestine. ¹⁴ Austria. ¹⁵ Holland. ¹⁶ Denmark. ¹⁷ Terschelling Island. ¹⁸ Norway. ¹⁹ Kiev. ²⁰ Western Prussia. ²¹ Mecklenburg. ²² Poland. ²³ Mecklenburg region. ²⁴ Pomerania. ²⁵ Hanover. ²⁶ Great Britain. ²⁷ Northern Germany. ²⁸ Guienne. ²⁹ Normandy. ³⁰ Italy.

megerlei Scott. See *Stroggylocephalus livens* Zetterstedt.

mixtus Say. See *Stroggylocephalus agrestis* Fallén.

nigropunctata Zetterstedt. See *Stroggylocephalus livens* Zetterstedt.

nitidus Curtis. See *Euscelis lineolata* Brullé. Family EUSCELIDAE.

Genus Memnonia Ball

ORTHOTYPE *M[emnonia] consobrina* [n. sp.] Ball 1900a: 66

ORTHOTYPE [*Memnonia*] *consobrina* Van Duzee 1916a: 68

ORTHOTYPE [*Memnonia*] *consobrina* Van Duzee 1917b: 621

TYPE *Memnonia consobrina* De Long and Knull 1946a: 29

TYPE *Memnonia consobrina* Evans 1947a: 150

LOGOTYPE *Memnonia consobrina* Oman 1949a: 32

- Memnonia** Ball 1900a: 66 [gen. n.]
 Waterhouse 1912a: 170 [Listed]
 Crumb 1913a: 133; pl. II, figs. 5, 6 [Key, illustrated]
 Ball 1915a: 166 [Comparative note]
 Van Duzee 1916a: 68 [List of species from the Nearctic Region]
 Van Duzee 1917b: 621 [Catalogued, catalogue of species from the Nearctic Region]
 Lawson 1920a: 108 [Described, key, key to species from Kansas]
 Osborn 1920a: 156 [Notes] :163 [Key] :161 [Taxonomy]
 Schulze, Kükenthal and Heider 1931b: 2028 [Catalogued]
 Ball 1937a: 129 [Notes]
 De Long and Caldwell 1937c: 16 [Catalogued, catalogue of species from the Nearctic Region]
 Neave 1940a: 100 [Catalogued]
 De Long and Knull 1946a: 29 [List of species from the Nearctic Region]
 Evans 1947a: 150 [Catalogued]
 Metcalf 1947a: 158 [Zoogeography]
 De Long 1948a: 179 [Described, review of species, catalogued] :178 [Key]
 Oman 1949a: 32 [Described, catalogued] :31 [Key]

acuta Beamer

- Memnonia acuta* Beamer 1938c: 80; figs. 6, 6a [n. sp., illustrated] ¹
 [*Memnonia*] *acuta* De Long and Knull 1946a: 29 [Catalogued] ¹
 [*Memnonia*] *acuta* Oman 1949a: 32 [Catalogued] ¹

LOCALITIES: ¹ Colorado.

albolinea Ball

- Memnonia albolinea* Ball 1937a: 131 [n. sp.] ¹ :132 [Comparative note]
 [*Memnonia*] *albolinea* De Long and Caldwell 1937c: 16 [Catalogued] ¹
Memnonia albolinea Beamer 1938c: 80 [Comparative note]
 [*Memnonia*] *albolinea* De Long and Knull 1946a: 29 [Catalogued] ¹
 [*Memnonia*] *albolinea* Oman 1949a: 32 [Catalogued] ¹

LOCALITIES: ¹ Arizona.

consobrina Ball

- Memnonia consobrina* Ball 1900a: 66; pl. V, figs. 6-10 [n. sp., illustrated] ^{1, 2} :67 [Comparative note]

consobrina Ball—Continued

- [*Memnonia*] *consobrina* Van Duzee 1916a: 68 [Listed] ³
Memnonia consobrina Van Duzee 1917b: 621 [Catalogued] ^{1, 2}
Memnonia consobrina Lawson 1920a: 109 [Described, key, food plants, catalogued] ⁴:109, 110 [Comparative notes]
M[emnonia] consobrina Osborn 1920a: 156; figs. 2c, d [Illustrated] ⁴
Memnonia consobrina Lawson 1922c: 333 [Listed] ⁴
Memnonia consobrina Readio 1922a: 238; pl. XXIX, fig. 5 [Morphology of ovipositor, illustrated]
Memnonia consobrina Swain 1936a: 50 [Listed] ^{1, 2}
[*Memnonia*] *consobrina* Ball 1937a: 131, 132 [Comparative notes]
[*Memnonia*] *consobrina* De Long and Caldwell 1937c: 16 [Catalogued] ^{1, 2}
[*Memnonia*] *consobrina* De Long and Knull 1946a: 29 [Catalogued] ^{1, 2}
Memnonia consobrina Evans 1947a: 150 [Listed] ⁵
Memnonia consobrina De Long 1948a: 179; fig. 198 [Described, illustrated, ecology, catalogued] ^{1, 2}
[*Memnonia*] *consobrina* Oman 1949a: 32; pl. 6, fig. 2; pl. 7 fig. 1 [Catalogued, illustrated] ¹

LOCALITIES: ¹ Colorado. ² Nebraska. ³ Rocky Mountain States. ⁴ Kansas.
⁵ North America.

fossitia Ball

- Memnonia fossitia* Ball 1937a: 132 [n. sp.] ^{1, 2}
[*Memnonia*] *fossitia* De Long and Caldwell 1937c: 17 [Catalogued] ^{1, 2}
[*Memnonia*] *fossitia* De Long and Knull 1946a: 29 [Catalogued] ^{1, 2}
[*Memnonia*] *fossitia* Oman 1949a: 32 [Catalogued] ³

LOCALITIES: ¹ Arizona. ² New Mexico. ³ Southwestern States.

fraterna Ball

- Memnonia fraterna* Ball 1900a: 67 [n. sp.] ¹
[*Memnonia*] *fraterna* Van Duzee 1916a: 68 [Listed] ²
Memnonia fraterna Van Duzee 1917b: 621 [Catalogued] ^{3, 4}
Memnonia fraterna Lawson 1920a: 109 [Described, key, food plants, catalogued] ⁵
Memnonia fraterna Lawson 1922c: 333 [Listed] ⁵
Memnonia fraterna Swain 1936a: 50 [Listed] ⁴
[*Memnonia*] *fraterna* De Long and Caldwell 1937c: 17 [Catalogued] ^{3, 4}
[*Memnonia*] *fraterna* De Long and Knull 1946a: 29 [Catalogued] ^{3, 4}
[*Memnonia*] *fraterna* Oman 1949a: 32 [Catalogued] ^{6, 7}

LOCALITIES: ¹ Locality Unknown. ² Rocky Mountain States. ³ Nebraska.
⁴ Colorado. ⁵ Kansas. ⁶ Central States. ⁷ Southwestern States.

simplex Van Duzee. See *Friscanus friscanus* Ball.

Genus *Aphrodes* Curtis

- HAPLOTYPE *Aphrodes testudo* [n. sp.] Curtis 1833a: 195
 PSEUDOTYPE *Aphrodes maculipes* Curtis 1837b: pl. 633
 PSEUDOTYPE *A[phrodes] costata* Westwood 1840b: 116
 PSEUDOTYPE *A[phrodes] costata* Blanchard 1849c: 3
 PSEUDOTYPE *Aphrodes maculipes* Curtis 1862a: pl. 633
 TYPE *[Aphrodes] testudo* Kirkaldy 1901d: 178
 HAPLOTYPE *[Aphrodes] testudo* Van Duzee 1917b: 618
 PSEUDOTYPE *[Aphrodes] maculipes* Van Duzee 1917b: 618
 PSEUDOTYPE *A[phrodes] bicinctus* Haupt 1929c: 251
 PSEUDOTYPE *A[phrodes] bicinctus* Haupt 1935a: 167
 TYPE *Cicada albifrons* Medler 1943a: 38
 TYPE *Cicada albifrons* De Long and Knull 1946a: 28
 TYPE *Aphrodes testuda* Evans 1947a: 149
 HAPLOTYPE *Aphrodes testudo* Oman 1949a: 57
 TYPE *[Aphrodes] testudo* China 1950a: 245
 PSEUDOTYPE *Cicada bicincta* Ribaut 1952a: 329
 TYPE *Aphrodes testudo* Ishihara 1953b: 34
 PSEUDOTYPE *A[phrodes] nervosus* Dlabola 1954a: 150
 TYPE *Cicada albifrons* Esaki and Ito 1954a: 80

[Acocephalus Burmeister]

- [LOGOTYPE *[Acocephalus] striatus* Kirkaldy 1901e: 219]
 [PSEUDOTYPE *A[cocephalus] nervosus* Oshanin 1912a: 103]
 [PSEUDOTYPE *[Acocephalus] costatus* Van Duzee 1917b: 618]

[Acucephalus Germar]

- [LOGOTYPE *Aphrodes bicincta* Curtis 1836a: pl. 620]
 [PSEUDOTYPE *C[ercopis] trifasciatus* Westwood 1840b: 116]
 [TYPE *A[cucephalus] rusticus* Kirschbaum 1858b: 357]
 [TYPE *Aphrodes bicincta* Curtis 1862a: pl. 620]
 [TYPE *[Acucephalus] striatus* Kirkaldy 1901e: 219]
 [TYPE *[Acucephalus] nervosus* Van Duzee 1916a: 68]
 [PSEUDOTYPE *[Acucephalus] costatus* Van Duzee 1917b: 618]
 [PSEUDOTYPE *[Acucephalus] trifasciatus* Van Duzee 1917b: 618]
 [PSEUDOTYPE *Cicada costata* Evans 1947a: 148]
 [LOGOTYPE *Cercopis striata* Oman 1949a: 57]

[Anoscopus Kirschbaum]

- [ORTHOTYPE *A[noscopus] serratulae* Kirschbaum 1858b: 357]
 [PSEUDOTYPE *[Anoscopus] histrionicus* Van Duzee 1917b: 618]
 [TYPE *Anoscopus serratulae* Evans 1947a: 148]
 [PSEUDOTYPE *Cercopis histrionica* Oman 1949a: 57]

[*Pholetaera* Zetterstedt][ORTHOTYPE *Phol[etaera]* *rustica* Zetterstedt 1840a: 288][PSEUDOTYPE [*Pholetaera*] *sahlbergi* Kirkaldy 1903c: 215][TYPE [*Pholetaera*] *rustica* Van Duzee 1917b: 618][TYPE *Cercopis rustica* Evans 1947a: 150][ORTHOTYPE *Cercopis rustica* Oman 1949a: 57]

- Eupelix* [nec Germar] Le Peletier and Serville 1825a: 611 [Described] Equals *Tettigonia* Latr. [in part] Equals *Cicada* Fabr. [in part] :602 [Key]
- Aphrodes Curtis 1829a: 193 [nom. nud., list of species from Great Britain]
Curtis 1833a: 195 [gen. n.]
- Acucephalus* Germar 1833a: 181 Nom. nov. pro *Eupelix* Le Peletier and Serville [1825] [nec *Eupelix* Germar 1821] [Key]
- Acocephalus* Burmeister 1835a: 111 Nom. nov. pro [*Acucephalus*] Germar [1833] [Described] Equals *Cercopis* Fabr. [in part] Equals *Cicada* Fall. [in part] Equals *Eupel[ix]* Le P. and Serv. [nec Germ.] :105 [Key]
- Acucephalus* Herrich-Schäffer 1835a: 115 [Catalogue of species] Equals *Cercopis* Fabr. [in part] Equals *Jass[us]* Germ. [in part] Equals *Cicada* Linné [in part] :40 [Key] :72 [Key to species]
Curtis 1836: pl. 620 [Described] Equals *Aphrodes* Curt. Equals *Jassus* Germ. [in part] Equals *Cercopis* Fabr. [in part] Equals *Cicada* Fabr. [in part]
Curtis 1837a: 222 [List of species from Great Britain]
- Aphrodes Curtis 1837a: 222 [List of species from Great Britain]
Curtis 1837b: pl. 633 [Described]
- Acocephalus* Eversmann 1837a: 33 [List of species from Russia] Equals *Cercopis* Fabr. [in part]
- Acucephalus* Gistel 1837a: 110 (15) [List of species] Equals *Cercopis* Fabr. [in part] Equals *Cicada* Linné [in part]
- Acocephalus* Heineken 1837a: 150 [List of species from Bremen]
Burmeister 1838a: [6] [Described] Equals *Cercopis* Fabr. [in part]

- Acucephalus* Labram and Imhoff 1838a: [2] [Described]
Acocephalus Burmeister 1839b: [1] [Comparative note]
 Blanchard 1840a: 197 [Described, catalogued]
 Equals *Eupelix* Le P. and Serv. [nec Germ.]
 Equals *Cercopis* Fabr. [in part] Equals *Cicada*
 Fall. [in part]
 Herrich-Schäffer 1840a: 382 [List of species from
 Bavaria]
Aphrodes Westwood 1840b: 116 [Described] Equals *Cicada*
 Don. [in part]
Acucephalus Westwood 1840b: 116 [Described] Equals *Aphrodes*
 Curt.
Pholetaera Zetterstedt 1840a: 288 [gen. n.] :296, 301 [Com-
 parative notes]
Acocephalus Agassiz, Erichson, and Germar 1842a: 1 [Cata-
 logued] To *Acocephalus* Germ.
Aphrodes Agassiz, Erichson, and Germar 1842a: 2 [Cata-
 logued]
Pholetaera Agassiz, Erichson, and Germar 1842a: 15 [Cata-
 logued]
Acocephalus Amyot and Serville 1843a: 582 [Described] Equals
 Cicada Panz. [in part]
Acucephalus Blanchard 1845a: 420 [Described] :425 [Listed]
Acocephalus Agassiz, Erichson and Germar 1846a: 1 [Listed]
 Gimmerthal 1846a: 27 [List of species from Livonia]
 Blanchard 1847a: 88 [Described]
 Agassiz 1848a: 12 To *Acucephalus* Germ.
Acucephalus Agassiz 1848a: 19 Equals *Acocephalus*
Aphrodes Agassiz 1848a: 81 [Listed]
Pholetaera Agassiz 1848a: 827 [Listed]
Acucephalus Gistel 1848a: 150 [Listed]
Acocephalus Blanchard 1849b: 151 [Listed]
Aphrodes Blanchard 1849c: 3 [Described]
Acocephalus Blanchard 1850a: 197 [Described, catalogued]
 Equals *Eupelix* Le P. and Serv. [nec Germ.]
 Equals *Cercopis* Fabr. [in part] Equals *Cicada*
 Fall. [in part]
Aphrodes Hardy 1850a: 424 [New species from England]
Acucephalus Hardy 1850a: 429 [A new species from England]
 Spinola 1850a: 57 [Key]

- Acocephalus* Fitch 1851a: 57 [A new species from New York]
 Walker 1851b: 846 [Catalogued, new species from various regions] Equals *Phrynomorphus* Curt. [error] Equals *Cicada* Fall. (in part) Equals *Cercopis* Fabr. (in part) Equals *Pholetaera* Zett. Equals *Iassus* Germ. (in part) Equals *Aphrodes* Curt. Equals *Acucephalus* Curt.
- de Graaf and Snellen van Vollenhoven 1854a: 184 [Catalogue of species from the Netherlands]
 Fairmaire 1855a: 155 [Comparative note] :153 [Key]
 Mulsant and Rey 1855a: 216; fig. 14 [Comparative note, illustrated]
 Mulsant and Rey 1855b: 116; fig. 14 [Comparative note, illustrated]
 Walker 1857a: 98 [Listed]
 Walker 1857b: 172 [List of species from Sarawak]
 Kirschbaum 1858a: 3 [Notes]
- Acucephalus* Kirschbaum 1858b: 355 [Listed]
Anoscopus Kirschbaum 1858b: 357 [gen. n.]
- Acocephalus* Stål 1858d: 453 [A new species from Nigeria]
 Desmarest 1859a: 196 [Comparative note]
 Dohrn 1859a: 84 [List of species]
 Kolenati 1860a: 390 [Listed]
 Signoret 1860a: 205 [Catalogued] Equals *Pholetaera* Zett.
- Walker 1860a: 19 [List of species from Great Britain]
 Flor 1861a: 196 [Described, key to subgenera] :115 [Key] :366, 549 [Comparative notes]
 Flor 1861c: 637 [Listed]
 Flor 1861a: 198 [Key, key to species]
- [*Acocephalus*]
 (*Acocephalus*)
- Aphrodes* Curtis 1862a: pl. 633 [Described]
Acucephalus Curtis 1862a: pl. 620 [Described] Equals *Aphrodes* Curt. Equals *Jassus* Germ. [in part] Equals *Cercopis* Fabr. [in part] Equals *Cicada* Fabr. [in part]
- Acocephalus* de Graaf, Six, and Snellen van Vollenhoven 1862a: 81 [Catalogue of species from the Netherlands]
 Schaum 1862a: 55 [Comparative note]

- [*Cicada*] Thomson 1862a: 124 [Key]
 (*Pholetaera*)
Acocephalus Gerstaecker 1863b: 303 [Listed]
 Marshall 1864a: 153 [Key]
Acucephalus Stål 1864b: 64 [A new species from Algeria]
 Disconzi 1865a: 203 [Listed]
Acocephalus Marshall 1865j: 145 [Described, key to species from
 Great Britain]
 [Acocephalus] Marshall 1865j: 145 [Key]
 (*Acocephalus*)
Acocephalus Morris 1865a: 111 [List of species from Great
 Britain]
 Bellevoye 1866a: 145 (33) [Listed]
 Aphrodes Bellevoye 1866a: 146 (35) [Listed]
Pholetera [sic] Bellevoye 1866a: 145 (33) [Listed]
Acocephalus Marshall 1866k: 149 [Comparative note]
 Dallas 1867a: 570 [Listed]
 Kirschbaum 1868b: 73 [Described, key to sub-
 genera] :15 [Key]
 [Acocephalus] Kirschbaum 1868b: 74 [Key, key to species]
 (*Acocephalus*)
 [Acocephalus] Kirschbaum 1868b: 74 [Key] :77 [Key to species]
 (*Anoscopus*)
 Aphrodes Lethierry 1869a: 359 [Listed]
Acocephalus Lethierry 1869a: 357 [List of species from France]
 Rathvon 1869a: 551 [List of species from Pennsylv-
 vania]
 Stål 1869a: 82 [Listed]
 Oshanin 1870a: 57 [Listed]
Aeocephalus[sic] Brischke 1871a: 14 [Listed]
Acocephalus Sahlberg 1871a: 355 [Described, key to species,
 catalogued] :72 [Key] :54 [List of species from
 Scandinavia]
 [Acocephalus] Sahlberg 1871a: 360 [Key]
 (*Anoscopus*)
 Aphrodes Fieber 1872a: 12 [List of species from Europe]
Acocephalus Fieber 1872a: 10 Equals *Aphrodes* Curt. Equals
Cercopis Fabr. [in part] Equals *Anoscopus*
 Kirschb. Equals *Pholetaera* Zett. Equals
Cicada [in part] Equals *Jassus* [in part]
Anoscopus Marschall 1873a: 353 [Catalogued]
Acocephalus Scott 1873b: 264 [Notes]
 Lethierry 1874a: 263 (59) [Notes, ecology of species
 from France]

- Acocephalus* Raddatz 1874a: 87 [List of species from Mecklenburg]
 Scott 1874g: 120 [Catalogued]
 Siebke 1874a: 38 [List of species from Norway]
 Equals *Cicada* Fall. [in part]
 Blanchard 1875a: 425 [Listed]
- [*Acucephalus*] Blanchard 1875a: 420 [Described]
- Acocephalus* Fieber 1875a: 398 (111) [Key]
 Kittel 1875a: 5 [List of species from Bavaria]
- Anoscopus* Kittel 1875a: 5 [List of species from Baravia]
- Acocephalus* Puton 1875a: 132 [List of species from Europe]
 Equals *Pholetaera* Zett. Equals *Anoscopus* Kirschb. Equals *Aphrodes* Curt.
 Douglas and Scott 1876a: 74 [Catalogued, catalogue of species from Great Britain]
 Berg 1879d: 259 [Catalogued]
- Anoscopus* Berg 1879d: 260 [Listed]
 Berg 1879e: 264 [Listed]
- Acocephalus* Berg 1879e: 264 [Catalogued]
 Martorell y Pena 1879a: 86 [List of species from Catalonia] Equals *Pholetaera* Zett. Equals *Anoscopus* Kirschb. Equals *Aphrodes* Curt.
 Signoret 1879a: 61 (51) [Described, catalogued]
 :50 (4) [Key]
- [*Acocephalus*] Signoret 1879a: 81 (35) [Described]
 (*Anoscopus*)
- Acocephalus* Brancsik 1880a: 30 [Listed]
 Reiber and Puton 1880a: 62 [List of species from Alsace-Lorraine]
 Mayr 1881a: 93 (17) [List of species from Tyrol]
 Ferrari 1882a: 111 (39) [Key] :112 (40) [Catalogued, key to species from Italy]
 Karsch 1883a: 652 [Described]
 Berg 1884a: 25 [Comparative note]
 Berg 1884d: 162 [Comparative note]
 Kieffer 1884a: 80 [Ecology of species from Lorraine]
 Mayr 1884a: 30 [Key] Equals *Anoscopus* Kirschb.
 Uhler 1884a: 247 [Notes]
 Fairmaire 1885a: 154 [Described] :153 [Key] :155 [Comparative note]
 Ivanoff 1885a: 124 (42) [Described, key to species from Russia] :91 (9) [List of species from Russia] :101 (19) [Key]

Acocephalus

- Löw 1885a: 354 [Comparative note]
 Bucaille 1886a: 175 [Listed]
 Puton 1886b: 79 [List of species from the Palearctic Region] Equals *Pholetaera* Zett. Equals *Anoscopus* Kirschb. Equals *Aphrodes* Curt.
 Then 1886a: 26 [List of species from Austria]
 Brancsik 1887a: 56 [Listed]
 de Carlini 1887a: 273 [Listed]
 Ragusa 1887a: 186 [List of species from Sicily]
 Dubois 1888a: 163 (67) [List of species from France]
 Edwards 1888d: 19; pl. III, fig. 6 [Described, key to species illustrated, catalogued] :16 [Notes] :17 [Key]

[*Acocephalus*]

- Edwards 1888d: 19 [Notes]

(*Anoscopus*)*Acocephalus*

- Uhler 1888c: 247 [Notes]
 Balint 1889a: 271 [Listed]
 Provancher 1889a: 282 [Described] :273 [Key]
 Duda 1890a: 15, 16, 22 [Listed]
 Hansen 1890a: 39 [Morphology of antenna]
 Provancher 1890a: 282 [Described, a new species from Quebec] :273 [Key]
 Saunders and Edwards 1890a: 13 [List of species from Great Britain]
 Smith 1890a: 445 [Listed]
 Van Duzee 1890g: 92 [Comparative note]
 Alfken 1891a: 106 [Listed]
 Buckton 1891a: 7 [Described] :35 [Key] :5 [Comparative note] :1, 3 [Listed]
 Fokker 1891a: 372 [A list of species from the Netherlands]
 Oshanin 1891a: 45 [Zoogeography]
 Coubeaux 1892a: 35 (2) [Listed]
 Dominique 1892a: 120 [List of species from France]
 Duda 1892a: 32 [Listed] Equals *Pholetaera* Zett. Equals *Anoscopus* Kirschb.
 Spitzner 1892a: 30 [Ecology of species from Moravia]
 Van Duzee 1892d: 298 [Key]
 Bezzi 1893a: 111 (31) [Listed]
 Fitch 1893a: 397 [A new species from New York]
 Olivi 1893a: 142 [Listed]

Acocephalus

Van Duzee 1894a: 288 [Catalogued, catalogue of species from North America] Equals *Acucephalus*

Van Duzee 1894f: 214, 215 [Comparative notes]

Edwards 1895a: 119; pl. 2, fig. 3 [Described, illustrated, key to species from Great Britain] :117 [Key]

Melichar 1896a: 190 [Described, key to species from Central Europe, catalogued] :183 [Key]

Acloque 1897a: 404 [Key to species from France] :402 [Key]

Griffini 1897a: 594 [Described]

Horváth 1897c: 50 [List of species from Hungary]

Oudemans 1897b: 289 [Notes]

Baker 1898d: 260 [Comparative note]

Lange 1898a: 102 [Listed]

Horváth 1899b: 469 [List of species from Caucasus]

Marchal 1899a: 592 [Listed]

Nobre 1899a: 134 [Listed]

Puton 1899a: 94 [List of species from the Palearctic Region] Equals *Pholetaera* Zett. Equals *Anascopus* Kirschb. Equals *Aphrodes* Curt.

Ball 1900a: 64 [Described, key to species] :64, 66 [Comparative notes]

Hansen 1900a: 120 [Morphology of antenna]

Lambertie 1900a: clxxiv [Listed]

Lameere 1900a: 134 [Key, key to species from Belgium]

Smith 1900a: 94 [Listed]

Strobl 1900a: 211 [List of species from Styria]

Horváth 1901a: 255 [Listed]

Kirkaldy 1901d: 178 [Listed]

Kirkaldy 1901d: 179 Equals *Aphrodes* Curt.

Kirkaldy 1901e: 219 Equals *Acucephalus*

Kirkaldy 1901f: 338 Equals *Acocephalus*

Lambertie 1901a: 204 (76) [List of species from France] Equals *Pholetaera* Zett. Equals *Anoscopus* Kirschb. Equals *Aphrodes* Curt.

Ball 1902b: 53, 54, 55 [Comparative notes]

Bredden 1902f: 549 [Listed]

Cobelli 1902a: 17 [List of species from Tyrol]

Dominique 1902a: 215 [List of species from France]

Graeffe 1903a: 52 (12) [Ecology of species from Kustenland]

*Aphrodes**Acucephalus**Acocephalus**Aphrodes**Acocephalus*

- Aphrodes* Kirkaldy 1903c: 215 Equals *Pholetaera* Zett.
Acocephalus Melichar 1903b: 162, 163 [Comparative notes]
 Hüeber 1904a: 262 [List of species from Germany]
 Equals *Aphrodes* Curt. Equals *Pholetaera* Zett.
 Equals *Anoscopus* Kirschb.
 Hüeber 1904b: 262 [List of species from Germany]
 Equals *Aphrodes* Curt. Equals *Pholetaera* Zett.
 Equals *Anoscopus* Kirschb.
 Lambertie 1904a: 28 (12) [List of species from France]
 Wirtner 1904a: 221 [Listed]
 Kirkaldy 1905c: 308 [Notes]
 Morley 1905b: 27 [List of species from England]
 Osborn 1905a: 514 [List of species from New York]
 :510 [Listed]
 Osborn 1905c: 514 [List of species from New York]
 :501 [Listed]
Aphrodes Kirkaldy 1906c: 334 [Comparative note] Equals
 Acocephalus Germ. Equals *Acocephalus* Burm.
 Equals *Pholetaera* Zett. Equals *Anoscopus*
 Kirschb. :299 [Morphology of head]
Acocephalus Matsumura 1906a: 72 [List of species from Prussia]
 Oshanin 1906a: 89 [Catalogued, catalogue of species
 from the Palearctic Region] Equals *Pholetaera*
 Zett. Equals *Anoscopus* Kirschb. Equals
 Aphrodes Curt.
 Butler 1907a: 51 [Notes]
Aphrodes Kirkaldy 1907d: 51 [Comparative note]
 Horváth 1908b: 9 Equals *Acocephalus* Burm.
Acocephalus Kirkaldy 1908b: 13 [Catalogued]
 Saunders and Edwards 1908a: 12 [List of species
 from Great Britain]
 Butler 1909a: 468 [Notes]
 Cobelli 1909a: 12 [List of species from Italy]
 Puhlmann 1909a: 46 [Listed]
 Bervoets 1910a: 128 [Notes]
 [*Acocephalus*]
 (*Anoscopus*)
Acocephalus Jacobi 1910b: 124 [Taxonomy]
 Lambertie 1910a: 78 [A list of species from France]
 Equals *Aphrodes* Curt. Equals *Anoscopus*
 Kirschb. Equals *Pholetaera* Zett.
 Oshanin 1910a: 159 [Additions to the catalogue of
 species from the Palearctic Region] Equals
 Aphrodes Reut.

- Acocephalus* Smith 1910a: 103 [Listed]
 Licent 1911a: 50, 51 [Morphology of Malpighian tubes]
 Enderlein 1912a: 52, 155 [Listed]
 Haupt 1912b: 451 (6) [List of species from Thuringia]
- Aphrodes* Horváth 1912c: 567 Equals *Acocephalus* Burm.
- Acocephalus* Licent 1912a: 82, 85, 88, 101, 102, 103, 104, 109, 111 [Morphology of digestive system] :114, 115 [Physiology of digestive system]
 Matsumura 1912b: 289 [List of species from Japan]
 Oshanin 1912a: 103 [List of species from the Palearctic Region] Equals *Aphrodes* Curt. Equals *Pholetaera* Zett. Equals *Anoscopus* Kirschb.
 Schmidt 1912g: 155 [List of species from Pomerania]
 Crumb 1913a: 130 [Notes] :133 [Key]
 von Dalla Torre 1913a: 151 [List of species from Tyrol]
 Strand 1913a: 272 [List of species from Norway]
 Brues and Melander 1915a: 74 [Listed]
 Jacobsen 1915a: 323 [List of species from Denmark]
 Osborn 1915a: 106 [Key]
 Oshanin 1916a: 81 [Bibliography]
- Acucephalus* Van Duzee 1916a: 68 [List of species from the Nearctic Region] Equals *Anoscopus* Kirschb. Equals *Pholetaera* Zett. Equals *Acocephalus* Burm. Equals *Aphrodes* Curt.
- Van Duzee 1917b: 618 [Catalogued, catalogue of species from the Nearctic Region] Equals *Acocephalus* Burm. Equals *Anoscopus* Kirschb. Equals *Aphrodes* Curt. Equals *Pholetaera* Zett.
- Acocephalus* Jensen-Haarup 1918a: 39 [Described, key to species from Denmark] :36 [Key]
 Ball 1920a: 92 [Comparative note]
- Acucephalus* Britton 1920a: 49 [Listed]
- Acucephalus* Britton 1920a: 354 [List of species from Connecticut]
 [sic]
- Acocephalus* Jensen-Haarup 1920a: 106 [Described, key to species from Denmark] :103 [Key]
- Acucephalus* Lawson 1920a: 32 [Zoogeography] :108 [Comparative note]

- Acocephalus* Tullgren and Wahlgren 1920a: 143 [Key] :147 [Notes]
Metcalf 1921a: 237 [Catalogued]
Sherborn 1922a: 40 [Catalogued]
- Acucephalus* Sherborn 1922a: 48 [Catalogued]
De Long 1923a: 86 [Described, key to species from Connecticut] Equals *Aphrodes* Curt. Equals *Pholetaera* Zett. Equals *Anoscopus* Kirschb. :85 [Key]
- Aphrodes* Sherborn 1923b: 391 [Catalogued]
- Acocephalus* Buchner 1924a: 51 [Symbionts]
- Acucephalus* Buys 1924a: 43 [Described, key to species] :40 [Key]
- Acocephalus* Hofmänner 1924a: 52 [List of species from Switzerland]
Lindberg 1924a: 42 [List of species from Finland] :15 [Notes]
de Bergevin 1925d: 320 [Comparative note]
Buchner 1925a: 150, 151, 155, 205, 221, 237 [Symbionts]
Handlirsch 1925a: 1119 [Listed]
Haupt 1925a: 14 [A list of species from Bavaria]
Kupka 1925a: 107 [Listed]
Singh-Pruthi 1925b: 210, 211, 213 [Comparative notes]
de Bergevin 1926a: 32 [Comparative note]
Reichert 1926a: 256 (6) [Economics]
Rémy-Perrier 1926a: 78 [Key] :83 [Key to species from France]
Schulze, Kükenthal and Heider 1926a: 32 [Catalogued]
- Acucephalus* Schulze, Kükenthal, and Heider 1926a: 50 [Catalogued]
- Anoscopus* Schulze, Kükenthal, and Heider 1926b: 201 [Catalogued]
- Aphrodes* Schulze, Kükenthal, and Heider 1926b: 230 [Catalogued]
Blöte 1927b: 65 [Key to species from the Netherlands] :63 [Key]
- Acucephalus* Johnson 1927a: 35 [List of species from Mount Desert Island, Maine]
- Acocephalus* Perrier 1927a: 1318 [Notes, comparative note]
Poisson and Poisson 1927a: 137 [List of species from France]
- Acucephalus* Stearns 1927a: 10 [Listed]

- Acocephalus* Filipieff 1928a: 152 [Key to species from Russia]
:150 [Key]
- Acucephalus* Leonard 1928a: 163 [List of species from New York]
- Acocephalus* Osborn 1928b: 370 [List of species from Ohio]
- Acucephalus* Osborn 1928b: 241 [Notes]
- Acocephalus* Poisson and Poisson 1928a: 84 [Listed]
- Aphrodes Haupt 1929b: 1074 [Listed]
- Haupt 1929c: 251 [Key] Equals *Acocephalus* Germ.
:243 [Notes]
- Acocephalus* Luigioni 1929a: 219 (21) [List of species from Italy]
- Pholetaera* Sherborn 1929b: 4922 [Catalogued]
- Acocephalus* Buchner 1930a: 522 [Symbionts]
- Howe 1930a: 328; pl. II, fig. 17; pl. III, fig. 18
[Morphology of tarsus, illustrated] :330 [Tax-
onomy]
- Acucephalus* Johnson 1930a: 34 [List of species from Nantucket
Island, Massachusetts]
- Brues and Melander 1932a: 114 [Listed]
- Acocephalus* Enderlein 1932a: 195 [Key]
- Acloque 1934a: 404 [Key to species from France]
:402 [Key]
- Bakkendorf 1934a: 125; figs. 139, 164J [Oviposi-
tion, illustrated] :29, 41, 81, 86, 125 [Parasites]
- Pholetaera* Schulze, Kükenthal, and Heider 1934a: 2647 [Cat-
alogued]
- Aphrodes Haupt 1935a: 167 [Described] Equals *Acocephalus*
Germ. :168 [Key to species] :163 [Comparative
note]
- Acocephalus* Karl 1935a: 137 [Listed]
- Acucephalus* Osborn 1935b: 14, 15 [Comparative notes]
- Acocephalus* Rémy-Perrier 1935a: 78 [Key] :83 [Key to species
from France]
- Aphrodes Wagner 1935a: 13 [List of species from Northern
Germany] Equals *Acocephalus* Germ.
- Acocephalus* Wu 1935a: 79 [Catalogued, catalogue of species
from China] Equals *Pholetaera* Zett. Equals
Anosopus Kirschb. Equals *Aphrodes* Curt.
- Aphrodes Lindberg 1936a: 5 [Listed]
- Lindberg and Zachvatkin 1936a: 11 [Listed]
- Acocephalus* Merino 1936a: 396 [Listed]
- Acucephalus* De Long and Caldwell 1937c: 16 [Catalogued, cat-
alogue of species from the Nearctic Region]

- Aphrodes Kuntze 1937a: 358 [Ecology of species from Mecklenburg]
 Kuntze 1937b: 25 [Ecology of species from Mecklenburg] Equals *Acocephalus*
 Wagner 1937b: 65 [Notes] Equals *Acocephalus* Germ.
- [*Acocephalus*] Wagner 1937b: 68 [Listed]
 (*Acocephalus*)
- Acucephalus* Britton 1938c: 23 [Listed]
 Aphrodes China 1938b: 193 [List of species from Scotland]
 Equals *Acocephalus* Edw.
- Kontkanen 1938a: 29 [Ecology of species from Finland]
- Acucephalus* Oman 1938b: 359, 361 [Comparative notes]
 Procter 1938a: 77 [List of species from Mount Desert Island, Maine]
 Brown 1939a: 664 [List of species from Indiana]
 Neave 1939a: 55 [Catalogued]
- Acocephalus* Neave 1939a: 36 [Catalogued]
 Aphrodes Neave 1939a: 249 [Catalogued]
Anoscopus Neave 1939a: 219 [Catalogued]
Acocephalus Portevin 1939a: 273 [Key]
 Aphrodes Wagner 1939a: 135 [List of species from Germany]
 Equals *Acocephalus* Germ.
- Pholetaera* Neave 1940a: 724 [Catalogued]
Acucephalus Bohart 1941a: 106 [Parasites]
 Aphrodes Haupt 1941a: 47 [Parasites]
Acocephalus Lindberg 1941b: 21 [List of species from the Azores]
- Aphrodes Wagner 1941a: 149 Equals *Acocephalus* Germ.
Acucephalus Essig 1942a: 320 [Listed]
Acocephalus Rau 1942a: 516 [Symbionts]
 de Seabra 1942a: 9 [List of species from Portugal]
- Aphrodes Medler 1943a: 38 [Described, key, key to species from Minnesota, catalogued]
 Holgersen 1944a: 27 [Notes] Equals *Acocephalus* Germ.
- Metcalf 1944b: 158 [Bibliography]
Acucephalus Metcalf 1944b: 158 [Bibliography]
 Aphrodes Reclaire 1944a: 228 [List of species from Holland]
 Equals *Acocephalus* Germ.
- Kloet and Hincks 1945a: 53 [List of species from Great Britain] Equals *Acocephalus* Germ.

- Aphrodes DeLong and Knull 1946a: 28 [List of species from the Nearctic Region]
 Ossiannilsson 1946a: 83 [Stridulation]
 Procter 1946a: 88 [List of species from Mount Desert Island, Maine]
 Evans 1947a: 149 [Catalogued] :150, 157 [Taxonomy]
- Acucephalus* Evans 1947a: 148 [Catalogued] To *Aphrodes* Curt. :247 [Taxonomy]
- Acocephalus* Evans 1947a: 148 [Catalogued] To *Acucephalus* Germ. :189 [Taxonomy]
- Anoscopus* Evans 1947a: 148 [Catalogued] To *Aphrodes* Curt.
- Pholetaera* Evans 1947a: 150 [Catalogued] To *Aphrodes* Curt.
- Aphrodes Lang 1947a: 25 [Ecology]
 Lindberg 1947a: 28 [Catalogued, catalogue of species from Finland] :72 [List of species from Finland]
 Osborn and Knull 1947a: 330 [List of species from Ohio]
 Ossiannilsson 1947b: 151 [Key] :158 [Described, review of species from Sweden] Equals *Acocephalus* Germ.
 De Long 1948a: 178 [Described, key, review of species from Illinois, catalogued] Equals *Acucephalus* Germ. Equals *Pholetaera* Zett. Equals *Anoscopus* Kirschb. :179 [Comparative note]
 Lindberg 1948b: 134 [List of species from Cyprus]
 Zachvatkin 1948a: 172 [Key] :174 [Key to species]
 Fagel 1949a: 147 [Listed]
 Oman 1949a: 57 [Described, catalogued] Equals *Acucephalus* Germ. Equals *Acocephalus* Burm. Equals *Pholetaera* Zett. Equals *Acocephalus* (*Stroggylocephalus* Flor) [error] Equals *Acocephalus* (*Strongylocephalus* Kirschb.) [error] Equals *Acocephalus* (*Anoscopus* Kirschb.)
 Ossiannilsson 1949a: 103, 104, 118 [Morphology of stridulating organs] :111 [Stridulation]
 China 1950a: 245 [List of species from Great Britain] Equals *Acucephalus* Germ. Equals *Acocephalus* Burm.
 Ossiannilsson 1950a: 130 [Wing-coupling apparatus described]
 Evans 1951a: 7 [Taxonomy]

Aphrodes

- Ossiannilsson 1951a: 146 [Listed]
 Wagner 1951b: 26 [List of species from Bavaria]
 Equals *Acucephalus* Germ.
 Ribaut 1952a: 5, 10 [Morphology] :9, fig. 7 [Venation illustrated] :17, 328 [Key] :11, 303, 344 [Comparative notes] :329 [Described, review of species from France] Equals *Acucephalus* Germ. Equals *Pholetaera* Zett. Equals *Acocephalus* Burm. Equals *Anoscopus* Kirschb.
 Buchner 1953a: 555 [Symbionts]
 Ishihara 1953b: 34 [Catalogued, catalogue of species from Japan] Equals *Acucephalus* Germ. Equals *Acocephalus* Burm. Equals *Acocephalus* (*Strongylocephalus* Kirschb.) [error] Equals *Acocephalus* (*Stroggylocephalus* Flor) [error] Equals *Pholetaera* Zett. Equals *Acocephalus* (*Anoscopus* Kirschb.) :9 [Key]
 Beirne 1954f: 199 [Ecology]
 Blattný et al 1954a: 398 [Listed]

Acucephalus
 Aphrodes

- Brues, Melander, and Carpenter 1954a: 147 [Listed]
 Dlabola 1954a: 149 [Described, review of species from Czechoslovakia, key, catalogued] Equals *Anoscopus* Kirschb. Equals *Acocephalus* Germ. :52 [Ecology] :67 [Ecology of species from Czechoslovakia]
 Esaki and Ito 1954a: 80 [Catalogued, catalogue of species from Japan] Equals *Acucephalus* Germ. Equals *Acocephalus* Burm. Equals *Pholetaera* Zett. Equals *Anoscopus* Kirschb.
 Lindberg 1954a: 205 [A new species from the Canary Islands]
 Müller 1954a: 2 [Listed]
 Smreczynski 1954a: 119 [List of species from Poland] Equals *Acocephalus* Germ.
 Evans 1955a: 15 [A new species from Belgian Congo]

Acocephalus

- Metcalf 1955b: 528 [Listed]

- α Fallen (var.) [*albifrons*]. See *Aphrodes albifrons* var. α Fallen.
 α Fallen (var.) [*bicincta*]. See *Aphrodes bicincta* var. α Fallen.
 α Fallen (var.) [*bifasciata*]. See *Aphrodes bifasciata* var. α Fallen.
 α Edwards (var.) [*bicincta*]. See *Aphrodes bicincta* var. α Edwards.
 α de Fourcroy (var.) [*trifasciata*]. See *Aphrodes trifasciata* var. α de Fourcroy.
 α Marshall (var.) [*albifrons*]. See *Aphrodes albifrons* var. α Marshall.
 α Marshall (var.) [*flavostriata*]. See *Aphrodes flavostriata* var. α Marshall.

α Ossiannilsson (var.) [*bicincta*] [nom. nud.]. See *Aphrodes bicincta* var. α Ossian-
nilsson [nom. nud.].

α Ossiannilsson (var.) [*bifasciata*]. See *Aphrodes bifasciata* Linné.

α Signoret (var.) [*serratulae*]. See *Aphrodes serratulae* var. α Signoret.

adusta Hardy. See *Aphrodes bicincta* von Schrank.

aestuarina Edwards. See *Aphrodes bicincta* var. *aestuarina* Edwards.

affinis Fallén. See *Aphrodes albifrons* var. *affinis* Fallén.

agrestis Fallén. See *Stroggylocephalus agrestis* Fallén.

albifrons. Typographical error for *Aphrodes albifrons* Linné.

albifrons Linné

[*Cicada*] *albifrons* Linné 1758a: 437 [n. sp.] ¹

Cicada albifrons Linné 1761a: 241 [Described] ²

[*Cicada*] *albifrons* Houttuyn 1766a: 290 [Described, catalogued]

[*Cicada*] *albifrons* Linné 1767a: 709 [Described, catalogued] ¹

Cicada albifrons Müller [P. L. S.] 1774a: 462 [Described] ¹

[*Cicada*] *albifrons* Goeze 1778a: 137 [Catalogued] :145 [Listed]

[*Cicada*] *albifrons* von Schrank 1781a: 256 [Described, catalogued] ³

[*Cicada*] *albifrons* Hoslin 1782a: 172 [Described]

[*Cicada*] *albifrons* De Villers 1789a: 461 [Described, cata-
logued] ^{1, 4}

[*Cicada*] *albifrons* Gmelin 1789a: 2103 [Described, catalogued] ¹

Cic[ada] albifrons Fallén 1806a: 10 To *C[icada] subrustica* Fall.

C[icada] albifrons Fallén 1826a: 25 [Described, catalogued] ²

Equals *Cic[ada] subrustica* Fall. :27 [Comparative note]

Cicada albifrons Zetterstedt 1828a: 520 To *C[icada] dispar* Zett.

[*Acucephalus*] *bifasciatus* [nec Linné] Herrich-Schäffer 1834a: 72

[Key]

[*Acucephalus*] *bifasciatus* [nec Linné] Herrich-Schäffer 1834b: 15

[Comparative note]

Acucephalus bifasciatus [nec Linné] Herrich-Schäffer 1834c: 1;

pl. 1 [Described, illustrated] ⁶

C[icada] albifrons Herrich-Schäffer 1834c: 3 To *Acucephalus*
dispar Zett.

[*Acucephalus*] *albifrons* Herrich-Schäffer 1835a: 115 [Catalogued]

Equals *Cic[ada albifrons]* Linné Equals *Cic[ada] dispar* Zett.

Equals *Cerc[opis] subrustica* Germ. Equals [*Jassus*] *sub-*

rusticus Germ. Equals *Cic[ada] affinis* Fall. :113, 115 Equals

Jass[us] albiqus Germ. [error]

[*Cicada*] *albifrons* Herrich-Schäffer 1835a: 102 To *Acuc[ephalus]*
albifrons Linné]

Cicada albifrons Germar 1837b: pl. 16 Equals *Jassus subrusticus*
Fall.

[*Acucephalus*] *albifrons* Gistel 1837a: 110 (15) [Listed] ⁶ Equals

[*Acucephalus*] *rivularis* Germ. [error] Equals [*Acucephalus*]

punctigerus Gist. [nom. nud.]

albifrons Linné—Continued

[*Acucephalus*] *albifrons* var.—Gistel 1837a: 110 (15) [nom. nud., listed] ⁶

[*Acocephalus*] *bifasciatus* [nec Linné] Herrich-Schäffer 1840a: 382 [Listed] ⁶

Cicada albifrons Zetterstedt 1840a: 289 To *Ph[oletaera] dispar*

Acocephalus albifrons Walker 1851b: 849 [Catalogued] Equals

Cicada albifrons Linné Equals *Cicada subrustica* Fall. (?)

Pholetera [sic] *albifrons* Perris 1857a: 172 (92) [Ecology] ⁴

[*Acucephalus*] *albifrons* Dohrn 1859a: 84 [Listed] ⁹ Equals [*Acucephalus*] *dispar*. Zett.

[*Acocephalus*] *albifrons* Walker 1860a: 19 [Listed] ⁹

Acocephalus (*Acocephalus*) *albifrons* Flor 1861a: 203 [Described, catalogued] ^{2, 6, 7, 8, 10} Equals *A[phrodes] testudo* Curt. (?)

Equals *Cicada* [*albifrons*] Fall. Equals *Aphrodes concinna* Curt.

(?) Equals *Jassus albiger* Germ. [error] Equals *Albiger* Amyot

[non binom.] [error] Equals *Jassus serratulae* Herr.-Schäff.

[error] Equals *Pholetaera dispar* Zett. Equals *Acucephalus albifrons*

Herr.-Schäff. [in part.] Equals *Acucephalus bifasciatus*

Herr.-Schäff. [nec Linné] Equals *Acucephalus dispar* var.—

Herr.-Schäff. :198 [Key]

Cicada albifrons Flor 1861a: 201 To *Acocephalus* (*Acocephalus*) *bifasciatus* Linné [error]

C[icada] (Pholetaera) *albifrons* Thomsen 1862a: 124 [Key]

[*Acocephalus*] *albifrons* Marshall 1865j: 146 [Comparative note]

[*Acocephalus*] *albifrons* Morris 1865a: 111 [Listed] ⁵

Acocephalus albifrons Bellevoye 1866a: 145 (33) [Listed] ⁴

Acocephalus albifrons Marshall 1866a: 177 [Described, catalogued] ^{9, 11} Equals *Cicada albifrons* Linné Equals *Flata serratulae*

Fabr. [error] Equals *Aphrodes testudo* Curt. Equals

[*Aphrodes*] *concinna* Curt. Equals [*Iassus*] *obliquus* Germ.

[error] Equals *Acuceph[alus] bifasciatus* Herr.-Schäff. [nec

Linné] Equals *Pholetaera dispar* Zett. Equals *Iassus albiger*

Germ. [error] Equals *Acoceph[alus] adustus* Hardy [error] :179,

180, 181 [Comparative notes]

Ac[ucephalus] albifrons Bold 1867a: 130 [Ecology] ⁹

Ac[ucephalus] albifrons Sahlberg 1868b: 191 [Listed] ¹²

[*Acocephalus*] *albifrons* Oshanin 1870a: 58 [Listed] ⁵⁴

Ac[ucephalus] albifrons Brishke 1871a: 14 [Listed] ¹³

Ac[ucephalus] ornatus Brischke 1871a: 14 [nom. nud., listed] ¹³

Equals *Anoscopsis* [sic] [*ornatus* Fieb.] [nom. nud.]

Ac[ucephalus] albifrons Sahlberg 1871a: 360 [Described, catalogued] ^{2, 29} Equals *Cicada* [*albifrons*] Linné Equals *Acocephalus confusus* Kirschb. :36 [Ecology] :54 [Listed] ^{2, 29}

albifrons Linné—Continued

- [*Acocephalus*] *albifrons* Fieber 1872a: 10 [Listed] Equals ¹ [*Acocephalus*] *dispar* Zett. Equals [*Acocephalus*] *serratulae* Germ. [error] Equals [*Acocephalus*] *subrusticus* Fall.
- Acocephalus albifrons* Fieber 1872b: 30 Equals *Acocephalus dispar* Equals *Acocephalus serratulae* Fabr. [error] :34 Equals *Jassus obliquus* Germ. [error] Equals *Jassus serratulae* [error]
- Acoceph[alus] ornatus* Fieber 1872b: 34 [nom. nud.] Equals *Jassus obliquus* Germ. [error]
- Acocephalus albifrons* Fieber 1872c: 34 [Listed]
- Acoceph[alus] ornatus* Fieber 1872c: 34 [nom. nud., listed]
- A[cocephalus] albifrons* Scott 1873b: 264 [Taxonomy] ⁵ :265 [Comparative note]
- A[cocephalus] albifrons* Lethierry 1874a: 263 (59) [Ecology] ⁴
- A[cocephalus] albifrons* Raddatz 1874a: 87 [Listed] ¹⁴
- Ac[cocephalus] albifrons* Siebke 1874a: 38 [Listed] ¹⁵
- [*Acocephalus*] *albifrons* Kittel 1875a: 5 [Listed] ⁶
- [*Anoscopus*] *ornatus* Kittel 1875a: 5 [nom. nud., listed] ⁶
- [*Acocephalus*] *albifrons* Puton 1875a: 133 [Listed] ¹ Equals [*Acocephalus*] *trifasciatus* Germ. [error] Equals [*Acocephalus*] *arenicola* Marsh. [error] Equals [*Acocephalus*] *subrusticus* Fall.
- [*Acocephalus*] *albifrons* Douglas and Scott 1876a: 74 [Catalogued] ⁵ Equals *Pholetaera dispar* Zett. Equals *Aphrodes concinna* Curt. Equals *Aphrodes testudo* Curt. Equals *Cicada nitidula* Don. [nec Fabr.] Equals *Cicada albifrons* Linné
- A[cocephalus] albifrons* Dale 1878a: 307 [Listed] ⁹
- [*Acocephalus*] *albifrons* Lethierry 1878c: xxxviii [Listed] ¹⁶
- A[cocephalus] albifrons* Norman 1879a: 256 [Listed] ¹⁷
- A[cocephalus] albifrons* Signoret 1879a: 76 (30); pl. 2, fig. 14 [Described, illustrated, catalogued] ¹ Equals *A[cocephalus] ornatus* Fieb. [nom. nud.] Equals *A[cocephalus] polystolus* Scott Equals *A[cocephalus] nigropunctatus* Sahlb. [error] Equals [*Acocephalus*] *concinnae* Curt. Equals *A[cocephalus] livens* Zett. [error] Equals [*Acocephalus*] *confusus* Kirschb. Equals [*Acocephalus*] *arcuatus* Kirschb. Equals *A[cocephalus] testudo* Curt. :82 (36) To [*Acocephalus*] (*Anoscopus*) *brunneobifasciatus* [error]
- [*Acocephalus*] *ornatus* Signoret 1879a: 80 (34) [nom. nud.] To [*Acocephalus albifrons*] *conspersus* Rey
- [*Acocephalus albifrons*] *fuliginosus* Signoret 1879a: 79 (33) [Described] :80 (34) [Comparative note]
- [*Acucephalus*] *albifrons* Brancsik 1880a: 30 [Listed] ¹⁸
- Acocephalus albifrons* [sic] Herve 1880a: 36 [Listed] ⁴
- Acocephalus albifrons* Norman 1880a: 213 [Listed] ¹⁷

albifrons Linné—Continued

- A[cocephalus] albifrons* Reiber and Puton 1880a: 62 [Listed] ²¹
 To *A[cocephalus] serratulae* Fabr. [error] Equals *[Acocephalus polystolus* Scott.
- A[cocephalus] albifrons* Reuter 1880a: 207 [Listed] ^{22, 23} Equals
A[cocephalus] nigropunctatus Sahlb. [error]
- [Acocephalus] albifrons* Mayr 1881a: 93 (17) [Listed] ²⁴
- A[cocephalus] albifrons* Reuter 1881b: 234 [Listed]
- Acocephalus albifrons* Brancsik 1882a: 73 [Ecology] ¹⁸
- A[cocephalus] albifrons* Cooke 1882a: 72 [Listed] ⁹
- Ac[cocephalus] albifrons* von Dalla Torre 1882a: 57 [Listed] ²⁴
- A[cocephalus] albifrons* Ferrari 1882a: 113 (41) [Key, catalogued] ²⁵ Equals *Cicada [albifrons* Linné] :114 (42) [Nymph described]
- [Acocephalus albifrons] fuliginosus* Ferrari 1882a: 113 (41) [n. var., catalogued] ²⁵ Equals *[Acocephalus albifrons]* var. *A* Sign.
- Acocephalus albifrons* Ferrari and Cavanna 1882a: 369 [Listed] ²⁵
- [Acocephalus] albifrons* Bloomfield 1883a: 34 [Listed] ⁹
- Acocephalus albifrons* Edwards 1884c: 714 [Listed] ⁹ Equals
A[cocephalus] polystolus Scott
- [Acocephalus] albifrons* Kieffer 1884a: 80 [Ecology] ⁸⁵
- A[cocephalus] albifrons* Lomnicki 1884a: 235 [Listed] ²⁷
- [Acocephalus] ornatus* Lomnicki 1884a: 235 [nom. nud.] Equals
A[cocephalus] polystolus Scott
- A[cocephalus] albifrons* Mayr 1884a: 30 [Listed] ^{1, 21, 24} Equals
[Acocephalus] polystolus Scott To *A[cocephalus] serratulae* Fabr. [error]
- Acocephalus albifrons* Ferrari 1885a: 287 [Catalogued] ²⁵ Equals
Cicada [albifrons] Fabr.
- A[cocephalus] albifrons* Ivanoff 1885a: 126 (44) [Key] ²⁶ :91 (9) [Listed] ²⁶
- [Acocephalus] albifrons* Puton 1886b: 80 [Listed] ¹ Equals *[Acocephalus] polystolus* Scott Equals *[Acocephalus] confusus* Kirschb. Equals *[Acocephalus] testudo* Curt. Equals *[Acocephalus] concinnus* Curt. Equals *[Acocephalus] livens* Zett. [error] Equals *[Acocephalus] nigropunctatus* Zett. [error] Equals *[Acocephalus] arenicola* Marsh. [error] To *[Acocephalus] serratulae* Fabr. [error]
- [Acocephalus albifrons] fuliginosus* Puton 1886b: 80 [Listed] ¹
- A[cocephalus] albifrons* Then 1886a: 26 [Listed] ^{1, 3, 24, 27}
- A[cocephalus] albifrons* de Carlini 1887a: 273 [Listed] ²⁵ Equals
Cicada [albifrons] Linné]
- Acocephalus albifrons* Fauvel 1887a: 17 [Listed] ⁴
- [Acocephalus] albifrons* Ragusa 1887a: 186 [Listed] ⁸⁶

albifrons Linné—Continued

[*Acocephalus albifrons*] *fuliginosus* [sic] Ragusa 1887a: 186 [Listed] ⁸⁶

A[cocephalus] albifrons Dubois 1888a: 164 (68) [Ecology] ⁴

Acocephalus albifrons Edwards 1888d: 21 [Described, catalogued] ⁵
 Equals *Cicada albifrons* Linné Equals *C[icada] nitidula* Don.
 [nec Fabr.] Equals *Aphrodes testudo* Curt. Equals *A[phrodes]*
concinna Curt. Equals [*Acocephalus*] *confusus* Kirschb. Equals
Acocephalus arcuatus Kirschb. Equals *A[cocephalus] nigro-*
punctatus Sahlb. [error] Equals *A[cocephalus] interruptus* Scott
 Equals [*Acocephalus*] *polystolus* Scott :19 [Key, comparative
 notes]

[*Acucephalus*] *albifrons* Balint 1889a: 271 [Listed] ¹⁰

Acocephalus circumflexus Provancher 1889a: 282 [n. sp.] ²⁸

A[cocephalus] albifrons Dominique 1890a: 113 (29) [Listed] ⁴

A[cocephalus] albifrons Funk 1890a: 141 [Listed]

[*Acocephalus*] *albifrons* Saunders and Edwards 1890a: 13 [Listed] ⁵
 Equals [*Acocephalus*] *interruptus* Scott Equals [*Acocephalus*]
polystolus Scott

Acocephalus albifrons Buckton 1891a: 7; pl. XI, figs. 1, 1a–d;
 pl. XII, figs. 1, 1a, 1c [Described, catalogued, illustrated] ⁹
 Equals *Cicada albifrons* Linné Equals *Aphrodes testudo* Curt.
 Equals *Acocephalus arcuatus* Kirschb. Equals [*Aphrodes*
concinna Curt. Equals [*Acocephalus*] *confusus* Kirschb. Equals
Acocephalus nigropunctatus Sahlb. [error] Equals *Acocephalus*
interruptus Scott Equals [*Acocephalus*] *polystolus* Scott Equals
 [*Acocephalus albifrons*] *polystolus* Scott Equals [*Acocephalus*
albifrons] *nigropunctatus* Sahlb. [error] :9, 12 [Comparative
 notes]

[*Acucephalus*] *albifrons* Fokker 1891a: 372 [Listed] ⁵⁸

Acocephalus albifrons Fokker 1891b: ccxli [Listed] ¹⁶

Acocephalus albifrons fuliginosus Fokker 1891b: ccxli [Listed] ¹⁶

Acocephalus [sic] *albifrons* Horváth 1891b: 46 [Listed] ⁸⁷

[*Acocephalus*] *albifrons* Rey 1891a: 245 [Comparative note]

A[cucephalus] albifrons Carpentier and Dubois 1892a: 436
 [Ecology] ⁴

Acocephalus albifrons Coubeaux 1892a: 35 (2) [Listed] ¹⁶

A[cocephalus] albifrons Dominique 1892a: 120 [Listed] ⁴

[*Acocephalus*] *albifrons* Duda 1892a: 32 [Listed] ³⁰ Equals [*Aco-*
cephalus] *livens* Zett. [error] Equals [*Acocephalus*] *polystolus*
 Scott Equals [*Acocephalus*] *confusus* Kirschb. Equals [*Aco-*
cephalus] *nigropunctatus* Zett. [error] To [*Acocephalus*] *serratulae*
 Fabr. [error]

Acocephalus albifrons Ferrari 1892a: 572 (24) [Listed] ²⁵

albifrons Linné—Continued

- [*Acocephalus*] *albifrons fuliginosus* Ferrari 1892a: 572 (24)
 [Listed] ²⁵
- Acocephalus albifrons* Horváth 1892b: 134 [Listed] ⁴
- [*Acocephalus*] *albifrons* Lethierry 1892b: 24 [Listed] ¹⁶
- A[cocephalus] albifrons* Spitzner 1892a: 30 [Ecology] ³¹
- A[cucephalus] albifrons* Bezzi 1893a: 111 (31) [Listed] ²⁵
- [*Acucephalus*] *albifrons* Brancsik 1893b: 99 [Listed] ¹⁰
- Acocephalus albifrons* Brancsik 1893c: 156 [Ecology] ¹⁸
- A[cocephalus] albifrons* Luff 1893a: 208 [Notes, ecology] ⁸⁸
- A[cocephalus] albifrons* M'Gregor 1893a: 220 [Listed] ¹⁷
- Acocephalus albifrons* Kreighoff 1894a: 290 [Ecology] ⁴⁰
- [*Cicada*] *albifrons* Linné 1894a: 437 [n. sp., reprinted] ¹
- Acocephalus albifrons* Moraques y de Manzanos 1894a: 85 (13)
 [Listed] ⁸⁹
- Acocephalus albifrons* Rey 1894b: 30 [Notes] ⁴
- [*Acocephalus albifrons*] *fuliginosus* Rey 1894b: 30 [Notes] ⁴
- Acocephalus circumflexus* Van Duzee 1894a: 288 [Catalogued] ³²
- A[cocephalus] albifrons* Edwards 1895a: 122 [Described, ecology] ⁹
- [*Acocephalus*] *albifrons* Edwards 1895a: 119 [Key]
- Acocephalus albifrons* Melichar 1896a: 195 [Described, catalogued, food plants] ^{1, 3, 13, 24, 27, 47, 90} Equals *Cicada [albifrons]* Fall.
 Equals *Jassus albiger* Germ. ♂ [error] Equals *Acuc[ephalus] bifasciatus* Herr.-Schäff. [nec Linné] Equals *Anoscopus confusus* Kirschb. Equals *Acuc[ephalus] dispar* var.—Herr.-Schäff.
 Equals *Jassus serratulae* Herr.-Schäff. [error] Equals *Acucephalus albifrons* Herr.-Schäff. ♀ Equals *A[cucephalus] arcuatus* Kirschb. Equals *Pholetaera dispar* Zett. :191 [Key] :196 [Comparative note]
- [*Acocephalus albifrons*] *fuliginosus* Melichar 1896a: 195 [Described]
- Acocephalus albifrons* Griffini 1897a: 594; fig. 215 [Described, illustrated, ecology] ²⁵
- [*Acocephalus*] *albifrons* Horváth 1897c: 50 [Listed] ^{10, 25, 87}
- Jassus albifrons* von Dobeneck 1898a: 369 [Listed]
- Acocephalus*] *albifrons* Schneider 1898a: 143 [Listed] ³³
- Acoceph[alus] albifrons* Melichar 1899b: 184 [Listed] ³⁴
- Acocephalus albifrons* Melichar 1899d: 181 (4), 187 (10) [Ecology] ¹
- [*Acocephalus*] *albifrons* Puton 1899a: 94 [Listed] ¹ Equals [*Acocephalus*] *livens* Zett. [error] Equals [*Acocephalus*] *polystolus* Scott
 Equals [*Acocephalus*] *testudo* Curt. Equals [*Acocephalus*] *concinus* Curt. Equals [*Acocephalus*] *confusus* Kirschb. Equals [*Acocephalus*] *nigropunctatus* Zett. [error] [*Acocephalus*] *arenicola* Marsh. [error] To [*Acocephalus*] *fuscifasciatus* Goeze [error]

albifrons Linné—Continued

- [*Acocephalus albifrons*] *fuliginosus* Puton 1899a: 94 [Listed] ¹
 [*Acucephalus*] *circumflexus* Ball 1900a: 66 [Notes]
Acocephalus albifrons Fokker 1900e: 15 [Listed] ⁴⁰
Acocephalus albifrons Lambertie 1900a: clxxiv [Listed] ⁴
A[acucephalus] (*Anoscopus*) *albifrons* Lameere 1900a: 134 [Key, ecology] ¹⁶
Acocephalus albifrons Montandon 1900a: 749 [Listed] ⁹¹
Acocephalus albifrons Osborn 1900e: 67 [Listed] ^{39, 41, 42, 43}
 [*Acocephalus*] *albifrons* Strobl 1900a: 212 [Listed] ⁴⁴
 [*Aphrodes*] *albifrons* Kirkaldy 1901d: 178 Equals [*Aphrodes*] *testudo*
Aphrodes albifrons Kirkaldy 1901f: 338 [Listed] ^{32, 39, 45}
 [*Acocephalus*] *albifrons* Lambertie 1901a: 204 (76) [Listed] ⁴
Acocephalus albifrons Cobelli 1902a: 18 [Listed] ²⁴
A[cocephalus] *albifrons* Dominique 1902a: 215 [Listed] ⁴
Acocephalus albifrons Lambertie 1902d: clxxiii [Ecology] ⁴
Cicada albifrons Sherborn 1902a: ²⁸ [Catalogued]
Acocephalus albifrons Strand 1902a: 269 [Listed] ¹⁵
Acocephalus albifrons Graeffe 1903a: 52 (12) [Ecology] ⁹²
 [*Acocephalus*] *albifrons* Horváth 1903a: 24 [Listed] ⁴⁶
 [*Acocephalus*] *albifrons* Hüeber 1904a: 263 [Listed] ⁴⁷ Equals
 [*Acocephalus*] *testudo* Curt. Equals [*Acocephalus*] *polystolus*
 Scott. Equals [*Acocephalus*] *concinus* Curt. Equals [*Acocephalus*]
 confusus Kirschb. Equals [*Acocephalus*] *arenicola* Marsh. [error]
 Equals [*Acocephalus*] *livens* Zett. [error] Equals
 [*Acocephalus*] *nigropunctatus* Zett. [error] To [*Acocephalus*]
 fuscofasciatus Goeze [error]
 [*Acocephalus albifrons*] *fuliginosus* Hüeber 1904a: 263 [Listed] ⁴⁷
 [*Acocephalus*] *albifrons* Hüeber 1904b: 263 [Listed] ⁴⁷ Equals
 [*Acocephalus*] *testudo* Curt. Equals [*Acocephalus*] *livens* Zett.
 [error] Equals [*Acocephalus*] *arenicola* Marsh. [error] Equals
 [*Acocephalus*] *concinus* Curt. Equals [*Acocephalus*] *confusus*
 Kirschb. Equals [*Acocephalus*] *polystolus* Scott Equals [*Acocephalus*]
 nigropunctatus Zett. [error] To [*Acocephalus*] *fusco-*
 fasciatus Goeze [error]
 [*Acocephalus albifrons*] *fuliginosus* Hüeber 1904b: 263 [Listed] ⁴⁷
Acocephalus albifrons Lambertie 1904b: xlviii [Ecology] ⁴
A[cocephalus] *albifrons* Wirtner 1904a: 221 [Ecology] ⁴⁵
 [*Acocephalus*] *albifrons* Morley 1905b: 27 [Ecology] ⁹
Acocephalus albifrons Osborn 1905a: 515 [Notes, catalogued] ³⁶
 Equals *Tettigonia mixta* Say [in part] Equals *Acocephalus*
 mixtus Van D. [in part]

albifrons Linné—Continued

- Acocephalus albifrons* Osborn 1905c: 515 [Notes, catalogued] ³⁶
 Equals *Tettigonia mixta* Say [in part] Equals *Acocephalus mixtus* Van D. [in part]
- [*Acocephalus*] *albifrons* Matsumura 1906a: 72 [Listed] ¹³
 [*Acocephalus*] *albifrons* Oshanin 1906a: 92 [Catalogued] ^{2, 3, 4, 5,}
 10, 19, 25, 29, 32, 34, 39, 45, 47, 49, 50, 51, 52, 53, 54 Equals
- Cicada albifrons* Linné Equals *Jassus albiger* Germ. (?) [error]
 Equals *Cicada nitidula* Don. [nec Fabr.] Equals *Pholetaera livens* Zett. [error] Equals *Aphrodes testudo* Curt. Equals
Aphrodes concinna Curt. Equals *Acocephalus polystolus* Fieb.
 Equals *Pholetaera nigropunctata* Zett. [error] Equals *Acocephalus nigropunctatus* Sahlb. [error] Equals *Acocephalus interruptus* Scott
- [*Acocephalus albifrons*] *fuliginosus* Oshanin 1906a: 92 [Catalogued]
- A[cocephalus] albifrons* Butler 1907a: 51 [Notes] ⁹
Acocephalus albifrons Butler 1907a: 56 [Listed] ⁹
Ac[cocephalus] albifrons Oshanin 1907b: 228 (16) [Listed] ⁵⁵
[Acocephalus] albifrons Edwards 1908a: 58 [Comparative notes]
Aphrodes albifrons Horváth 1908b: 6 [Listed] ^{1, 56}
Acoc[ephalus] albifrons Oshanin 1908b: 422 [Listed] ^{16, 55, 58, 59}
[Acocephalus] albifrons Saunders and Edwards 1908a: 12 [Listed] ⁵
 Equals [*Acocephalus*] *interruptus* Scott Equals [*Acocephalus*] *polystolus* Scott
- Acocephalus albifrons* Whittaker 1908a: 20 [Listed] ⁹ Equals
 [*Acocephalus*] *interruptus* Scott
- A[cocephalus] albifrons* Butler 1909a: 468 [Notes, ecology] ⁹³
A[cocephalus] albifrons Edwards 1909b: 841 [Taxonomy]
Acocephalus albifrons Lambertie 1909a: cxvi [Listed] ⁴
Acocephalus albifrons Lambertie 1909b: cxlvi [Ecology] ⁴
Acocephalus albifrons Lambertie 1909e: clix [Ecology] ⁴
[Acocephalus] albifrons Lambertie 1910a: 78 [Listed] ⁴ Equals
 [*Acocephalus*] *livens* Zett. [error] Equals [*Acocephalus*] *testudo* Curt. Equals [*Acocephalus*] *concinna* Curt. Equals [*Acocephalus*] *confusus* Kirschb. Equals [*Acocephalus*] *polystolus* Scott
 Equals [*Acocephalus*] *nigropunctatus* Zett. [error] Equals [*Acocephalus*] *arenicola* Marsh. [error] To [*Acocephalus*] *fuscofasciatus* Goeze [error]
- Acocephalus albifrons* Oshanin 1910a: 159 [Listed] ^{60, 62}
A[cocephalus] albifrons Smith 1910a: 103 [Listed] ^{63, 64} Equals
 [*Acocephalus*] *mixtus* Say [in part]
A[cocephalus] albifrons Butler 1912b: 189 [Listed] ⁶⁵
A[cocephalus] albifrons Haupt 1912b: 451 (6) [Listed] ⁴⁰

albifrons Linné—Continued

- Aphrodes albifrons* Horváth 1912e: 564 [Listed] ^{1, 56}
- Acocephalus albifrons* Lambertie 1912a: 81 [Ecology] ⁴
- [*Acocephalus*] *albifrons* Oshanin 1912a: 104 [Listed] ^{1, 34, 51, 60}
- Equals [*Acocephalus*] *concinus* Curt. Equals [*Acocephalus*] *interruptus* Scott Equals [*Acocephalus*] *livens* Zett. [error]
- Equals [*Acocephalus*] *nigropunctatus* Zett. [error] Equals [*Acocephalus*] *nitidulus* Don. Equals [*Acocephalus*] *testudo* Curt.
- Equals [*Acocephalus*] *polystolus* Scott
- [*Acocephalus albifrons*] *fuliginosus* Oshanin 1912a: 104 [Listed]
- [*Acocephalus*] *albifrons* Schmidt 1912g: 156 [Listed] ⁶⁶
- Acocephalus albifrons* Schumacher 1912d: 106 [Listed] ⁶⁷
- [*Acocephalus*] *albifrons* Van Duzee 1912b: 328 Equals *Acocephalus circumflexus* Prov.
- A[*cocephalus*] *albifrons* von Dalla Torre 1913a: 151 [Listed] ²⁴
- Acocephalus albifrons* Strand 1913a: 272 [Listed] ¹⁵
- Acocephalus albifrons* Mac Gillavry 1914a: 94 [Listed] ^{68, 94}
- A[*cocephalus*] *albifrons* Melichar 1914a: 130 (4) [Listed] ⁶⁹
- [*Acocephalus*] *albifrons* Jacobsen 1915a: 323 [Listed] ⁷³
- Acocephalus albifrons* Osborn 1915a: 108 [Ecology, economics] ⁴²
- Equals *Jassus mixtus* Van D. [in part]
- Acocephalus albifrons* Osborn 1916a: 69: figs. 3a-c, 13a-j [Life history, described, economics, illustrated] ⁴² :57, 59 [Ecology] ⁴² :58 [Hibernation] ⁴² :75 [Comparative note]
- [*Acocephalus*] *albifrons* Van Duzee 1916a: 68 [Listed] ^{32, 70} Equals
- [*Acocephalus*] *albiger* Germ. (?) [error] Equals [*Acocephalus*] *circumflexus* Prov. Equals [*Acocephalus*] *concinna* Curt. Equals
- [*Acocephalus*] *interruptus* Scott Equals [*Acocephalus*] *livens* Zett. [error] Equals [*Acocephalus*] *nigropunctata* Zett. [error]
- Equals [*Acocephalus*] *mixtus* Van D. [in part] Equals [*Acocephalus*] *polystolus* Scott Equals [*Acocephalus*] *nitidula* Don.
- Equals [*Acocephalus*] *testudo* Curt.
- Acocephalus albifrons* Gibson [A.] 1917a: 166 [Listed] ⁷²
- Acocephalus albifrons* Haupt 1917a: 154 [Taxonomy]
- Cicada albifrons* Haupt 1917a: 154 [Described, catalogued, taxonomy, ecology]
- Acocephalus albifrons* Sanders and De Long 1917a: 83 [Listed] ⁷¹
- Acocephalus albifrons* Van Duzee 1917b: 620 [Catalogued]
- ^{1, 36, 37, 38, 39, 42, 48, 71, 72} Equals *Cicada* [*albifrons*] Linné Equals
- Aphrodes* [*albifrons*] Horv. Equals *Aphrodes concinna* Curtis
- Equals *Pholetaera livens* Zett. [error] Equals *Pholetaera nigropunctata* Zett. [error] Equals *Aphrodes testudo* Curtis
- Equals *Cicada nitidula* Donovan. [nec Fabr.] Equals [*Acocephalus*] *interruptus* Scott Equals [*Acocephalus*] *circumflexus*

albifrons Linné—Continued

- Prov. Equals [*Acucephalus*] *mixtus* Van D. [in part] Equals
 [*Acucephalus*] *polystolus* Scott
 [*Acucephalus albifrons*] *fuliginosus* Van Duzee 1917b: 620 [Catalogued]
 [*Acocephalus*] *albifrons* Jensen-Haarup 1918a: 40 [Key]
A[cocephalus] albifrons Jensen-Haarup 1918b: 97 [Described] ⁷³
Acucephalus albifrons Barber 1920b: 148 [Listed] ⁷⁴
 [*Acucephalus*] *albifrons* Britton 1920a: 49 [Listed] ⁷⁵ Equals
Tettigonia mixta [in part]
Acocephalus albifrons Codina 1920a: 103 (4) [Listed] ⁷⁶
A[noscopus] albifrons Edwards 1920a: 56 [Comparative notes]
A[cocephalus] albifrons Jensen-Haarup 1920a: 109 [Described] ⁷³
 :107 [Key]
 [*Acocephalus*] *albifrons* Lawson 1920a: 15 [Economics] ⁹⁵
Acucephalus albifrons Osborn 1922c: 37 [Ecology] ³⁶
Acucephalus albifrons Osborn and Drake 1922a: 22 [Ecology] ³⁶
 :13 [Listed] ³⁶
Acucephalus albifrons Balduf 1923a: 164 [Ecology] ⁴¹
A[ucephalus] albifrons De Long 1923a: 86 [Described, catalogued,
 key] ⁷⁵ Equals *Cicada albifrons* Linné Equals *Acucephalus*
circumflexus Prov.
Acucephalus albifrons Olsen 1923b: 173 [Listed] ⁶³
A[cocephalus] albifrons Prohaska 1923a: 85 [Ecology] ⁹⁶
Acucephalus albifrons Buys 1924a: 44; pl. V, figs. 41a, b; pl.
 XII, figs. 139, 140 [Described, catalogued, illustrated] ³⁶
 Equals *Cicada [albifrons]* Linné :43 [Key] ³⁶
Acucephalus albifrons Downes 1924a: 31 [Listed] ⁷⁸
A[cocephalus] albifrons Lindberg 1924a: 16 [Notes] ²⁹: 42 [Listed] ²⁹
A[ucephalus] albifrons Brown 1925a: 63 [Listed] ⁶⁵
 [*Acocephalus*] *albifrons* Della Beffa 1925a: 144 [Listed] ²⁵
 [*Acucephalus albifrons*] *fuliginosus* Della Beffa 1925a: 144
 [Listed] ²⁵
A[cocephalus] albifrons Kupka 1925a: 107 [Food plants] ⁴
Acocephalus albifrons Singh-Pruthi 1925b: 211; pl. XXVI, fig.
 212 [♂ genitalia described, illustrated]
Acocephalus albifrons Benick 1926a: 100 [Listed] ⁵⁷
Acocephalus albifrons Blöte 1926b: 114 [Listed] ⁵⁸
Acucephalus albifrons Coker 1926a: 29 [Listed] ⁷⁷
A[cocephalus] albifrons Rémy-Perrier 1926a: 83 [Key, ecology] ⁴
A[phrodes] albifrons Blöte 1927b: 71; fig. 31 [Described, illus-
 trated] ⁵⁸: 66, 68 [Key]
Aphrodes albifrons Blöte 1927c: 57 [Taxonomy] ⁵⁸: 60 Equals
Jassus apicalis von Voll. [error]

albifrons Linné—Continued

- Aphrodes albifrons* Blöte 1927d: 222 [Listed] ⁵⁸ Equals *Acocephalus* [*albifrons* Linné]
 [*Aphrodes albifrons*] *fuliginosus* Blöte 1927b: 71 [Described] ⁵⁸
Acucephalus albifrons Downes 1927a: 18 [Listed] ⁷⁸
A[*cucephalus*] *albifrons* Johnson 1927a: 35 [Listed] ⁹⁷
A[*cocephalus*] *albifrons* Poisson and Poisson 1927a: 137 [Listed] ⁴
A[*cocephalus*] *albifrons fuliginosus* Poisson and Poisson 1927a: 137 [Listed] ⁴
Acucephalus albifrons Stearns 1927a: 10 [Food plants] ⁷⁹
A[*cucephalus*] *albifrons* Brown 1928a: 63 [Listed] ⁶⁵
A[*cocephalus*] *albifrons* Filipieff 1928a: 152 [Key] ²⁶
Aphroderes [sic] *albifrons* Haupt 1928a: 92 [Listed] ⁸⁰
Acocephalus albifrons fuliginosus Ivanov 1928b: 493 [Listed] ⁹⁸
Acocephalus albifrons fuliginosus Ivanov 1928c: 189 [Listed] ⁹⁸
Acocephalus albifrons Lallemand 1928d: 5 [Listed] ⁹⁹
A[*cucephalus*] *albifrons* Leonard 1928a: 163 [Listed] ^{36, 100}
Acocephalus albifrons Osborn 1928b: 203 [Distribution] :370 [Listed] ⁴¹
Acucephalus albifrons Osborn 1928b: 241 [Described] ⁴¹
Aphrodes albifrons Blöte 1929a: 17 [Notes] ⁵⁸
A[*cucephalus*] *albifrons* Brown 1929a: 42 [Listed] ⁹
Acocephalus albifrons Lallemand 1929e: 3 [Listed] ⁹⁹
A[*cocephalus*] *albifrons* Luigioni 1929a: 219 (21) [Listed] ²⁵
A[*cucephalus*] *albifrons* Britten 1930a: 72 [Listed] ⁹
Aphr[odes] *albifrons* Haupt 1930a: 153 [Listed] ²⁵
Acocephalus albifrons Horváth 1930a: 45 [Listed] ¹⁰¹
A[*cucephalus*] *albifrons* Johnson 1930a: 34 [Listed] ¹⁰²
Acocephalus albifrons Zangheri 1930a: 52 [Listed] ²⁵
Acucephalus albifrons Dobrosky 1931a: 64 [Listed] ^{63, 74, 100}
A[*phrodes*] *albifrons* Haupt 1931b: 227 [Listed] ¹⁴
A[*phrodes*] *albifrons* Rabeler 1931a: 227, 273 [Ecology] ¹⁴
Acucephalus albifrons Larson and Hinman 1932a: 974 [Ecology] ¹⁰³
Acucephalus albifrons Lowry 1933a: 69 [Ecology] ³⁷
A[*cocephalus*] *albifrons* Ossiannilsson 1934a: 134 [Listed] ²
Acocephalus albifrons Thornley 1934a: 78 [Listed] ⁹
Acucephalus albifrons Felt and Chamberlain 1935a: 8, 13 [Ecology] ³⁶
A[*cocephalus*] *albifrons* Halbert 1935a: 309 [Listed] ¹⁰⁴
A[*phrodes*] *albifrons* Haupt 1935a: 168, 169; fig. 319 [Key, ecology, illustrated]
A[*phrodes*] *fuliginosus* Haupt 1935a: 169 [Key]
A[*cocephalus*] *albifrons* Jansson 1935a: 59 [Listed] ^{2, 105}
A[*cocephalus*] *albifrons* Karl 1935a: 137 [Listed] ⁶⁶

albifrons Linné—Continued

- Acocephalus albifrons* Rapp 1935a: 45 [Listed] ⁴⁰
A[cocephalus] albifrons Rémy-Perrier 1935a: 83 [Key, ecology] ⁴
A[phrodes] albifrons Wagner 1935a: 13 [Ecology] ^{9, 14, 73, 94, 106, 107, 108, 109}
Aphrodes albifrons Nast 1936d: 485 (3) [Listed] ¹¹⁰
Acucephala albifrons Britton 1937a: 304 [Food plants] ⁷⁵
[Acucephalus] albifrons De Long and Caldwell 1937c: 16 [Catalogued] ^{36, 37, 38, 39, 42, 48, 71, 72}
Aphrodes albifrons Kuntze 1937a: 327, 337, 338, 341, 346, 358 [Ecology] ¹⁴
A[phrodes] albifrons Kuntze 1937b: 25 [Ecology] ¹⁴
A[phrodes] albifrons Wagner 1937b: 70; figs. 6a–b [Notes, illustrated] ⁴⁷ :67 [Key] :68, 69 [Comparative notes]
Acocephalus albifrons China 1938c: 44 [Listed] ^{2, 3, 4, 5, 10, 19, 25, 29, 47, 49, 56, 72, 81, 82, 83}
Aphrodes albifrons Nast 1938d: 227 (3) [Listed] ¹¹⁰
Aphrodes albifrons Ossiannilsson 1938b: 69 [Catalogued] ⁷ Equals *Pholetaera dispar* Zett. :68 [Listed]
A[cocephalus] albifrons Procter 1938a: 77 [Listed] ^{42, 97}
Acucephalus albifrons Brown 1939a: 664; pl. 1, figs. 5, 6 [Ecology, illustrated] ⁴³
[Cicada] albifrons Linné 1939a: 437 [n. sp., reprinted] ¹
Acucephalus albifrons Osborn 1939a: 120; fig. 46 [Economics, life history, illustrated] ^{1, 41, 42, 83} :47 [Ecology] :59 [Economics]
Acocephalus albifrons de Seabra 1939b: 33, 47, 56, 102 [Listed] ⁹⁹
Acocephalus albifrons de Seabra 1939c: 171 [Listed] ⁹⁹
A[phrodes] albifrons Wagner 1939a: 136 [Notes] ¹³ Equals *[Acucephalus] confusus* Kirschb. Equals *[Acucephalus] obtusifrons* Kirschb. (?) [error]
Acucephalus [albifrons] Schmidt 1940a: 258 (98) Equals *Aphrodes albifrons* Linné
Acocephalus albifrons Lindberg 1941b: 4 [Ecology] ^{60, 81, 111, 112, 113, 114} :7, 21 [Listed] ^{1, 60, 81, 111, 112, 113, 114, 115}
A[phrodes] albifrons Wagner 1941a: 149 [Listed] ^{66, 116}
[Acocephalus] albifrons de Seabra 1942a: 9 [Listed] ⁹⁹
Aphrodes albifrons Medler 1943a: 39; pl. III, fig. 8 [Described, illustrated, ecology, catalogued] ¹¹⁷ Equals *Cicada albifrons* Linné :38 [Key]
Aphrodes albifrons Holgersen 1944a: 30 [Ecology] ^{1, 15, 56, 118} Equals *Acocephalus [albifrons]* :33, 36 [Listed] ¹⁵
[Acucephalus] albifrons Moore 1944a: 43 [Listed] ²⁸
A[phrodes] albifrons Reclaire 1944a: 229 [Ecology] ⁹⁴
A[phrodes] a[lbifrons] fuliginosus Reclaire 1944a: 229 [Listed] ⁹⁴

albifrons Linné—Continued

- A[phrodes] albifrons* Roche 1944a: 83 [Listed] ⁹
- [*Aphrodes*] *albifrons* Kloet and Hincks 1945a: 53 [Listed] ⁶ Equals
 [*Aphrodes*] *interruptus* Scott Equals [*Aphrodes*] *polystolus* Scott
- Aphrodes albifrons* Lang 1945c: 98 [Listed] ³¹
- [*Aphrodes*] *albifrons* De Long and Knull 1946a: 28 [Catalogued]
 ^{36, 37, 38, 39, 42, 48, 71, 72} Equals *Cicada [albifrons]* Linné
- Cicada albifrons* De Long and Knull 1946a: 28 Equals *Aphrodes*
 testudo Curt.
- Aphrodes albifrons* Holgersen 1946a: 136 [Listed] ¹⁵
- Aphrodes albifrons* Lang 1946a: 152 [Listed] ¹⁸
- Aphrodes albifrons* Moosbrugger 1946a: 70 [Listed] ⁸⁴
- A[phrodes] albifrons* Procter 1946a: 88 [Listed] ^{42, 97}
- Aphrodes albifrons* Evans 1947a: 148 [Ecology] ¹²⁰ To *Aphrodes*
 testuda Curt.
- Aphrodes albifrons* Lang 1947a: 23 [Ecology] ³¹
- A[phrodes] albifrons* Lindberg 1947a: 28 [Catalogued] ²⁹ Equals
 Cicada albifrons Linné Equals *Acocephalus a[lbifrons]* Sahlb.
 :72 [Listed] ²⁹
- [*Aphrodes*] *albifrons* Osborn and Knull 1947a: 330 [Listed] ⁴¹
 Equals *Acucephalus [albifrons]* Linné
- A[phrodes] albifrons* Ossiannilsson 1947b: 162; figs. 335, 336, 367
 [Described, ecology, illustrated] ^{2, 15, 29, 73} :159 [Key] :163, 164
 [Comparative notes]
- Aphrodes albifrons* Wolcott 1947a: 222 [Ecology] ³⁶
- Aphrodes albifrons* De Long 1948a: 178 [Described, ecology,
 catalogued] ^{36, 71, 121} Equals *Cicada albifrons* Linné Equals
 Pholetaera livens Zett. [error] Equals *Cicada nitidula* Don [nec
 Fabr.] Equals *Pholetaera nigropunctata* Zett. [error] Equals
 Aphrodes concinna Curt. Equals *Aphrodes testudo* Curt. Equals
 Acucephalus interruptus Scott Equals *Acucephalus polystolus*
 Scott Equals *Acucephalus circumflexus* Prov.
- Aphrodes albifrons* Ossiannilsson 1948a: 16 [Listed] ^{2, 8, 15, 29, 73,}
 ^{109, 122, 123}
- Aphrodes albifrons* Servadei 1948a: 244 [Listed] ²⁵
- A[phrodes] albifrons* Zachvatkin 1948a: 174 [Key]
- Aphrodes albifrons* Fagel 1949a: 146 [Listed] ¹⁶
- [*Aphrodes*] *albifrons* Oman 1949a: 58; pl. 11, fig. 1; pl. 31, fig. 1
 [Illustrated, catalogued] ^{124, 125, 126} Equals *Cicada albifrons*
 Linné Equals [*Aphrodes*] *nitidula* Don. [nec Fabr.] Equals
 [*Aphrodes*] *subrustica* Fall. Equals [*Aphrodes*] *concinna* Curtis
 Equals [*Aphrodes*] *albiger[a]* Germ. [error] Equals [*Aphrodes*]
 nigropunctata Zett. [error] Equals [*Aphrodes*] *livens* Zett. [error]
 Equals [*Aphrodes*] *arcuata* Kirschb. Equals [*Aphrodes*] *inter-*

albifrons Linné—Continued

- rupta* Scott Equals [*Aphrodes*] *polystola* Scott Equals [*Aphrodes*] *apicalis* Sign. Equals [*Aphrodes*] *fuliginosa* Sign. Equals [*Aphrodes*] *circumflexa* Prov. Equals [*Aphrodes*] *arga* Rey Equals [*Aphrodes*] *confusa* Kirschb. Equals [*Aphrodes*] *testudo* Curtis
- [*Aphrodes*] *circumflexa* Oman 1949a: 58 [Catalogued] Equals *Acoccephalus circumflexa* Prov. To [*Aphrodes*] *albifrons*
- [*Aphrodes*] *fuliginosa* Oman 1949a: 58 [Catalogued] Equals *Acucephalus fuliginosa* Sign. To [*Aphrodes*] *albifrons*
- [*Aphrodes*] *albifrons* China 1950a: 245 [Listed] ⁵ Equals [*Aphrodes*] *testudo* Curt. Equals [*Aphrodes*] *interruptus* Scott Equals [*Aphrodes*] *polystolus* Scott Equals [*Aphrodes*] *kirschbaumi* Edw. [error]
- A[*phrodes*] *albifrons* Kontkanen 1950c: 86 [Listed] ²⁹
- Aphrodes albifrons* Moore 1950a: 259 [Listed] ²⁸
- Aphrodes albifrons* Moore 1950b: 34 [Listed] ²⁸
- [*Cicada*] *albifrons* Ossiannilsson 1951a: 151 [Listed]
- Aphrodes albifrons* [sic] Phillips 1951a: 199 [Food plants] ⁷²
- A[*phrodes*] *albifrons* Wagner 1951b: 27 [Listed] ⁶
- Aphrodes albifrons* Fischer 1952a: 112 [Listed] ⁶¹
- A[*phrodes albifrons* Kontkanen 1952b: 562 [Listed] ^{29, 56}
- Aphrodes albifrons* Linnavuori 1952a: 1, 10 [Ecology] ²⁹
- Aphrodes albifrons* Ribaut 1952a: 337; figs. 890–891 [Described, illustrated] ^{4, 20, 35, 119} Equals [*Aphrodes*] *fuliginosus* Sign. :331, 333 [Key] :333 [Notes] :338, 339, 340, 341 [Comparative notes]
- Aphrodes testudo* Ishihara 1953b: 34 Equals *Cicada albifrons* Linné
- Aphrodes albifrons* Beirne 1954f: 199; fig. 4 [Notes, illustrated] ¹
- A[*phrodes*] *albifrons* Dlabola 1954a: 152; pl. XXVII, figs. 516–518 [Notes, illustrated, catalogued] ^{30, 31} :150 [Key] :68 [Ecology] ^{30, 31}
- [*Aphrodes*] *albifrons* Lindberg 1954a: 205 [Listed]
- Aphrodes albifrons* Lindberg 1954b: 9 [Listed] ¹¹¹
- A[*phrodes*] *albifrons* Smreczyński 1954a: 120 [Notes, comparative note] ¹¹⁰
- A[*phrodes*] *albifrons* Wagner 1955a: 172 (12) [Comparative note]

LOCALITIES: ¹ Europe. ² Sweden. ³ Austria. ⁴ France. ⁵ Great Britain. ⁶ Bavaria. ⁷ Lapland. ⁸ Gotland Island. ⁹ England. ¹⁰ Hungary. ¹¹ Northern Europe. ¹² Karelia. ¹³ Prussia. ¹⁴ Mecklenburg. ¹⁵ Norway. ¹⁶ Belgium. ¹⁷ Scotland. ¹⁸ Czechoslovakia. ¹⁹ Spain. ²⁰ Languedoc. ²¹ Alsace-Lorraine. ²² Aland Islands. ²³ AboArchipelago. ²⁴ Tyrol. ²⁵ Italy. ²⁶ Russia. ²⁷ Galicia. ²⁸ Quebec. ²⁹ Finland. ³⁰ Bohemia. ³¹ Moravia. ³² Canada. ³³ Borkum Island. ³⁴ Tunisia. ³⁵ Provence. ³⁶ New York. ³⁷ New Hampshire. ³⁸ District of Columbia. ³⁹ Michigan. ⁴⁰ Thuringia. ⁴¹ Ohio.

albifrons Linné—Continued

⁴² Maine. ⁴³ Indiana. ⁴⁴ Styria. ⁴⁵ New England States. ⁴⁶ Serbia. ⁴⁷ Germany. ⁴⁸ Pennsylvania. ⁴⁹ Northern Russia. ⁵⁰ Central Russia. ⁵¹ Nearctic Region. ⁵² Olonets. ⁵³ Livonia. ⁵⁴ Moscow. ⁵⁵ St. Petersburg. ⁵⁶ North America. ⁵⁷ Lubeck. ⁵⁸ Netherlands. ⁵⁹ Tver. ⁶⁰ Canary Islands. ⁶¹ Swabia. ⁶² Bulgaria. ⁶³ New Jersey. ⁶⁴ Staten Island. ⁶⁵ Wales. ⁶⁶ Pomerania. ⁶⁷ Baltum Island. ⁶⁸ Terschelling Island. ⁶⁹ Caucasus. ⁷⁰ Northern States. ⁷¹ Wisconsin. ⁷² Ontario. ⁷³ Denmark. ⁷⁴ Massachusetts. ⁷⁵ Connecticut. ⁷⁶ Catalonia. ⁷⁷ Penikese Island (Massachusetts). ⁷⁸ British Columbia. ⁷⁹ Virginia. ⁸⁰ Crete. ⁸¹ Madeira. ⁸² Middle Russia. ⁸³ Eastern United States. ⁸⁴ Vorarlberg. ⁸⁵ Lorraine. ⁸⁶ Sicily. ⁸⁷ Croatia. ⁸⁸ Guernsey. ⁸⁹ Majorca Island. ⁹⁰ Hesse. ⁹¹ Rumania. ⁹² Kustenland. ⁹³ Isle of Wight. ⁹⁴ Holland. ⁹⁵ Kansas. ⁹⁶ Carinthia. ⁹⁷ Mount Desert Island, Maine. ⁹⁸ Kiev. ⁹⁹ Portugal. ¹⁰⁰ Long Island. ¹⁰¹ French Morocco. ¹⁰² Nantucket Island. ¹⁰³ Oregon. ¹⁰⁴ Ireland. ¹⁰⁵ Gotska Sando. ¹⁰⁶ East Frisian Islands. ¹⁰⁷ Hanover. ¹⁰⁸ Schleswig-Holstein. ¹⁰⁹ Northern Germany. ¹¹⁰ Poland. ¹¹¹ Azores. ¹¹² Sao Miguel. ¹¹³ Terceira. ¹¹⁴ Holarctic Region. ¹¹⁵ Northern Nearctic Region. ¹¹⁶ Mecklenburg Region. ¹¹⁷ Minnesota. ¹¹⁸ Northern Africa. ¹¹⁹ Roussillon. ¹²⁰ United States. ¹²¹ Illinois. ¹²² Oland. ¹²³ Eastern Baltic States. ¹²⁴ Northeastern States. ¹²⁵ Southeastern States. ¹²⁶ Central States.

albifrons var. α Fallén

[*Cicada albifrons*] var. α Fallén 1826a: 25, 26 [n. var.] ¹

LOCALITIES: ¹ Sweden.

albifrons var. α Marshall

[*Acocephalus albifrons*] var. α Marshall 1866a: 178 [n. var.] ¹

LOCALITIES: ¹ Great Britain.

albifrons var. **affinis** Fallén

[*Cicada*] *affinis* Fallén 1806a: 13 [n. sp.] ¹

[*Cicada affinis*] var. α Fallén 1806a: 14 [n. var.] ¹

[*Cicada affinis*] var. β Fallén 1806a: 14 [n. var.] ¹

[*Cicada affinis*] Billberg 1820a: 73 [Listed] ¹

[*Cicada affinis*] var. β Billberg 1820a: 73 [Listed] ¹

Cic[ada] affinis Fallén 1826a: 25 [Described, catalogued]

Cicada affinis Zetterstedt 1828a: 520 To *C[icada] dispar* Zett. [error]

Cic[ada] affinis Herrich-Schäffer 1834c: 3 To *Acucephalus dispar* Zett. [error]

[*Cicada*] *affinis* Herrich-Schäffer 1835a: 101, 115 To *Acuc[ephalus] albifrons* :101 [Listed]

Cicada affinis Zetterstedt 1840a: 289 To *Ph[oletaera] dispar* [error]

Acocephalus affinis Walker 1851b: 850 [Catalogued] ¹ Equals

Cicada affinis Fall.

albifrons var. **affinis** Fallén—Continued

[*Acucephalus*] *affinis* Dohrn 1859a: 84 [Listed] ¹

LOCALITIES: ¹ Sweden.

albifrons var. *albiger*a Germar. See *Aphrodes albiger*a Germar.

albifrons var. **apicalis** Signoret

Acocephalus albifrons] *apicalis* Signoret 1879a: 80 (34) [n. var., comparative note]

[*Acocephalus albifrons*] *apicalis* Puton 1886b: 80 [Listed] ¹

[*Acocephalus albifrons*] *apicalis* Melichar 1896a: 195 [Described]

[*Acocephalus albifrons*] *apicalis* Puton 1899a: 94 [Listed] ¹

[*Acocephalus albifrons*] *apicalis* Hübner 1904a: 263 [Listed] ²

[*Acocephalus albifrons*] *apicalis* Hübner 1904b: 263 [Listed] ²

[*Acocephalus albifrons*] *apicalis* Oshanin 1906a: 93 [Catalogued]

[*Acocephalus albifrons*] *apicalis* Oshanin 1912a: 104 [Listed]

[*Acucephalus albifrons*] *apicalis* Van Duzee 1917b: 620 [Catalogued]

[*Aphrodes albifrons*] *apicalis* Blöte 1927b: 72 [Described] ³

Aphrodes albifrons apicalis Blöte 1929a: 17 [Notes] ³

[*Aphrodes*] *apicalis* Haupt 1935a: 169 [Key]

A[phrodes] a[lbifrons] apicalis Reclaire 1944a: 229 [Listed] ⁴

[*Aphrodes*] *apicalis* Oman 1949a: 58 [Catalogued] Equals *Acucephalus apicalis* Sign. To [*Aphrodes*] *albifrons*

Aphrodes albifrons apicalis Servadei 1952a: 473 [Listed] ⁵

LOCALITIES: ¹ Europe. ² Germany. ³ Netherlands. ⁴ Holland. ⁵ Sardinia.

albifrons var. **arcuata** Kirschbaum

A[cocephalus (Acocephalus)] arcuatus Kirschbaum 1868b: 75 [n. sp.] ¹

A[cocephalus] arcuatus Kirschbaum 1868b: 75 [Key] ¹

[*Acocephalus*] *pelas* Fieber 1872a: 10 [nom. nud., listed] ⁵

[*Acocephalus polystolus*] *arcuatus* Fieber 1872a: 10 [Listed]

Acocephalus polystolus arcuata Fieber 1872b: 30 Equals *Acocephalus arcuata* Mink

[*Acocephalus*] *pelas* Puton 1875a: 133 [nom. nud., listed] ⁵

[*Acocephalus polystolus*] *arcuatus* Puton 1875a: 133 [Listed]

A[cocephalus] pelas Lethierry 1877b: 43 [nom. nud., listed] ⁶

[*Acocephalus albifrons*] *arcuatus* Signoret 1879a: 80 (34) [Described] Equals [*Acocephalus*] *pelas* Fieb. [nom. nud.](?) Equals

[*Acocephalus*] *concinna* Curt. [error]

[*Acocephalus*] (*A[noscopus*)] *pelas* Signoret 1879a: 87 (41) [n. sp., catalogued]

albifrons var. **arcuata** Kirschbaum—Continued

A[cocephalus] arcuatus Signoret 1879a: 76 (30) To *A[cocephalus] albifrons* Linné

Acocephalus pelas Chicote 1880a: 201 (17) [Listed] ⁶

Acocephalus pelas Reiber and Puton 1880a: 62 [n. sp.] ^{5, 7}

A[cocephalus] pelas Mayr 1884a: 30 [Listed] ⁷

[Acocephalus albifrons] arcuatus Puton 1886b: 80 [Listed] ²

[Acocephalus] pelas Puton 1886b: 80 [Listed] ^{5, 8}

Acocephalus arcuatus Edwards 1888d: 21 To *Acocephalus albifrons* Linné

Acocephalus arcuatus Buckton 1891a: 7 To *Acocephalus albifrons* Linné

[Acocephalus] pelas Coubeaux 1892a: 35 (2) [Listed] ⁹

[Acocephalus albifrons] arcuatus Melichar 1896a: 195 [Described]

A[cocephalus] arcuatus Melichar 1896a: 195 To *Acocephalus albifrons* Linné

[Acocephalus albifrons] arcuatus Puton 1899a: 94 [Listed] ²

[Acocephalus] pelas Puton 1899a: 94 [Listed] ^{5, 8}

[Acocephalus albifrons] arcuatus Hübner 1904a: 263 [Listed] ³

[Acocephalus albifrons] arcuatus Hübner 1904b: 263 [Listed] ³

[Acocephalus] pelas Hübner 1904a: 263 [Listed] ³

[Acocephalus] pelas Hübner 1904b: 263 [Listed] ³

[Acocephalus albifrons] arcuatus Oshanin 1906a: 92 [Catalogued]

Equals *Acocephalus arcuatus* Kirschb.

[Acocephalus] pelas Oshanin 1906a: 95 [Catalogued] ^{5, 10}

Acocephalus limicola Edwards 1908a: 57 [n. sp.] ⁸

[Acocephalus limicola] maculata Edwards 1908a: 58 [n. var.] ⁸

[Acocephalus] limicola Saunders and Edwards 1908a: 12 [Listed] ¹¹

Acocephalus limicola Edwards 1909b: 841 [Ecology] ⁸

[Acocephalus] limicola Oshanin 1910a: 159 [Catalogued] ¹¹

[Acucephalus albifrons] arcuatus Oshanin 1912a: 104 [Listed]

[Acucephalus] limicola Oshanin 1912a: 104 [Listed] ²

[Acocephalus] pelas Oshanin 1912a: 104 [Listed] ^{5, 6, 10}

[Acucephalus albifrons] arcuatus Van Duzee 1917b: 620 [Catalogued]

[Aphrodes albifrons] arcuatus Blöte 1927b: 72 [Described] ⁴

[Aphrodes albifrons] arcuatus Blöte 1927d: 222 [Listed] ⁴

Acocephalus limicola China 1929a: 226 [Notes] ⁸

A[cocephalus] limicola Halbert 1935a: 309 [Listed] ¹²

Acrocephalus [sic] *limicola* Halbert 1935a: 311 [Ecology] ¹²

[Aphrodes] arcuatus Haupt 1935a: 169 [Key]

A[phrodes] limicola Wagner 1935a: 14 [Listed] ¹³

[Aphrodes albifrons] arcuatus Nast 1936d: 485 (3) [Listed] ¹⁴

albifrons var. **arcuata** Kirschbaum—Continued

Aphrodes limicola Kuntze 1937a: 368 [Ecology] ¹⁵

A[phrodes] arcuatus Wagner 1937b: 68; figs. 5a–b [Described, illustrated] ^{3, 16} Equals *A[phrodes] albifrons* [*arcuata* Kirschb.] :67 [Key] :65 [Listed] [See Ribaut 1952a: 337]

A[phrodes] limicola Wagner 1937b: 69; figs. 7a–b [Notes, illustrated] ^{3, 17, 18} :67 [Key]

[*Aphrodes albifrons*] *irritans* Wagner 1937b: 65, 70 Nom. nov. pro *A[phrodes] albifrons* var. *arcuatus* (in part)

[*Aphrodes*] *limicola* China 1938b: 194 [Catalogued] ¹¹

[*Acocephalus*] *pelas* de Seabra 1942a: 9 [Listed] ⁶

A[phrodes] a[lbifrons] arcuatus Reclaire 1944a: 229 [Listed] ¹⁹

A[phrodes] limicola Reclaire 1944a: 229 [Listed] ¹⁹

[*Aphrodes*] *limicola* Kloet and Hincks 1945a: 53 [Listed] ¹¹

[*Aphrodes*] *arcuata* Oman 1949a: 58 [Catalogued] To [*Aphrodes*] *albifrons*

[*Aphrodes*] *limicola* China 1950a: 245 [Listed] ¹¹

[*Aphrodes albifrons*] *arcuata* (nec Wagner [?]) Ribaut 1952a: 337 [Described] ^{10, 20, 21, 22, 23} Equals [*Aphrodes*] *pelas* Leth. Equals [*Aphrodes*] *irritans* Wagn. Equals [*Aphrodes*] *limicola* Edw.

A[phrodes] arcuatus Dlabola 1954a: 150 [Key]

LOCALITIES: ¹ Southern France. ² Europe. ³ Germany. ⁴ Netherlands.

⁵ France. ⁶ Portugal. ⁷ Alsace-Lorraine. ⁸ England. ⁹ Belgium.

¹⁰ Spain. ¹¹ Great Britain. ¹² Ireland. ¹³ Northern Germany. ¹⁴ Poland.

¹⁵ Mecklenburg. ¹⁶ Ischia Island. ¹⁷ Amrum Island. ¹⁸ Hanover.

¹⁹ Holland. ²⁰ Lorraine. ²¹ Provence. ²² Languedoc. ²³ Italy.

albifrons var. *arga* Rey. See *Aphrodes albifrons* var. *conspersa* Signoret.

albifrons var. *assimilis* Signoret. See *Aphrodes assimilis* Signoret.

albifrons var. **β** Buckton

[*Acocephalus albifrons*] var. *β* Buckton 1891a: 9; pl. XII, fig. 2a [n. var., illustrated] ¹

LOCALITIES: ¹ England.

albifrons var. **β** Fallén

[*Cicada albifrons*] var. *β* Fallén 1826a: 25, 26 [n. var.] ¹

LOCALITIES: ¹ Sweden.

albifrons var. **b** Edwards

[*Acocephalus albifrons*] var. *b* Edwards 1888d: 22 [n. var.]

[*Acocephalus albifrons*] var. *b* Edwards 1895a: 123; pl. 14, fig. 8 [Described, illustrated]

albifrons var. **b** Marshall

[*Acocephalus albifrons*] var. *b* Marshall 1866a: 178 [n. var.] ¹

LOCALITIES: ¹ Great Britain.

albifrons var. **b** Sahlberg

[*Acocephalus albifrons*] var. *b* Sahlberg 1871a: 361 [n. var.] ¹

LOCALITIES: ¹ Scandinavia.

albifrons var. **bifasciata** Melichar

[*Acocephalus albifrons*] *bifasciatus* Melichar 1896a: 195 [n. var.]

[*Aphrodes albifrons*] *bifasciatus* Blöte 1927b: 72; fig. 31 [Described, illustrated] ¹

[*Aphrodes albifrons*] *bifasciatus* Blöte 1927d: 222 [Listed] ¹

[*Acocephalus albifrons*] *bifasciata* Lallemand 1928d: 5 [Listed] ²

[*Acocephalus albifrons*] *bifasciatus* de Seabra 1942a: 9 [Listed] ²

A[phrodes] a[lbifrons] bifasciatus Reclaire 1944a: 229 [Listed] ³

LOCALITIES: ¹ Netherlands. ² Portugal. ³ Holland.

albifrons var. **blotei** nom. nov. pro *Aphrodes albifrons* var. *dispar* Blöte [1927] [nec *Cicada dispar* Zetterstedt 1828] [nunc *Aphrodes albifrons* var. *dispar* Zetterstedt]

[*Aphrodes albifrons*] *dispar* Blöte 1927b: 72 [n. var.] ¹

LOCALITIES: ¹ Netherlands.

albifrons var. **c** Sahlberg

[*Acocephalus albifrons*] var. *c* Sahlberg 1871a: 361 [n. var.] ¹

LOCALITIES: ¹ Scandinavia.

albifrons var. **C** Signoret

[*Acocephalus albifrons*] var. *C* Signoret 1879a: 79 (33) [n. var.]

albifrons var. *concinna* Curtis. See *Aphrodes albifrons* var. *dispar* Zetterstedt.

albifrons var. **confusa** Kirschbaum

A[cocephalus] (An[oscopus]) confusus Kirschbaum 1868b: 78 [n. sp., comparative note] ^{1, 2}

Acocephalus confusus Sahlberg 1871a: 360 To *A[cocephalus] albifrons* Linné

[*Acocephalus polystolus*] *confusus* Fieber 1872a: 10 [Listed]

Acocephalus polystolus confusus Fieber 1872b: 30 Equals *Acocephalus confusus* Kirschb.

[*Anoscopus*] *confusus* Kittel 1875a: 5 [Listed] ⁶ Equals [*Anoscopus*] *polystolus* Fieb. [error]

[*Acocephalus polystolus*] *confusus* Puton 1875a: 133 [Listed]

[*Acocephalus*] *confusus* Signoret 1879a: 76 (30) To *A[cocephalus] albifrons* Linné

albifrons var. **confusa** Kirschbaum—Continued

- [*Acocephalus albifrons*] *confusus* Signoret 1879a: 80 (34) [Described]
- [*Acocephalus albifrons*] *confusus* Mayr 1884a: 30 [Listed] ³
- [*Acocephalus*] *confusus* Puton 1886b: 80 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus*] *confusus* Edwards 1888d: 21 To *Acocephalus albifrons* Linné
- [*Acocephalus*] *confusus* Buckton 1891a: 7 To *Acocephalus albifrons* Linné
- [*Acocephalus*] *confusus* Duda 1892a: 32 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus albifrons*] *confusus* Melichar 1896a: 195 [Described]
- Anoscopus confusus* Melichar 1896a: 195 To *Acocephalus albifrons* Linné
- [*Acocephalus*] *confusus* Puton 1899a: 94 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus albifrons*] *confusus* Strobl 1900a: 212 [Listed] ⁴
- [*Acocephalus*] *confusus* Hübner 1904a: 263 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus*] *confusus* Hübner 1904b: 263 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus albifrons*] *confusus* Oshanin 1906a: 93 [Catalogued] Equals *Acocephalus confusus* Kirschb.
- [*Acocephalus*] *confusus* Lambertie 1910a: 78 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus albifrons*] *confusus* Oshanin 1912a: 104 [Listed]
- [*Acucephalus albifrons*] *confusus* Van Duzee 1917b: 621 [Catalogued] :620 Equals *Anoscopus [confusus]* Kirschb.
- [*Aphrodes albifrons*] *confusus* Blöte 1927b: 72 [Described] ⁵
- Ac[occephalus] albifrons confusus* Ivanov 1928b: 493 [Listed] ⁷
- Ac[occephalus] albifrons confusus* Ivanov 1928c: 189 [Listed] ⁷
- [*Aphrodes*] *confusus* Haupt 1935a: 169 [Key]
- [*Acucephalus*] *confusus* Wagner 1939a: 136 To *A[phrodes] albifrons* Linné To *A[phrodes] albiger* Germ. [error]
- A[phrodes] a[lbifrons] confusus* Reclaire 1944a: 229 [Listed] ⁸
- [*Aphrodes*] *confusa* Oman 1949a: 58 [Catalogued] Equals *Acocephalus confusa* Kirschb. To [*Aphrodes*] *albifrons*

LOCALITIES: ¹ Prussia. ² Hesse. ³ Germany. ⁴ Styria. ⁵ Netherlands.

⁶ Bavaria. ⁷ Kiev. ⁸ Holland.

albifrons var. **consersa** Signoret

[*Acocephalus albifrons*] *consersus* Signoret 1879a: 80 (34) [n. var., comparative notes] Equals [*Acocephalus*] *ornatus* Fieb. [nom. nud.]

Acocephalus albifrons argus Rey 1891a: 245 [n. var.] ¹

[*Acocephalus albifrons*] *argus* Rey 1894b: 30 [Key, described] ¹

[*Acocephalus albifrons*] *argus* Puton 1899a: 94 [Listed] ²

[*Acocephalus albifrons*] *argus* Hüeber 1904a: 263 [Listed] ³

[*Acocephalus albifrons*] *argus* Hüeber 1904b: 263 [Listed] ³

[*Acocephalus albifrons*] *argus* Oshanin 1906a: 93 [Catalogued]

[*Acocephalus albifrons*] *argus* Oshanin 1912a: 104 [Listed]

[*Acocephalus albifrons*] *argus* Van Duzee 1917b: 621 [Catalogued] ^{2, 5, 6, 7, 8, 9, 10, 11, 12}

[*Aphrodes albifrons*] *consersus* Blöte 1927b: 72 [Described] ⁴

[*Aphrodes albifrons*] *consersus* Blöte 1927d: 222 [Listed] ⁴ Equals [*Aphrodes*] *argus* Rey

[*Aphrodes*] *argus* Haupt 1935a: 169 [Key]

[*Aphrodes*] *albifrons argus* Reclaire 1944a: 229 [Listed] ^{13, 14}

[*Aphrodes*] *albifrons consersus* Reclaire 1944a: 229 [Listed] ¹³

[*Aphrodes*] *argus* Oman 1949a: 58 [Catalogued] Equals *Acocephalus* [*argus* Rey] To [*Aphrodes*] *albifrons*

LOCALITIES: ¹ France. ² Europe. ³ Germany. ⁴ Netherlands. ⁵ Maine.

⁶ Ontario. ⁷ New Hampshire. ⁸ New York. ⁹ Pennsylvania. ¹⁰ Wisconsin

¹¹ District of Columbia. ¹² Michigan. ¹³ Holland. ¹⁴ Hamburg.

albifrons var. **δ** Fallén

[*Cicada albifrons*] var. **δ** Fallén 1826a: 26 [n. var.] ¹

[*Acocephalus albifrons*] var. *g* Sahlberg 1871a: 362 nom. nov. pro

[*Acocephalus albifrons*] var. **δ** Fallén [Described] ²

LOCALITIES: ¹ Sweden. ² Scandinavia.

albifrons var. **d** Sahlberg

[*Acocephalus albifrons*] var. *d* Sahlberg 1871a: 361 [n. var.] ¹

LOCALITIES: ¹ Scandinavia.

albifrons var. **dimidiata** Ribaut

[*Aphrodes albifrons*] *dimidiata* Ribaut 1952a: 337 [n. var., comparative note] ^{1, 2, 3}

LOCALITIES: ¹ Gascony. ² Languedoc. ³ Roussillon.

albifrons var. *dispar* Blöte [nec Zetterstedt]. See *Aphrodes albifrons* var. *blotei* Metcalf.

albifrons var. **dispar** Zetterstedt

Cicada nitidula [nec Fabricius] Donovan 1799a: 87; pl. CCLXXXVIII, fig. 1 [Described, illustrated] ¹

[*Cicada*] *nitidula* [nec Fabricius] Donovan 1820a: [5] [Described] ²

[*Cicada*] *dispar* Zetterstedt 1828a: 520 [n. sp.] ³ Equals *Cicada albifrons* Linné Equals *Cic[ada] subrustica* Fall. [error] Equals *Cicada affinis* Fall. [error]

[*Aphrodes*] *concinna* Curtis 1829a: 193 [nom. nud., listed] ^{1, 4}

[*Aphrodes*] *testudo* Curtis 1829a: 193 [nom. nud., listed] ¹

[*Aphrodes*] *testudo* Curtis 1833a: 195 [n. sp.] ¹

Acucephalus dispar Herrich-Schäffer 1834c: 3; pl. 3 [Described, catalogued, illustrated] ⁵ Equals *Cic[ada] dispar* Zett. Equals [*Cicada*] *subrustica* Fall. [error] Equals [*Cicada*] *albifrons* Linné Equals *Cerc[opis] 3-fasciata* Fabr. [error] Equals *Cic[ada] affinis* Fall. [error]

[*Cicada*] *dispar* Herrich-Schäffer 1835a: 102 To *Acuc[e]phalus dispar* Zett.]:115 To [*Acucephalus*] *albifrons* Linné

[*Aphrodes*] *concinna* Curtis 1837b: pl. 633 [n. sp.] ¹:222 [Listed] ¹

[*Aphrodes*] *testudo* Curtis 1837b: pl. 633 [Described] ¹:222 [Listed] ¹

Acucephalus dispar var.—Herrich-Schäffer 1838a: 4; pl. 4 [n. var., illustrated] ⁶

Ph[oletaera] dispar Zetterstedt 1840a: 289 [Described, catalogued] ³ Equals *Cicada affinis* Fall. [error] Equals *Cic[ada] subrustica* Fall. [error] Equals *Cicada albifrons* Linné Equals *Cicada dispar* Zett.

[*Acucephalus*] *dispar* Boheman 1850a: 261 [Ecology] ⁷

[*Athysanus*] *dispar* Dahlbom 1850a: 186 [Listed] ⁷

Aphrodes testudo Walker 1851b: 884 To *Iassus serratulae* [error]

Aphrodes concinna Walker 1851b: 884 To *Iassus serratulae* [error]

Acucephalus dispar Boheman 1852b: 119 [Ecology] ⁸

[*Jassus*] *concinus* Dohrn 1859a: 87 To [*Jassus*] *serratulae* Fabr. [error]

[*Acucephalus*] *dispar* Dohrn 1859a: 84 To [*Acucephalus*] *albifrons* Linné

[*Jassus*] *testudo* Dohrn 1859a: 87 To [*Jassus*] *serratulae* Fabr. [error]

[*Acocephalus*] *concinus* Walker 1860a: 19 To [*Acocephalus*] *serratulae* Fabr. [error]

[*Acocephalus*] *testudo* Walker 1860a: 19 To [*Acocephalus*] *histrionicus* Fabr. [error]

Acucephalus dispar Flor 1861a: 201 To *Acocephalus* (*Acocephalus*) *bifasciatus* Linné [error]

albifrons var. **dispar** Zetterstedt—Continued

- A[phrodes] testudo* Flor 1861a: 203 To *Acocephalus* (*Acocephalus*) *albifrons* Linné (?)
- Pholetaera dispar* Flor 1861a: 203 To *Acocephalus* (*Acocephalus*) *albifrons* Linné [error]
- Acocephalus dispar* var.—Flor 1861a: 203 To *Acocephalus* (*Acocephalus*) *albifrons* Linné
- Aphrodes concinna* Flor 1861a: 203 To *Acocephalus* (*Acocephalus*) *albifrons* Linné (?)
- [*Aphrodes*] *concinna* Curtis 1862a: pl. 633 [n. sp., reprinted] ¹
- [*Aphrodes*] *testudo* Curtis 1862a: pl. 633 [n. sp., reprinted] ¹
- [*Acocephalus*] *dispar* de Graaf, Six, and Snellen van Vollenhoven 1862a: 82 [Catalogued] ⁹
- Acoceph[alus] dispar* Marshall 1865j: 146 To *Acocephalus bifasciatus* Linné [error]
- Pholetera* [sic] *dispar* Bellevoye 1866a: 145 (33) [Listed] ¹⁰
- Aphrodes testudo* Marshall 1866a: 177 To *Acocephalus albifrons* Linné
- Pholetaera dispar* Marshall 1866a: 177 To *Acocephalus albifrons* Linné
- [*Aphrodes*] *concinna* Marshall 1866a: 177 To *Acocephalus albifrons* Linné
- A[cocephalus] dispar* Lethierry 1869a: 357 [Ecology] ¹⁰
- Pholetaera [dispar]* Sahlberg 1871a: 358 To *A[cocephalus] trifasciatus* Germ. [error]
- [*Acocephalus*] *interruptus* Fieber 1872a: 10 [nom. nud., listed] ²
- [*Acocephalus*] *dispar* Fieber 1872a: 10 To [*Acocephalus*] *albifrons* Linné To [*Acocephalus*] *rusticus* Fabr. [error]
- [*Acocephalus*] *polystolus* Fieber 1872a: 10 [nom. nud., listed] ²
- Equals [*Acocephalus*] *subrusticus* Germ. [error] Equals [*Acocephalus*] *dispar* Zett. (in part)
- [*Acocephalus polystolus*] *angularis* Fieber 1872a: 10 [nom. nud., listed]
- Acocephalus dispar* Fieber 1872b: 30 To *Acocephalus albifrons* Linné
- Ae[cocephalus] polystolus* Fieber 1872c: 34 [nom. nud., listed]
- Acocephalus interruptus* Scott 1873b: 264 [n. sp.] ¹ Equals [*Acocephalus*] *nigritus* Kirschb. [error] :265 [Comparative note]
- Acocephalus polystolus* Scott 1873b: 265 [n. sp.] ¹
- Acocephalus polystolus* Douglas 1874a: 118 [Ecology] ¹¹
- A[cocephalus] interruptus* Lethierry 1874a: 263 (59) [Ecology] ¹⁰
- A[cocephalus] polystolus* Lethierry 1874a: 263 (59) [Ecology] ¹⁰
- [*Acocephalus*] *dispar* Kittel 1875a: 5 [Listed] ⁵

albifrons var. **dispar** Zetterstedt—Continued

- [*Anoscopus*] *polystolus* Kittel 1875a: 5 To [*Anoscopus*] *confusus* Kirschb. [error]
- [*Acocephalus*] *polystolus* Puton 1875a: 133 [Listed]² Equals [*Acocephalus*] *subrusticus* Germ. [error] Equals [*Acocephalus*] *dispar* Zett. (in part) Equals [*Acocephalus*] *albifrons* Sahlb. [in part]
- [*Acocephalus*] *interruptus* Puton 1875a: 133 [Listed]²
- [*Acocephalus polystolus*] *angularis* Puton 1875a: 133 [nom. nud., listed]
- Aphrodes concinna* Douglas and Scott 1876a: 74 To [*Acocephalus*] *albifrons*
- [*Acocephalus*] *interruptus* Douglas and Scott 1876a: 75 [Catalogued]¹
- [*Acocephalus*] *polystolus* Douglas and Scott 1876a: 75 [Catalogued]¹
- Pholetaera dispar* Douglas and Scott 1876a: 74 To [*Acocephalus*] *albifrons*
- Aphrodes testudo* Douglas and Scott 1876a: 74 To [*Acocephalus*] *albifrons*
- Cicada nitidula* [nec Fabricius] Douglas and Scott 1876a: 74 To [*Acocephalus*] *albifrons*
- [*Acocephalus*] *interruptus* Lethierry 1876a: lxxxiii (7) [Comparative note]
- [*Acocephalus*] *interruptus* Lethierry 1876c: 11 [Comparative note]
- Acocephalus interruptus* Lethierry 1877b: 43 [Listed]¹²
- A[cocephalus] polystolus* Lethierry 1877b: 43 [Listed]¹³
- Acocephalus polystolus* Lethierry 1878b: lxvii [Listed]¹⁴
- [*Acocephalus*] *polystolus* Lethierry 1878c: xxxviii [Listed]¹⁴
- [*Acocephalus*] *interruptus* Lethierry 1878c: xxxviii [Listed]¹⁴
- Acocephalus polystolus* Bolívar and Chicote 1879a: 181 (35) [Listed]¹²
- [*Acocephalus*] *dispar* Martorell y Pena 1879a: 86 To [*Acocephalus*] *striatus* Fabr. [error]
- A[cocephalus] polystolus* Norman 1879a: 256 [Listed]¹¹
- A[cocephalus] polystolus* Signoret 1879a: 76 (30) To *A[cocephalus]* *albifrons* Linné
- A[cocephalus] testudo* Signoret 1879a: 76 (30) To *A[cocephalus]* *albifrons* Linné
- A[cocephalus] dispar* Signoret 1879a: 70 (24) To *A[cocephalus]* *trifasciatus* de Fourcr. [error]
- [*Acocephalus albifrons*] *dispar* Signoret 1879a: 79 (33) [Described]
- [*Acocephalus*] *concinna* Signoret 1879a: 80 (34) To [*Acocephalus albifrons*] *arcuatus* Kirschb. [error]

albifrons var. **dispar** Zetterstedt—Continued

- [*Acocephalus*] *concinna* Signoret 1879a: 76 (30) To *A[cocephalus]* *albifrons* Linné
- [*Acocephalus albifrons*] *concinna* Signoret 1879a: 81 (35) [Described]
- [*Acocephalus*] *interruptus* Signoret 1879a: 66 (20) To *A[cocephalus]* *bifasciatus* Linné [error]
- [*Acocephalus*] *dispar* var.—Signoret 1879a: 74 (28) To *A[cocephalus]* *elongatus* Leth. [error]
- Acocephalus interruptus* Chicote 1880a: 201 (17) [Listed] ^{12, 15}
- A[cocephalus] interruptus* Reiber and Puton 1880a: 62 [Listed] ¹⁶
- [*Acocephalus*] *polystolus* Reiber and Puton 1880a: 62 To *A[cocephalus]* *albifrons* Linné
- [*Acocephalus*] *interruptus* Mayr 1881a: 93 (17) [Listed] ¹⁷
- [*Acocephalus*] *polystolus* Mayr 1881a: 93 (17) [Listed] ¹⁷
- Ac[cocephalus] interruptus* von Dalla Torre 1882a: 57 [Listed] ¹⁷
- Acocephalus interruptus* Heller and von Dalla Torre 1882a: 25 (18) [Listed] ¹⁷
- A[cocephalus] polystolus* Norman 1882a: 276 [Listed] ¹¹
- A[cocephalus] polystolus* Edwards 1884c: 714 To *Acocephalus albifrons* Linné
- A[cocephalus] interruptus* Lomnicki 1884a: 235 [Listed] ¹⁸
- A[cocephalus] polystolus* Lomnicki 1884a: 235 [Listed] ¹⁸ To [*Acocephalus*] *ornatus* Fieb. [nom. nud.]
- A[cocephalus] interruptus* Mayr 1884a: 30 [Listed] ²
- [*Acocephalus*] *polystolus* Mayr 1884a: 30 To *A[cocephalus]* *albifrons* Linné
- A[cocephalus] polystylus* [sic] Fairmaire 1885a: 155 [Described] ¹⁰
- Acocephalus polystolus* Löw 1886a: 499 [Ecology] ¹⁹
- [*Acocephalus*] *dispar* Puton 1886b: 80 To [*Acocephalus*] *trifasciatus* de Fourcr. [error] :79 To [*Acocephalus*] *striatus* Fabr. [error]
- [*Acocephalus*] *polystolus* Puton 1886b: 80 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus*] *interruptus* Puton 1886b: 80 To [*Acocephalus*] *trincinctus* Curt. [error]
- [*Acocephalus*] *concinna* Puton 1886b: 80 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus*] *testudo* Puton 1886b: 80 To [*Acocephalus*] *albifrons* Linné
- A[cocephalus] interruptus* Then 1886a: 26 [Listed] ^{2, 17, 18, 20} Equals *A[cocephalus] nigritus* Kirschb. [error]
- A[cocephalus] polystolus* Then 1886a: 27 [Listed] ^{2, 17, 18, 20}

albifrons var. **dispar** Zetterstedt—Continued

- A[cocephalus] interruptus* Edwards 1888d: 20 To *Acocephalus bifasciatus* Linné [error] :21 To *Acocephalus albifrons* Linné
- C[icada] nitidula* [nec Fabricius] Edwards 1888d: 21 To *Acocephalus albifrons* Linné
- A[phrodes] concinna* Edwards 1888d: 21 To *Acocephalus albifrons* Linné
- Aphrodes testudo* Edwards 1888d: 21 To *Acocephalus albifrons* Linné
- [*Acocephalus*] *polystolus* Edwards 1888d: 21 To *Acocephalus albifrons* Linné
- [*Acocephalus albifrons*] var. *a* Edwards 1888d: 22 [n. var.]
- [*Acocephalus albifrons*] var. *c* Edwards 1888d: 22 [n. var.]
- A[cocephalus] polystolus* Funk 1890a: 141 [Listed]
- [*Acocephalus*] *interruptus* Saunders and Edwards 1890a: 13 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus*] *polystolus* Saunders and Edwards 1890a: 13 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus albifrons polystolus*] Buckton 1891a: 8; pl. XLI, fig. 1b [Described, ecology, illustrated] Equals *A[cocephalus] polystolus* Scott
- [*Acocephalus*] *polystolus* Buckton 1891a: 7 To *Acocephalus albifrons* Linné
- [*Acocephalus albifrons*] *polystolus* Buckton 1891a: 7 To *Acocephalus albifrons* Linné
- Aphrodes testudo* Buckton 1891a: 7 To *Acocephalus albifrons* Linné
- [*Aphrodes*] *concinna* Buckton 1891a: 7 To *Acocephalus albifrons* Linné
- A[cocephalus] interruptus* Buckton 1891a: 13 To *Acocephalus bifasciatus* Curt. [error] :7 To *Acocephalus albifrons* Linné
- [*Acocephalus*] *polystolus* Duda 1892a: 32 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus*] *dispar* Duda 1892a: 32 To [*Acocephalus*] *striatus* Fabr. [error]
- [*Acucephalus*] *interruptus* Bezzi 1893a: 111 (31) To *A[cucephalus] tricolor* Curt. [error]
- [*Acocephalus albifrons*] *polystolus* Rey 1894b: 30 [Notes] ¹⁰
- [*Acocephalus albifrons*] var. *a* Edwards 1895a: 123; pl. 14, fig. 7 [Described, illustrated]
- [*Acocephalus albifrons*] var. *c* Edwards 1895a: 123; pl. 14, fig. 6 [Described, illustrated]
- Pholetaera dispar* Melichar 1896a: 195 To *Acocephalus albifrons* Linné

albifrons var. **dispar** Zetterstedt—Continued

- A[ucephalus] dispar* Melichar 1896a: 193 To *Acocephalus bifasciatus* Linné [error]
- Acuc[e]phalus] dispar* var. Melichar 1896a: 195 To *Acocephalus albifrons* Linné
- [Aucephalus] polystylus* [sic] Acloque 1897a: 404 [Key] ¹⁰
- [Acocephalus] testudo* Puton 1899a: 94 To *[Acocephalus] albifrons* Linné
- [Acocephalus] concinnus* Puton 1899a: 94 To *[Acocephalus] albifrons* Linné
- [Acocephalus] polystolus* Puton 1899a: 94 To *[Acocephalus] albifrons* Linné
- [Acocephalus] dispar* Puton 1899a: 94 To *[Acocephalus] nervosus* von Schrank [error]
- [Acocephalus] interruptus* Puton 1899a: 94 To *[Acocephalus] tricinctus* Curt. [error]
- [Acocephalus] dispar* Puton 1899a: 94 To *[Acocephalus] trifasciatus* de Fourcr. [error]
- [Aphrodes] testudo* Kirkaldy 1901d: 178 To *[Aphrodes] albifrons* Linné
- [Acocephalus] dispar* Hüeber 1904a: 263 To *[Acocephalus] trifasciatus* de Fourcr. [error] :262 To *[Acocephalus] nervosus* von Schrank [error]
- [Acocephalus] testudo* Hüeber 1904a: 263 To *[Acocephalus] albifrons* Linné
- [Acocephalus] concinnus* Hüeber 1904a: 263 To *[Acocephalus] albifrons* Linné
- [Acocephalus] polystolus* Hüeber 1904a: 263 To *[Acocephalus] albifrons* Linné
- [Acocephalus] interruptus* Hüeber 1904a: 263 To *[Acocephalus] tricinctus* Curt. [error]
- [Acocephalus] dispar* Hüeber 1904b: 262 To *[Acocephalus] nervosus* von Schrank [error] :263 To *[Acocephalus] trifasciatus* de Fourcr. [error]
- [Acocephalus] testudo* Hüeber 1904b: 263 To *[Acocephalus] albifrons* Linné
- [Acocephalus] concinnus* Hüeber 1904b: 263 To *[Acocephalus] albifrons* Linné
- [Acocephalus] polystolus* Hüeber 1904b: 263 To *[Acocephalus] albifrons* Linné
- [Acocephalus] interruptus* Hüeber 1904b: 263 To *[Acocephalus] tricinctus* Curt. [error]
- Acocephalus dispar* Oshanin 1906a: 91 To *[Acocephalus] elongatus* Leth. (?) [error]

albifrons var. **dispar** Zetterstedt—Continued

- Pholetaera dispar* Oshanin 1906a: 91 To [*Acocephalus*] *trifasciatus* de Fourcr. [error]
- Acocephalus interruptus* Oshanin 1906a: 92 To [*Acocephalus*] *albifrons* Linné
- Cicada nitidula* [nec Fabricius] Oshanin 1906a: 92 To [*Acocephalus*] *albifrons* Linné
- Aphrodes testudo* Oshanin 1906a: 92 To [*Acocephalus*] *albifrons* Linné
- Aphrodes concinna* Oshanin 1906a: 92 To [*Acocephalus*] *albifrons* Linné
- Acocephalus polystolus* Oshanin 1906a: 92 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus albifrons*] *polystolus* Edwards 1908a: 58 [Comparative note]
- [*Acocephalus*] *polystolus* Saunders and Edwards 1908a: 12 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus*] *interruptus* Saunders and Edwards 1908a: 12 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus*] *interruptus* Whittaker 1908a: 20 To *Acocephalus albifrons* Linné
- [*Acocephalus*] *testudo* Lambertie 1910a: 78 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus*] *concinus* Lambertie 1910a: 78 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus*] *polystolus* Lambertie 1910a: 78 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus*] *dispar* Lambertie 1910a: 78 To [*Acocephalus*] *nervosus* von Schrank [error]
- [*Acocephalus*] *interruptus* Lambertie 1910a: 78 To [*Acocephalus*] *tricinctus* Curt. [error]
- [*Acocephalus*] *dispar* Oshanin 1912a: 103 To [*Acocephalus*] *trifasciatus* Geoffr. [error] :104 To [*Acocephalus*] *elongatus* Leth. [error]
- [*Acocephalus*] *concinus* Oshanin 1912a: 104 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus*] *nitidulus* Oshanin 1912a: 104 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus*] *testudo* Oshanin 1912a: 104 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus*] *polystolus* Oshanin 1912a: 104 To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus*] *interruptus* Oshanin 1912a: 104 To [*Acocephalus*] *albifrons* Linné

albifrons var. **dispar** Zetterstedt—Continued

- [*Acucephalus*] *concinna* Van Duzee 1916a: 68 To [*Acucephalus*] *albifrons* Linné
- [*Acucephalus*] *polystolus* Van Duzee 1916a: 68 To [*Acucephalus*] *albifrons* Linné
- [*Acucephalus*] *testudo* Van Duzee 1916a: 68 To [*Acucephalus*] *albifrons* Linné
- [*Acucephalus*] *nitidula* Van Duzee 1916a: 68 To [*Acucephalus*] *albifrons* Linné
- [*Acucephalus*] *interruptus* Van Duzee 1916a: 68 To [*Acucephalus*] *albifrons* Linné
- [*Aphrodes*] *testudo* Van Duzee 1917b: 618 Equals [*Aphrodes*] *albifrons* Linné :620 To *Acucephalus albifrons* Linné
- Aphrodes concinna* Van Duzee 1917b: 620 To *Acucephalus albifrons* Linné
- Cicada nitidula* [nec Fabricius] Van Duzee 1917b: 620 To *Acucephalus albifrons* Linné
- [*Acucephalus*] *polystolus* Van Duzee 1917b: 620 To *Acucephalus albifrons* Linné
- [*Acucephalus*] *interruptus* Van Duzee 1917b: 620 To *Acucephalus albifrons* Linné
- Aphrodes concinna* Sherborn 1925a: 1445 [Catalogued]
- [*Aphrodes albifrons*] *concinna* Blöte 1927b: 72 [Described] ⁹
- [*Aphrodes albifrons*] *concinna* Blöte 1927d: 222 [Listed] ⁹
- A[cocephalus] polystylus* [sic] Perrier 1927a: 1318 [Listed] ¹⁰
- [*Acocephalus*] *polystylus* [sic] Acloque 1934a: 404 [Key] ¹⁰
- Pholetaera dispar* Ossiannilsson 1938b: 69 To *Aphrodes albifrons* Linné
- A[phrodes] a[lbifrons] concinnus* Reclaire 1944a: 229 [Listed] ²¹
- [*Aphrodes*] *polystolus* Kloet and Hincks 1945a: 53 To [*Aphrodes*] *albifrons* Linné
- [*Aphrodes*] *interruptus* Kloet and Hincks 1945a: 53 To [*Aphrodes*] *albifrons* Linné
- Aphrodes testudo* De Long and Knull 1946a: 28 To *Cicada albifrons* Linné
- Aphrodes testuda* Evans 1947a: 149 [Listed] ¹ Equals [*Aphrodes*] *albifrons* Linné
- Cicada nitidula* [nec Fabricius] De Long 1948a: 178 To *Aphrodes albifrons* Linné
- Aphrodes concinna* De Long 1948a: 178 To *Aphrodes albifrons* Linné
- Aphrodes testudo* De Long 1948a: 178 To *Aphrodes albifrons* Linné
- Acucephalus polystolus* De Long 1948a: 178 To *Aphrodes albifrons* Linné

albifrons var. **dispar** Zetterstedt—Continued

Acocephalus interruptus De Long 1948a: 178 To *Aphrodes albifrons* Linné

[*Aphrodes*] *concinna* Oman 1949a: 58 [Catalogued] To [*Aphrodes*] *albifrons*

[*Aphrodes*] *polystola* Oman 1949a: 58 [Catalogued] Equals *Acocephalus polystola* Scott To [*Aphrodes*] *albifrons*

[*Aphrodes*] *testudo* Oman 1949a: 58 [Catalogued] To [*Aphrodes*] *costata* [error] To [*Aphrodes*] *albifrons* Linné

[*Aphrodes*] *interrupta* Oman 1949a: 58 [Catalogued] Equals *Acocephalus interrupta* Scott To [*Aphrodes*] *albifrons* Linné

[*Aphrodes*] *nitidula* [nec Fabricius] Oman 1949a: 58 [Catalogued] Equals *Cicada nitidula* Don. [nec Fabr.] To [*Aphrodes*] *albifrons*

[*Aphrodes*] *testudo* China 1950a: 245 To [*Aphrodes*] *albifrons* Linné

[*Aphrodes*] *polystolus* China 1950a: 245 To [*Aphrodes*] *albifrons* Linné

[*Aphrodes*] *interruptus* China 1950a: 245 To [*Aphrodes*] *albifrons* Linné

[*Aphrodes albifrons*] *dispar* Ribaut 1952a: 337 [Described] ^{2, 10, 22,}

²³ Equals [*Aphrodes*] *concinna* Curt. Equals [*Aphrodes*] *testudo*

Curt. Equals [*Aphrodes*] *polystolus* Scott Equals [*Aphrodes*]

interrupta Scott Equals [*Aphrodes*] *nitidula* Don. (?) [nec Fabr.]

LOCALITIES: ¹ Great Britain. ² Europe. ³ Lapland. ⁴ Ireland. ⁵ Bavaria-

⁶ Hungary. ⁷ Gotland Island. ⁸ Sweden. ⁹ Netherlands. ¹⁰ France-

¹¹ Scotland. ¹² Spain. ¹³ Portugal. ¹⁴ Belgium. ¹⁵ Valencia. ¹⁶ Alsace-

Lorraine. ¹⁷ Tyrol. ¹⁸ Galicia. ¹⁹ Southern Austria. ²⁰ Austria. ²¹ Hol-

land. ²² Caucasasia. ²³ Tunisia.

albifrons var. **e** Sahlberg

[*Acocephalus albifrons*] var. *e* Sahlberg 1871a: 361 [n. var.] ¹

[*Acocephalus albifrons*] var. *e* Siebke 1874a: 38 [Listed] ²

LOCALITIES: ¹ Scandinavia. ² Norway.

albifrons var. **f** Sahlberg

[*Acocephalus albifrons*] var. *f* Sahlberg 1871a: 361 [n. var.] ¹

LOCALITIES: ¹ Scandinavia.

albifrons var. **F** Signoret

[*Acocephalus albifrons*] var. *F* Signoret 1879a: 79 (33) [n. var.]

albifrons var. *fuliginosa* Ferrari. See *Aphrodes albifrons* Linné.

albifrons var. γ Fallén

[*Cicada albifrons*] var. γ Fallén 1826a: 25, 26 [n. var.] ¹

LOCALITIES: ¹ Sweden.

albifrons var. **germari** Wagner

[*Aphrodes albifrons*] var. *germari* Wagner 1937b: 65, 70 nom. nov.
pro *A[phrodes] albifrons* var. *albiger* [in part]

[*Aphrodes albifrons*] *germari* Ribaut 1952a: 337 [Described] ¹

LOCALITIES: ¹ France.

albifrons var. **h** Sahlberg

[*Acocephalus albifrons*] var. *h* Sahlberg 1871a: 362 [n. var.] ¹

LOCALITIES: ¹ Scandinavia.

albifrons var. *irritans* Wagner. See *Aphrodes albifrons* var. *arcuata* Kirschbaum

albifrons var. *livens* Zetterstedt. See *Stroggylocephalus livens* Zetterstedt.

albifrons var. **M** Signoret

[*Acocephalus albifrons*] var. *M* Signoret 1879a: 80 (34) [n. var.]

Aphrodes albifrons var. *M* Blöte 1927b: 72 [Notes]

albifrons var. **O** Signoret

[*Acocephalus albifrons*] var. *O* Signoret 1879a: 81 (35) [n. var.]

Aphrodes albifrons var. *O* Blöte 1927b: 72 [Notes]

[*Aphrodes albifrons*] var. *O* Blöte 1927d: 222 [Listed] ¹

A[phrodes] a[lbifrons] var. *O* Reclaire 1944a: 229 [Listed] ¹

LOCALITIES: ¹ Netherlands.

albifrons var. *obliqua* Germar. See *Aphrodes bifasciata* Linné.

albifrons var. **P** Signoret

[*Acocephalus albifrons*] var. *P* Signoret 1879a: 81 (35) [n. var.]

Aphrodes albifrons var. *P* Blöte 1927b: 72 [Notes]

[*Aphrodes albifrons*] var. *P* Blöte 1927d: 222 [Listed] ¹

A[phrodes] a[lbifrons] var. *P* Reclaire 1944a: 229 [Listed] ¹

LOCALITIES: ¹ Netherlands.

albifrons var. **Q** Signoret

[*Acocephalus albifrons*] var. *Q* Signoret 1879a: 81 (35) [n. var.]

Aphrodes albifrons var. *Q* Blöte 1927b: 72 [Notes]

albifrons var. **subrustica** Fallén

C[icada] subrustica Fallén 1806a: 10 [n. sp.] ¹ Equals *Cic[ada] albifrons* Linné

Cicada subrustica ♀ Fallén 1806a: 25 [Comparative note]

[*Cicada subrustica*] var. α Fallén 1806a: 11 [n. var.] ¹

[*Cicada subrustica*] var. β Fallén 1806a: 11 [n. var.] ¹

[*Cicada subrustica*] var. γ Fallén 1806a: 11 [n. var.] ¹

Cic[ada] subrustica Fallén 1826a: 25 To *C[icada] albifrons*

Cic[ada] subrustica Zetterstedt 1828a: 520 To *C[icada] dispar*
Zett. [error]

albifrons var. **subrustica** Fallén—Continued

- [*Acucephalus subrusticus*] Germar 1833a: 181 Equals *Cicada subrustica* Fall.
- C[icada] subrustica* Herrich-Schäffer 1834c: 3 To *Acucephalus dispar* Zett. [error]
- Cerc[opis] subrustica* Herrich-Schäffer 1835a: 115 To [*Acucephalus*] *albifrons* Linné
- [*Jassus*] *subrusticus* Herrich-Schäffer 1835a: 115 To *Acuc[ephalus] albifrons*
- [*Cicada*] *subrustica* Herrich-Schäffer 1835a: 104 To *Acuc[ephalus] albifrons*
- Jassus subrusticus* Germar 1837b: pl. 16 [Described, catalogued, illustrated] ^{1, 2, 3} To *Cicada albifrons* Linné Equals *Cicada subrustica* Fall. Equals *Jassus obliquus* Germ. [error]
- Cic[ada] subrustica* Zetterstedt 1840a: 289 To *Ph[oletaera] dispar* [error]
- Cicada subrustica* Walker 1851b: 849 To *Acocephalus albifrons* (?)
- [*Jassus*] *subrusticus* Marshall 1865j: 146 To *Acocephalus bifasciatus* Linné [error]
- [*Acocephalus*] *subrusticus* Fieber 1872a: 10 To [*Acocephalus*] *albifrons* Linné To [*Acocephalus*] *polystolus* Fieb. [nom. nud.] [error]
- [*Acocephalus*] *subrusticus* Puton 1875a: 133 To [*Acocephalus*] *polystolus* Fieb. [error] To [*Acocephalus*] *albifrons* Linné
- [*Acocephalus albifrons*] *subrusticus* Signoret 1879a: 79 (33) [Described]
- [*Acocephalus albifrons*] *subrusticus* Puton 1886b: 80 [Listed] ⁴
- [*Acocephalus albifrons*] *subrusticus* Melichar 1896a: 195 [Described]
- [*Acocephalus albifrons*] *subrusticus* Puton 1899a: 94 [Listed] ⁴
- [*Acocephalus albifrons*] *subrusticus* Hübner 1904a: 263 [Listed]
- [*Acocephalus albifrons*] *subrusticus* Hübner 1904b: 263 [Listed] ²
- [*Acocephalus albifrons*] *subrusticus* Oshanin 1906a: 92 [Catalogued] Equals *Cicada subrustica* Fall.
- [*Acucephalus albifrons*] *subrusticus* Oshanin 1912a: 104 [Listed]
- [*Acucephalus albifrons*] *subrusticus* Van Duzee 1917b: 620 [Catalogued] Equals *Cicada [subrustica]* Fall.
- [*Aphrodes albifrons*] *subrusticus* Blöte 1927b: 71 [Described] ⁵
- [*Aphrodes albifrons*] *subrusticus* Blöte 1927d: 222 [Listed] ⁵
- A[cocephalus] albifrons subrusticus* Poisson and Poisson 1927a: 137 [Listed] ⁶
- [*Acucephalus albifrons*] *subrusticus* Lallemand 1929e: 3 [Listed] ⁷
- Acucephalus subrusticus* Sherborn 1931a: 6269 [Catalogued] Equals *Cicada [subrustica]* Fall.]
- Cicada subrustica* Sherborn 1931a: 6269 [Catalogued]

albifrons var. **subrustica** Fallén—Continued

Jassus subrusticus Sherborn 1931a: 6269 [Catalogued] Equals
Cicada [subrustica Fall.]

[*Aphrodes*] *subrusticus* Haupt 1935a: 169 [Key]

[*Acocephalus albifrons*] *subrusticus* de Seabra 1939c: 171 [Listed] ⁷

A[phrodes] *a*[lbifrons] *subrusticus* Reclaire 1944a: 229 [Listed] ⁸

[*Aphrodes*] *subrustica* Oman 1949a: 58 [Catalogued] Equals
Cicada subrustica Fall. To [*Aphrodes*] *albifrons*

[*Aphrodes albifrons*] *subrustica* Ribaut 1952a: 337 [Described] ⁶

LOCALITIES: ¹ Sweden. ² Germany. ³ Switzerland. ⁴ Europe. ⁵ Netherlands. ⁶ France. ⁷ Portugal. ⁸ Holland.

albifrons Ball [nec Linné]. See *Aphrodes flavostriata* Donovan.

albifrons Horváth [nec Linné]. See *Aphrodes petrophilus* Lindberg.

albiger Germar

[*Jassus*] *albiger* Germar 1821a: 88 [n. sp.] ¹

[*Cicada*] *albiger* Herrich-Schäffer 1835a: 102 To [*Jassus*] *serratulæ* [error]

[*Jassus*] *albiger* Herrich-Schäffer 1835a: 113 [Catalogued] ² :113, 114 To [*Jassus*] *serratulæ* [error]

[*Jassus*] *albiger* Herrich-Schäffer 1835d: 5 To *Iassus serratulæ* Fabr. [error]

Jassus albiger Germar 1837b: pl. 17 [Described, catalogued, illustrated] ³

[*Jassus*] *albiger* Burmeister 1838b: [15] [Catalogued]

[*Jassus* (*Athysanus*)] *albiger* Burmeister 1838b: [15] [Key, catalogued]

[*Athysanus*] *albiger* Herrich-Schäffer 1840a: 381 To *A*[thysanus] *serratulæ* Fabr. [error]

Albiger Amyot 1847a: 205 [non binom., described, catalogued] ⁴, ⁵(?) Equals [*Cicada*] *serratulæ* Fabr. [error] Equals
Jassus [*albiger*] Burm.

Albiger Amyot 1848a: 401 [non binom., described, catalogued] ⁴, ⁵(?) Equals [*Cicada*] *serratulæ* Fabr. [error] Equals
Jassus [*albiger*] Burm.

Iassus albiger Walker 1851b: 884 To *Iassus serratulæ* [error]

Albiger Walker 1851b: 884 [non binom.] To *Iassus serratulæ* [error]

[*Deltocephalus* (*Athysanus*)] *albiger* Kirschbaum 1858a: 3 [Listed] ²
 Equals [*Jassus*] *albiger* Germ.

[*Jassus*] *albiger* Dohrn 1859a: 87 To [*Jassus*] *serratulæ* Fabr. [error]

Albiger Flor 1861a: 203 [non binom.] To *Acocephalus* (*Acocephalus*) *albifrons* Linné [error]

albiger Germar—Continued

- Jassus albiger* Flor 1861a: 203 To *Acocephalus* (*Acocephalus*) *albifrons* Linné [error]
Jassus albiger Marshall 1866a: 177 To *Acocephalus albifrons* Linné [error]
Jassus albiger Sahlberg 1871a: 362 To *A[cocephalus] serratulae* Fabr. [error]
[Acocephalus polystolus] albiger Fieber 1872a: 10 [Listed]
Acoceph[alus] polystolus albiger Fieber 1872b: 34 Equals *Jassus albiger* Germ.
[Acocephalus polystolus] albiger Puton 1875a: 133 [Listed]
[Acocephalus albifrons] albiger Signoret 1879a: 80 (34) [Described, catalogued]
J[assus] albiger Signoret 1879a: 82 (36) To *[Acocephalus] (Anoscopus) brunneobifasciatus* (?) [error]
A[cocephalus] polystolus albiger Lomnicki 1884a: 235 [Listed] ⁶
[Acocephalus albifrons] albiger Puton 1866b: 80 [Listed] ²
[Acocephalus albifrons] albiger Melichar 1896a: 195 [Described]
Jassus albiger ♂ Melichar 1896a: 195 To *Acocephalus albifrons* Linné [error]
[Acocephalus albifrons] albiger Puton 1899a: 94 [Listed] ²
[Acocephalus albifrons] albiger Hübner 1904a: 263 [Listed] ³
[Acocephalus albifrons] albiger Hübner 1904b: 263 [Listed] ³
[Acocephalus albifrons] albiger Oshanin 1906a: 93 [Catalogued] Equals *Jassus albiger* Germ.
Jassus albiger Oshanin 1906a: 92 To *[Acocephalus] albifrons* Linné (?) [error]
[Acucephalus albifrons] albiger Oshanin 1912a: 104 [Listed]
[Acucephalus] albiger Van Duzee 1916a: 68 To *[Acucephalus] albifrons* Linné (?) [error]
[Acucephalus albifrons] albiger Van Duzee 1917b: 621 [Catalogued] Equals *Jassus [albiger]* Germ.
Jassus albiger Sherborn 1923a: 176 [Catalogued]
Albiger Schülze, Kukenthal and Heider 1926a: 96 [non binom., catalogued]
[Aphrodes albifrons] albiger Blöte 1927b: 72 [Described] ⁷
[Aphrodes] albiger Haupt 1935a: 169 [Key]
A[phrodes] albiger Wagner 1937b: 69; figs. 9a–b [Notes, illustrated, new varieties from Germany] ^{3, 8, 9} Equals *A[phrodes] albifrons [albiger]* Germ.] Equals *A[phrodes] kirschbaumi* Edw. :67 [Key] :65 [Listed]
[Aphrodes] albiger China 1938b: 194 [Listed] ¹⁰
Albiger Neave 1939a: 103 [non binom., catalogued]

albiger Germar—Continued

- A[phrodes] albiger* Wagner 1939a: 136 [Notes] Equals [*Acocephalus*] *confusus* Kirschb. [error]
A[phrodes] albiger Reclaire 1944a: 229 [Listed] ^{4, 11, 12} Equals
A[phrodes] albifrons [*albiger* Germ.]
[Aphrodes] albiger Kloet and Hincks 1945a: 53 [Listed] ¹⁰
Aphrodes albiger Lang 1946a: 152, 154 [Ecology] ¹³
[Aphrodes] albiger[a] Oman 1949a: 58 To [*Aphrodes*] *albifrons* Linné [error]
Aphrodes albiger Ribaut 1952a: 339; figs. 894–895 [Described, illustrated] ^{5, 14} :331, 333 [Key] :333 [Notes] :341 [Comparative note]
A[phrodes] albiger Dlabola 1954a: 151 [Notes, catalogued] ¹⁵ :150 [Key] :68 [Ecology] ¹⁵
A[phrodes] albiger Smreczynski 1954a: 120 [Notes] ¹⁶
LOCALITIES: ¹ Saxony. ² Europe. ³ Germany. ⁴ England. ⁵ France. ⁶ Galicia. ⁷ Netherlands. ⁸ Mecklenburg. ⁹ Holstein. ¹⁰ Great Britain. ¹¹ Holland. ¹² Northern Germany. ¹³ Czechoslovakia. ¹⁴ Alsace. ¹⁵ Bohemia. ¹⁶ Poland.

albiger var. *deleta* Ribaut

- [Aphrodes albiger]* var. *deleta* Ribaut 1952a: 340 [n. var.] ¹
LOCALITIES: ¹ Languedoc.

albiger var. *kirschbaumi* Edwards

- Anoscopus kirschbaumi* Edwards 1920a: 55 [n. sp.] ¹
Acocephalus kirschbaumi China 1929a: 226 [Notes] ¹
[Aphrodes albiger] kirschbaumi Wagner 1937b: 69 [Described] ²
To *A[phrodes] albiger* Germ.
[Aphrodes albiger] kirschbaumi China 1938b: 194 [Catalogued] ⁴
[Aphrodes albiger] kirschbaumi Kloet and Hincks 1945a: 53 [Listed] ⁴
[Aphrodes] kirschbaumi China 1950a: 245 To [*Aphrodes*] *albifrons* Linné [error]
[Aphrodes albiger] kirschbaumi Ribaut 1952a: 340 [Described] ³
LOCALITIES: ¹ England. ² Germany. ³ France. ⁴ Great Britain.

albiger var. *nudus* Wagner

- [Aphrodes albiger] var. nudus* Wagner 1937b: 70 [n. var.] ¹ :65 [Listed]
LOCALITIES: ¹ Germany.

albiger var. *salinus* Wagner

- [Aphrodes albiger] var. salinus* Wagner 1937b: 69 [n. var.] ¹ :65 [Listed]
LOCALITIES: ¹ Germany.

alboguttata Kato

Acocephalus alboguttatus Kato 1933b: pl. 27, fig. 3 [n. sp., illustrated] ¹

Acocephalus alboguttatus Kato 1933c: 8; fig. 7 [n. sp., illustrated] ²

Acocephalus alboguttatus Kato 1933d: 17 [Listed] ²

LOCALITIES: ¹ Japan. ² Manchuria.

alpina Prohaska (var.). See *Aphrodes bicincta* var. *alpina* Prohaska.

alpina Wagner

Aphrodes alpinus Wagner 1955a: 172 (12); figs. 33–35 [n. sp., ecology, illustrated] ¹

LOCALITIES: ¹ Austria.

apicalis Signoret. See *Aphrodes albifrons* var. *apicalis* Signoret.

arcuata Kirschbaum. See *Aphrodes albifrons* var. *arcuata* Kirschbaum.

arenicola Marshall. See *Aphrodes histrionica* Fabricius.

arga Rey (var.). See *Aphrodes albifrons* var. *conspersa* Signoret.

assimilis Signoret

[*Acocephalus*] *assimilis* Fieber 1872a: 10 [nom. nud., listed] ¹

[*Acocephalus*] *assimilis* Puton 1875a: 133 [nom. nud., listed] ¹

A[cocephalus] *assimilis* Signoret 1879a: 75 (29); pl. 2, fig. 13 [n. sp., illustrated] ^{2, 3}

[*Acocephalus albifrons*] *assimilis* Signoret 1879a: 79 (33) [Described]

Acocephalus assimilis Puton 1886a: 9 [Listed] ⁴

[*Acocephalus*] *assimilis* Puton 1886b: 89 [Listed] ^{2, 5}

[*Acocephalus*] *assimilis* Ragusa 1887a: 186 [Listed] ⁶

Acocephalus assimilis Costa 1888a: 71 [Listed] ⁷

Acocephalus assimilis Lethierry 1889a: 315 [Listed] ²

A[cocephalus] *assimilis* Dominique 1890a: 113 (29) [Listed] ³

A[cocephalus] *assimilis* Dominique 1892a: 120 [Listed] ³

Acocephalus assimilis Ferrari 1892a: 572 (24) [Listed] ⁸

Acocephalus assimilis Noualhier 1897a: 77 [Listed] ⁹

Acoceph[alus] *assimilis* Melichar 1899b: 184 [Listed] ⁴

[*Acocephalus*] *assimilis* Puton 1899a: 94 [Listed] ^{2, 5}

Acocephalus assimilis Montandon 1900a: 749 [Listed] ¹⁰

[*Acocephalus*] *assimilis* Lambertie 1901a: 204 (76) [Listed] ³

A[cocephalus] *assimilis* Dominique 1902a: 215 [Listed] ³

[*Acocephalus*] *assimilis* Oshanin 1906a: 92 [Catalogued] ^{1, 2, 4, 5, 8, 10}

[*Acocephalus*] *assimilis* Lambertie 1910a: 78 [Listed] ³

[*Acocephalus*] *assimilis* Oshanin 1912a: 104 [Listed] ^{11, 21}

[*Aphrodes albifrons*] *assimilis* Blöte 1927b: 71 [Described] ¹²

Acocephalus assimilis China 1938c: 44 [Listed] ^{1, 2, 4, 5, 8, 9, 10}

assimilis Signoret—Continued

Aphrodes assimilis Ribaut 1952a: 338; figs. 892–893 [Described, illustrated] ^{1, 13, 14, 15, 16, 17, 18, 19, 20, 22} :331, 333 [Key]

Aphrodes assimilis Servadei 1952a: 473 [Listed] ⁷

[*Aphrodes*] *assimilis* Lindberg 1954a: 205; figs. 51e–h [Comparative note, illustrated] ⁹

LOCALITIES: ¹ Corsica. ² Algeria. ³ France. ⁴ Tunisia. ⁵ Southern France. ⁶ Sicily. ⁷ Sardinia. ⁸ Italy. ⁹ Madeira. ¹⁰ Rumania. ¹¹ Africa. ¹² Netherlands. ¹³ Brittany. ¹⁴ Angoumois. ¹⁵ Saintonge. ¹⁶ Northern Africa. ¹⁷ Guienne. ¹⁸ Languedoc. ¹⁹ Gascony. ²⁰ Provence. ²¹ Europe. ²² Southern Europe.

β Buckton (var.) [*albifrons*]. See *Aphrodes albifrons* var. *β* Buckton.

β Fallén (var.) [*albifrons*]. See *Aphrodes albifrons* var. *β* Fallén.

β Fallén (var.) [*bicincta*]. See *Aphrodes bicincta* var. *β* Fallén.

β Fallén (var.) [*bifasciata*]. See *Aphrodes bifasciata* var. *β* Fallén.

b Edwards (var.) [*albifrons*]. See *Aphrodes albifrons* var. *b* Edwards.

b Edwards (var.) [*bicincta*]. See *Aphrodes bicincta* var. *b* Edwards.

b Marshall (var.) [*albifrons*]. See *Aphrodes albifrons* var. *b* Marshall.

b Ossiannilsson (var.) [*bicincta*] [nom. nud.] See *Aphrodes bicincta* var. *b* Ossiannilsson [nom. nud.].

b Ossiannilsson (var.) [*trifasciata*]. See *Aphrodes trifasciata* de Fourcroy.

b Sahlberg (var.) [*albifrons*]. See *Aphrodes albifrons* var. *b* Sahlberg.

b Sahlberg (var.) [*bifasciata*]. See *Aphrodes bifasciata* var. *b* Sahlberg.

b Sahlberg (var.) [*flavostriata*]. See *Aphrodes flavostriata* var. *b* Sahlberg.

b Sahlberg (var.) [*serratulae*]. See *Aphrodes serratulae* var. *b* Sahlberg.

b Signoret (var.) [*serratulae*]. See *Aphrodes serratulae* var. *b* Signoret.

bicincta Curtis. See *Aphrodes bicincta* von Schrank.

bicincta von Schrank

Cicada striata Linné 1761a: 241 [n. sp.] ¹

[*Cercopis*] *rustica* Fabricius 1775a: 689 [n. sp.] ²

Cicada bicincta von Schrank 1776a: 75 [n. sp.]

[*Cicada*] *rustica* Goeze 1778a: 153 [Described, catalogued] ²

Equals *Cercopis* [*rustica*] Fabr.

[*Cicada*] *bicincta* Goeze 1778a: 154 [Described, catalogued]

[*Cercopis*] *rustica* Fabricius 1781a: 330 [Described, catalogued] ²

[*Cicada*] *nervosa* [nec Linné] von Schrank 1781a: 252 [Described] ³

[*Cicada*] *bicincta* von Schrank 1781a: 254 [Described, catalogued] ³

[*Cicada*] *nervosa* [nec Linné] Höslin 1782a: 172 [Notes]

[*Cicada*] *striata* Höslin 1782a: 173 [Notes] ²

[*Cicada*] *striata* de Fourcroy 1785a: 189 [Described] ⁴

[*Cicada*] *striata* Fabricius 1787a: 271 [n. sp.] ⁹²

[*Cercopis*] *rustica* Fabricius 1787a: 275 [Described]

[*Cercopis rustica*] Stoll 1788a: 90; pl. XXIV, fig. 129 [Described, illustrated] ⁴

Cer[copis] rustica Zschach 1788a: 117 [Listed] ²

[*Cicada*] *rustica* De Villers 1789a: 470 [Described] ^{2, 4}

bicincta von Schrank—Continued

[*Cicada*] *bicincta* De Villers 1789a: 471 [Described, catalogued] ⁴

[*Cicada*] *rustica* Gmelin 1789a: 2102 [Described, catalogued] ²

[*Cicada*] *ochromelas* Gmelin 1789a: 2107 nom. nov. pro [*Cicada striata* Fabricius] [1787] [Described, catalogued] ⁹²

[*Cicada*] *bicincta* Gmelin 1789a: 2109 [Described, catalogued] ³

[*Cercopis*] *rustica* Petagna 1792a: 622 [Described] ²

[*Cercopis rustica*] Stoll 1792a: 70; pl. XXIV, fig. 129 [Described, illustrated] ⁴

[*Cercopis*] *rustica* Fabricius 1794a: 54 [Described] ²

[*Cercopis*] *striata* Fabricius 1794a: 52 [Described, catalogued] ⁹²

Equals *Cicada striata* Fabr.

[*Cercopis*] *variegata* Fabricius 1794a: 55 [n. sp.] ⁵

[*Cercopis*] *striatella* Fabricius 1794a: 56 [n. sp.] ⁷

[*Cercopis*] *rustica* Weber 1795a: 147 [Listed]

[*Cicada*] *striata* Weber 1795a: 146 [Listed]

[*Cercopis*] *striata* Weber 1795a: 147 [Listed]

Cercopis variegata Weber 1795a: 148 [Listed]

[*Cercopis*] *striatella* Weber 1795a: 148 [Listed]

[*Cercopis*] *transversa* Fabricius 1798a: 523 [n. sp.] ²³

Cercopis rustica von Schrank 1801a: 54 [Described] ⁶

Tettigonia striata de Tigny 1802a: 155 [Described] ^{2, 4}

[*Cicada*] *striata* Turton 1802a: 586 [Described] ²

[*Cicada*] *rustica* Turton 1802a: 587 [Described] ²

[*Cicada*] *strigata* Turton 1802a: 587 nom. nov. pro *Cercopis variegata* Fabricius [1794] [Described] ⁵

[*Cicada*] *striatella* Turton 1802a: 588 [Described] ⁷

[*Cercopis*] *bicincta* Turton 1802a: 599 [Described, catalogued] ³

[*Cercopis*] *rustica* Fabricius 1803a: 97 [Described, catalogued] ²
:4 [Listed]

[*Cercopis*] *striata* Fabricius 1803a: 96 [Described, catalogued] ²³

Equals *Cercopis variegata* Fabr. :4 Equals [*Cercopis*] *variegata*

[*Cercopis*] *striatella* Fabricius 1803a: ⁹⁸ [Described, catalogued] ⁷
:4 [Listed]

[*Cercopis*] *transversa* [sic] Fabricius 1803a: 96 [Described, catalogued] ²³ :4 [Listed]

Cere[opsis] *striata* Latreille 1804a: 331 [Described] ¹⁸

Cere[opsis] *transversa* Latreille 1804a: 331 [Described] ¹⁸

Cere[opsis] *striatella* Latreille 1804a: 333 [Described] ⁷

Cere[opsis] *rustica* Latreille 1804a: 332 [Described] ²

[*Cicada*] *rustica* Fallén 1806a: 8 [Described, catalogued] ¹ Equals

Cercopis rustica Fabr. Equals [*Cercopis*] *transversa* Fabr.

Equals [*Cercopis*] *variegata* Fabr. Equals *Cercopis striata* Fabr.

bicincta von Schrank—Continued

- Equals [*Cercopis*] *striatella* Fabr. Equals *Cicada nervosa* von Schrank [nec Linné]
- Cere[opsis]* *rustica* Fallén 1806a: 10, 11, 13 [Comparative notes]
- C[icada]* *striata* Fallén 1806a: 10 [Catalogued] :10, 16 [Comparative notes]
- C[ercopis]* *striata* Gravenhorst 1807a: 343 [Listed]
- [*Cicada*] *striata* (?) Latreille 1807a: 162 [Listed]
- [*Cercopis*] *transversa* Latreille 1807a: 162 To [*Tettigonia cuspidata* Fabr.] (?) [error]
- [*Cicada*] *transversa* Billberg 1820a: 73 [Listed] ¹
- [*Cicada*] *rustica* Billberg 1820a: 73 [Listed] ¹
- [*Cicada*] *transversa* Donovan 1820a: [6] [Described] ²
- [*Cicada*] *striata* Donovan 1820a: [5] [Described] ⁴
- [*Cercopis*] *rustica* Germar 1821a: 53 To *A[phrophora] oenotherae* von Schrank (?) [error]
- J[assus]* *striatus* Germar 1821a: 89 [Listed] ⁹³ Equals *Cercopis striata* Fabr. :87 [Comparative note]
- Cic[ada]* *rustica* Hummel 1825a: 5 Equals *Cicada bifasciata* [error] Equals *Cercopis striata* Fabr. Equals *Jassus striatus* Germ.
- A[phrophora]* *rustica* Le Peletier and Serville 1825a: 608 [Described, catalogued] ⁴ Equals *Cercopis rustica* Fabr. Equals *Aphrophora oenotherae* Germ. [error]
- C[icada]* *rustica* Fallén 1826a: 23 [Described, catalogued] ¹ Equals [*Cercopis*] *variegata* Fabr. Equals *Cic[ada]* *nervosa* von Schrank [nec Linné] Equals *Cere[opsis]* *transversa* Fabr. Equals *Cere[opsis]* *strigata* [sic] Fabr. Equals *Cercopis [rustica]* Fabr. Equals [*Cercopis*] *striatella* Fabr. :27, 36 [Comparative notes]
- Cere[opsis]* *rustica* Fallén 1826a: 11 [Notes] ⁸
- C[ercopis]* *transversa* Boitard 1828a: 161 [Described] ¹⁸
- C[ercopis]* *rustica* Boitard 1828a: 162 [Described] ²
- C[ercopis]* *striata* Boitard 1828a: 162 [Described] ¹⁸
- C[ercopis]* *striatella* Boitard 1828a: 162 [Described] ⁷
- C[icada]* *rustica* Zetterstedt 1828a: 518 [Described] ⁹
- Cercopis striata* Zetterstedt 1828a: 518 To [*Cicada*] *rustica* var. *a* nom. nov.
- [*Cicada rustica*] var. *c* Zetterstedt 1828a: 518 nom. nov. pro *Cercopis striatella* Fabricius [1794] [Described, catalogued] ⁹
- [*Aphrodes*] *pallida* Curtis 1829a: 193 [nom. nud., listed] ¹⁰
- [*Iassus*] *rusticus* Curtis 1829a: 192 [Listed] ¹³
- [*Aphrodes*] *variegata* (?) Curtis 1829a: 193 [Listed] ¹⁰
- [*Aphrodes*] *bicincta* Curtis 1829a: 193 [nom. nud., listed] ¹⁰
- [*Aphrodes*] *cardui* Curtis 1829a: 193 [nom. nud., listed] ¹⁰

bicincta von Schrank—Continued

- [*Aphrodes*] *obscura* Curtis 1829a: 193 [nom. nud., listed] ¹⁰
 [*Aphrodes*] *pulverulenta* Curtis 1829a: 193 [nom. nud., listed] ¹⁰
 [*Aphrodes*] *rugosa* Curtis 1829a: 193 [nom. nud., listed] ¹⁰
 [*Aphrodes*] *striata* Curtis 1929a: 193 [Listed] ¹⁰
 [*Tettigonia striata*] Latreille 1829a: 224 [Notes] Equals [*Cercopis striata* Fabr.
striata Fabr.
 [*Tettigonia transversa*] Latreille 1829a: 224 [Notes] Equals [*Cercopis transversa* Fabr.
transversa Fabr.
 [*Tettigonia striata*] Latreille 1829b: 224 [Notes] Equals [*Cercopis striata* Fabr.
striata Fabr.
 [*Tettigonia transversa*] Latreille 1829b: 224 [Notes] Equals [*Cercopis transversa* Fabr.
transversa Fabr.
 [*Cercopis*] *striata* Latreille 1831b: 48 [Taxonomy]
 [*Cercopis*] *transversa* Latreille 1831b: 48 [Taxonomy]
 [*Acucephalus striatus*] Germar 1833a: 181 Equals *Cercopis striata* Fabr.
 [*Tettigonia striata* Costa 1834b: 89 [Listed] ⁷
Acucephalus rusticus Herrich-Schäffer 1834b: 15; pl. 15 [Described, catalogued, illustrated] ⁵⁶ Equals *C[icada] striata* Fabr.
 Equals *C[icada] rustica* Fabr. Equals *C[icada] costata* Panz.
 [error]
 [*Cercopis*] *striata* Latreille 1834b: 180 [Listed]
 [*Cercopis*] *transversa* Latreille 1834b: 180 [Listed]
 [*Acucephalus striatus* Burmeister 1835a: 112 [Described, catalogued] Equals *Cercopis striata* Fabr. Equals *Cercopis striatella* Fabr.
 [*Jassus striatellus* Herrich-Schäffer 1835a: 71 [Key]
 [*Jassus striatus* Herrich-Schäffer 1835a: 71 [Key]
 [*Cicada rustica* Herrich-Schäffer 1835a: 104 To *Acuceph[alus rusticus* Fall.]
 [*Cercopis rustica* Herrich-Schäffer 1835a: 108 To *Acuceph[alus rusticus* Fabr.]
 [*Cercopis striatella* Herrich-Schäffer 1835a: 108 To *Acuc[ephalus] rust[icus]*
 [*Cercopis striata* Herrich-Schäffer 1835a: 108 To *Acuc[ephalus] rust[icus]*
 [*Cercopis transversa* Herrich-Schäffer 1835a: 108 To *Ac[ucephalus] rust[icus]*
 [*Jassus striatus* Herrich-Schäffer 1835a: 114 To *Acuc[ephalus] rust[icus]*
 [*Acucephalus rusticus* Herrich-Schäffer 1835a: 115 [Catalogued] Equals *Cercop[is rustica]* Fabr. Equals *Cic[ada rustica]* Fall.
 Equals [*Jassus costatus* Germ. [error] Equals *Cerc[opis] costata*

bicincta von Schrank—Continued

Panz. [error] Equals *Cerc[opsis] striata* Fabr. Equals [*Cercopsis*] *variegata* Fabr. Equals [*Cercopsis*] *striatella* Fabr. Equals [*Cercopsis*] *transversa* Fabr. Equals *Cic[ada] nerrosa* von Schrank [nec Linné] Equals *Jass[us] striatus* Germ. Equals [*Jassus*] *costatus* Germ. [error] :72 [Key]

[*Acucephalus*] *pallidus* Curtis 1836a: pl. 620 [n. sp.] ¹³

[*Acucephalus*] *bicinctus* Curtis 1836a: pl. 620 [n. sp.]

[*Acucephalus*] *cardui* Curtis 1836a: pl. 620 [n. sp.] ⁹⁴

[*Acucephalus*] *fasciatus* Curtis 1836a: pl. 620 [n. sp.] ⁹⁵

[*Acucephalus*] *obscurus* Curtis 1836a: pl. 620 [n. sp.]

[*Acucephalus*] *rugosus* Curtis 1836a: pl. 620 [n. sp.]

[*Acucephalus*] *sparsus* Curtis 1836a: pl. 620 [n. sp.] ¹³

[*Acucephalus*] *unicolor* Curtis 1836a: pl. 620 [n. sp.] ⁹⁶

[*Macropsis*] *rusticus* Curtis 1837a: 221 [Listed] ¹⁰

[*Aphrodes*] *variegata* (?) Curtis 1837a: 222 [Listed] ¹⁰

[*Aphrodes*] *pulverulenta* Curtis 1837a: 222 [nom. nud., listed] ¹⁰

[*Aphrodes*] *pulverulenta* Curtis 1837b: pl. 633 [n. sp.] ¹⁰

[*Acucephalus*] *unicolor* Curtis 1837a: 222 [Listed] ¹⁰

[*Aphrodes*] *striata* Curtis 1837a: 222 [Listed] ¹⁰

[*Acucephalus*] *sparsus* Curtis 1837a: 222 [Listed] ¹⁰

[*Acucephalus*] *rugosus* Curtis 1837a: 222 [Listed] ¹⁰

[*Acucephalus*] *pallidus* Curtis 1837a: 222 [Listed] ¹⁰

[*Acucephalus*] *obscurus* Curtis 1837a: 222 [Listed] ¹⁰

[*Acucephalus*] *fasciatus* Curtis 1837a: 222 [Listed] ¹⁰

[*Acucephalus*] *cardui* Curtis 1837a: 222 [Listed] ¹⁰

Acucephalus bicinctus Curtis 1837a: 222 [Listed] ¹⁰

[*Acocephalus*] *striatus* Eversmann 1837a: 33 [Listed] ¹⁷

[*Acucephalus*] *rusticus* Gistel 1837a: 110 (15) [Listed] ¹¹ Equals

[*Acucephalus*] *nervosus exstinguens* Gist. [nom. nud.] Equals

[*Acucephalus*] *nervosus* von Schrank [nec Linné] Equals [*Acucephalus*] *nervosus pallens* Gist. [nom. nud.]

[*Jassus*] *striatus* Gistel 1837a: 109 (14) [Listed] ¹¹ Equals [*Jassus*]

bicinctus von Schrank

[*Acocephalus*] *striatus* Heineken 1837a: 150 [Listed] ⁹⁷ Equals

Cercopsis st[riatus] Fabr.

[*Cercopsis*] *striata* Latreille 1837a: 180 [Listed]

[*Cercopsis*] *transversa* Latreille 1837a: 180 [Listed]

Cercopsis striatella Burmeister 1838a: [7] To *Acocephalus costatus*

Germ. [error]

Cercopsis rustica Burmeister 1838a: [7] To *Acocephalus costatus*

Germ. [error]

Cicad[a] rust[ica] Burmeister 1838a: [7] To *Acocephalus costatus*

Germ. [error]

bicincta von Schrank—Continued

- Cercopis striat*[a] Burmeister 1838a: [7] To *Acocephalus costatus* Germ. [error]
- Cercopis variegata* Burmeister 1838a: [7] To *Acocephalus costatus* Germ. [error]
- Cercopis transversa* Burmeister 1838a: [7] To *Acocephalus costatus* Germ. [error]
- Cicad*[a]*nervosa* [nec Linné] Burmeister 1838a: [7] To *Acocephalus costatus* Germ. [error]
- Jassus striatus* Burmeister 1838a: [7] To *Acocephalus costatus* Germ. [error]
- [*Acucephalus rusticus*] Labram and Imhoff 1838a: [2] [Notes] ⁹⁸ Equals *Cercopis rustica* Fabr. Equals *Cicada rustica* Fall.
- [*Acucephalus striatus*] Labram and Imhoff 1838a: [2] Equals *Cercopis striata* Fabr. Equals *Jassus striatus* Germ.
- [*Acucephalus striatellus*] Labram and Imhoff 1838a: [2] Equals [*Cercopis*] *striatella* Fabr.
- [*Acucephalus transversus*] Labram and Imhoff 1838a: [2] Equals [*Cercopis*] *transversa* Fabr.
- [*Acucephalis variegatus*] Labram and Imhoff 1838a: [2] Equals [*Cercopis*] *variegata* Fabr.
- [*Cercopis*] *striata* Latreille 1839a: 137 [Listed]
- [*Cercopis*] *transversa* Latreille 1839a: 137 [Listed]
- Acocephalus striatus* Blanchard 1840a: 197 [Described, catalogued] ⁴ Equals *Cercopis striata* Fabr.
- [*Cercopis striata*] Comte 1840a: pl. 68 [Listed]
- [*Tettigonia striata*] Comte 1840a: pl. 68 [Listed]
- [*Acocephalus*] *rusticus* Herrich Schäffer 1840a: 382 [Listed] ¹¹
- [*Cicadella*] *striata* Westwood 1840c: 570 [Listed]
- [*Cicadella*] *transversa* Westwood 1840c: 570 [Listed]
- Ph[oletaera]* *rustica* Zetterstedt 1840a: 288 [Described, catalogued] ⁹
- [*Pholetaera rustica*] var. *c* Zetterstedt 1840a: 288 [Described, catalogued] ⁹ Equals *Cercopis striatella* Fabr.
- Cicada rustica* Zetterstedt 1840a: 288 [Comparative note] To [*Pholetaera rustica*] var. *a*
- Cercopis striata* Zetterstedt 1840a: 288 To [*Pholetaera rustica*] var. *a*
- [*Cicadella*] *striata* Westwood 1842c: 570 [Listed]
- [*Cicadella*] *transversa* Westwood 1842c: 570 [Listed]
- C[ercopis]* *striata* Boitard 1843a: 89 [Described] ¹⁸
- C[ercopis]* *rustica* Boitard 1842a: 89 [Described] ²
- T[ettigonia]* *striata* Boitard 1843a: 86 [Described] ⁴
- C[ercopis]* *transversa* Boitard 1843a: 89 [Described] ¹⁸
- C[ercopis]* *striatella* Boitard 1843a: 89 [Described] ⁷

bicincta von Schrank—Continued

- [*Cercopis*] *rustica* Contarini 1843a: 29 [Listed] ⁷
 [*Cercopis*] *striatella* Contarini 1843a: 29 [Listed] ⁷
 [*Acucephalus rusticus*] Boheman 1845a: 28 [Comparative note]
 [*Acocephalus*] *striatus* Gimmerthal 1846a: 27 [Listed] ⁶⁶
Diatæniops Amyot 1847a: 205 [non binom., described] Equals
 [*Jassus*] *striatus* Fabr. Equals [*Jassus*] *rusticus* Fall.
 [*Cercopis*] *rustica* Amyot 1847a: 190 To *Chalea* [non binom.]
 [error]
Cassassus Amyot 1847a: 205 [non binom., described] ⁷
A[ucephalus] striatus Blanchard 1847a: 88 [Listed] ² Equals
Cercopis striata Fabr.
Diatæniops Amyot 1848a: 401 [non binom., described] Equals
 [*Jassus*] *striatus* Fabr. Equals [*Jassus*] *rusticus* Fall.
 [*Cercopis*] *rustica* Amyot 1848a: 386 To *Chalea* [non binom.]
 [error]
Cassassus Amyot 1848a: 401 [non binom., described] ⁷
 [*Cicadella*] *striata* Westwood 1849a: 570 [Listed]
 [*Cicadella*] *transversa* Westwood 1849a: 570 [Listed]
Acocephalus striatus Blanchard 1850a: 197 [Described, catalogued] ⁴ Equals *Cercopis striata* Fabr.
Acucephalus rusticus Boheman 1850a: 261 [Ecology] ¹²
Athysanus rusticus Dahlbom 1850a: 186 [Listed] ¹²
A[ucephalus] adustus Hardy 1850a: 429 [n. sp.] ¹³
A[ucephalus] bicinctus Hardy 1850a: 430 [Taxonomy]
A[ucephalus] cardui Hardy 1850a: 430 [Taxonomy]
A[ucephalus] fasciatus Hardy 1850a: 430 [Taxonomy]
A[ucephalus] pallidus Hardy 1850a: 430 [Taxonomy]
A[ucephalus] rugosus Hardy 1850a: 430 [Taxonomy]
A[ucephalus] rusticus Hardy 1850a: 430 [Comparative note]
A[ucephalus] sparsus Hardy 1850a: 430 [Taxonomy]
A[ucephalus] unicolor Hardy 1850a: 430 [Taxonomy]
Acocephalus adustus Walker 1851b: 849 [Catalogued] ¹⁴ Equals
Acucephalus adustus Hardy
Acocephalus bicinctus Walker 1851b: 849 [Catalogued] ¹³ Equals
Acucephalus bicinctus Curt.
Acocephalus cardui Walker 1851b: 848 [Catalogued] ^{4, 13} Equals
A[cocephalus] sparsus Curt. Equals *A[cocephalus] obscurus* Curt.
Acocephalus fasciatus Walker 1851b: 849 [Catalogued] ¹³ Equals
Acucephalus fasciatus Curt.
Acocephalus pallidus Walker 1851b: 849 [Catalogued] ¹³ Equals
Acucephalus pallidus Curt.
Cicada rustica Wallengren 1851a: 254 [Listed] ¹

bicineta von Schrank—Continued

- Cercopis rustica* Walker 1851b: 720 To *Ptyelus bifasciatus* [nec Linné] (?) [error]
- Acocephalus striatus* Walker 1851b: 848 [Catalogued] ^{4, 13} Equals *Cercopis striata* Fabr. Equals *Cicada rustica* Fabr. Equals *Cicada variegata* Fabr. [error] Equals *Cicada striata* Linné (?) [error] Equals *Cercopis variegata* Fabr. Equals *Cercopis rustica* Fabr. Equals *Cicada nervosa* von Schrank (?) [nec Linné] Equals *Cercopis* [*striata*] *striatella* Fabr. (?) Equals *Iassus strigatus* Germ. [error] Equals *Acocephalus rugosus* Curt. Equals *Pholetaera rustica* Zett.
- Iassus transversus* Walker 1851b: 883 [Catalogued] ¹ Equals *Cicada transversa* Fall.
- Acocephalus unicolor* Walker 1851b: 849 [Catalogued] ¹³ Equals *Aphrodes* [*unicolor*] *pulverulenta* Curt. (?) Equals *Acocephalus unicolor* Curt.
- Acocephalus rusticus* Boheman 1852b: 119 [Ecology] ¹
- [*Aphrophora bifasciata*] *rustica* de Graaf and Snellen van Vollenhoven 1854a: 183 [Catalogued] ¹¹¹
- [*Acocephalus*] *rusticus* Kirschbaum 1858b: 357 [Listed]
- [*Acocephalus*] *adustus* Dohrn 1859a: 84 [Listed] ¹³
- [*Acocephalus*] *bicinctus* Dohrn 1859a: 84 [Listed] ¹³
- [*Acocephalus*] *cardui* Dohrn 1859a: 84 [Listed] ²
- [*Acocephalus*] *fasciatus* Dohrn 1859a: 84 [Listed] ¹³
- [*Evacanthus*] *nervosus* [nec Linné] Dohrn 1859a: 88 [Listed] ¹³
- [*Acocephalus cardui*] *obscursus* [sic] Dohrn 1859a: 84 [Listed] ¹³
- [*Acocephalus*] *pallidus* Dohrn 1859a: 84 [Listed] ¹³
- [*Acocephalus unicolor*] *pulverulentus* Dohrn 1859a: 84 [Listed] ⁹
- [*Acocephalus cardui*] *sparsus* Dohrn 1859a: 84 [Listed] ¹³
- [*Acocephalus*] *striatus* Dohrn 1859a: 84 [Listed] ² Equals [*Acocephalus*] *rusticus* Fabr. Equals [*Acocephalus*] *variegatus* Fabr. Equals [*Acocephalus*] *rugosus* Curt.
- [*Acocephalus*] *striatus* Dohrn 1859a: 84 Equals [*Acocephalus*] *strigatus* Germ. [error]
- [*Acocephalus*] *unicolor* Dohrn 1859a: 84 [Listed] ⁹
- [*Acocephalus*] *striatus* Kolenati 1860a: 391 [Comparative note]
- [*Acocephalus*] *adustus* Walker 1860a: 19 [Listed] ¹³
- [*Acocephalus*] *bicinctus* Walker 1860a: 19 [Listed] ¹³
- [*Acocephalus*] *cardui* Walker 1860a: 19 [Listed] ¹³ Equals [*Acocephalus*] *obscurus* Curt. Equals [*Acocephalus*] *sparsus* Curt.
- [*Acocephalus*] *fasciatus* Walker 1860a: 19 [Listed] ¹³
- [*Evacanthus*] *nervosus* [nec Linné] Walker 1860a: 22 [Listed] ¹⁵
- [*Acocephalus*] *pallidus* Walker 1860a: 19 [Listed] ¹³

bicincta von Schrank—Continued

[*Acoccephalus*] *striatus* Walker 1860a: 19 [Listed] ¹³ Equals [*Acoccephalus*] *rugosus* Curt.

[*Acoccephalus*] *unicolor* Walker 1860a: 19 [Listed] ¹³ Equals [*Acoccephalus*] *pulverulentus* Curt.

Acoccephalus (*Acoccephalus*) *rusticus* Flor 1861a: 199 [Described, catalogued] ^{1, 2, 4, 7, 9, 11, 12, 13, 16, 17, 18} Equals *Pholetaera* [*rustica*] Zett. Equals *Cicada costata* Panz. [error] Equals *Jassus costatus* Germ. [error] Equals *Acucephalus* [*rusticus*] Herr.-Schäff. Equals *Acoccephalus cardui* Curt. Equals *Acucephalus* *bicinctus* Curt. Equals *Cicada* [*rustica*] Fall. Equals *Acucephalus obscurus* Curt. Equals *Cerc[opsis]* *transversa* Fabr. Equals *Cerc[opsis]* *striatella* Fabr. Equals *Cerc[opsis]* *striata* Fabr. Equals *Diataniops* Amy. [non binom.] Equals *Cercopsis rustica* Fabr. Equals *Acoccephalus striatus* Burm. Equals *Acoccephalus* Amy. [non binom.] [error] Equals *Acoccephalus costatus* Burm. [error] :198 [Key] :201 [Comparative note]

[*Acucephalus*] *bicinctus* Curtis 1862a: pl. 620 [n. sp., reprinted] ¹³

[*Acucephalus*] *cardui* Curtis 1862a: pl. 620 [n. sp., reprinted] ⁹⁴

[*Acucephalus*] *fasciatus* Curtis 1862a: pl. 620 [n. sp., reprinted] ⁹⁵

[*Acucephalus*] *obscurus* Curtis 1862a: pl. 620 [n. sp., reprinted] ¹³

[*Acucephalus*] *pallidus* Curtis 1862a: pl. 620 [n. sp., reprinted]

[*Aphrodes*] *pulverulenta* Curtis 1862a: pl. 633 [n. sp., reprinted] ¹⁰

[*Acucephalus*] *rugosus* Curtis 1862a: pl. 620 [n. sp., reprinted]

[*Acucephalus*] *sparsus* Curtis 1862a: pl. 620 [n. sp., reprinted] ¹³

[*Acucephalus*] *unicolor* Curtis 1862a: pl. 620 [n. sp., reprinted] ⁹⁶

Acoccephalus rusticus Fuss 1862a: 18 [Ecology] ⁹⁹

[*Acoccephalus*] *rusticus* de Graaf, Six, and Snellen van Vollenhoven 1862a: 81 [Catalogued] ¹⁹ Equals [*Acoccephalus*] *costatus* [error]

Cicada (*Pholetaera*) *rustica* Thomson 1862a: 124 [Key]

[*Cicadella*] *striata* Westwood 1863a: 570 [Listed]

[*Cicadella*] *transversa* Westwood 1863a: 570 [Listed]

Acucephalus *rustic[us]* Stål 1864b: 65 [Comparative note]

[*Acucephalus*] *rusticus* Disconzi 1865a: 203 [Listed] ⁷

[*Cercopsis*] *striata* Disconzi 1865a: 203 [Notes] ⁷

Acoccephalus rusticus Marshall 1865j: 145 [Described, catalogued] ¹⁰ Equals [*Cercopsis*] *transversa* Fabr. Equals *Cercopsis rustica* Fabr. Equals *Acocceph[alus]* *costatus* Burm. [error] Equals *Acoccephalus cardui* Curt. Equals [*Acoccephalus*] *obscurus* Curt. Equals [*Acoccephalus*] *sparsus* Curt. Equals *Cicada costata* Panz. [error] Equals [*Acoccephalus*] *rugosus* Curt. Equals [*Acoccephalus*] *unicolor* Curt. Equals [*Acoccephalus*] *fasciatus* Curt. Equals [*Acoccephalus*] *pallidus* Curt. Equals *Aphrodes pulverulenta* Curt. Equals *Cerc[opsis]* *striata* Fabr. Equals *Acocceph[alus]* *striatus*

bicincta von Schrank—Continued

- Burm. Equals *Acoceph[alus] bicinctus* Curt. Equals *Cerc[opis] striatella* Fabr. :146 [Comparative note]
- [*Acocephalus*] *rusticus* Morris 1865a: 111 [Listed] ¹⁰
- Acocephalus rusticus* Bellevoye 1866a: 145 (33) [Listed] ⁴
- Acoceph[alus] adustus* Marshall 1866a: 177 To *Acocephalus albifrons* Linné [error]
- Acocephalus rusticus* Marshall 1866l: 118 [Listed] ¹⁴
- [*Acocephalus rusticus*] Stål 1866a: 106, 114 [Comparative notes]
- Acocephalus rusticus* Bold 1867a: 129 [Notes] ¹³
- A[cocephalus] rusticus* Kirschbaum 1868b: 75 [Catalogued, key, food plants] ^{100, 156} :73, 74 [Comparative notes]
- Acucephalus rusticus* Sahlberg 1868b: 191 [Listed] ²¹
- Acocephalus striatus* Becker 1869a: 197 [Listed] ²²
- A[cocephalus] striatus* Lethierry 1869a: 357 [Ecology] ⁴
- A[cocephalus] striatus* Stål 1869a: 82 [Catalogued] ²³ Equals *Acocephalus rusticus* Flor Equals *Cercopis transversa* Fabr. Equals *Cercopis striata* Fabr. Equals *Cicada striata* Fabr.
- Cercopis rustica* Stål 1869a: 18 To *Aphrophora salicis* De G. [error]
- C[ercopis] rustica* Dallas 1870a: 494 To *Aphrophora salicis* De G. [error]
- [*Acocephalus striatus*] Dallas 1870a: 494 Equals *Cerc[opis] striata* Fabr. Equals [*Cercopis*] *transversa* Fabr. Equals *Acoc[enhalus] rusticus* Flor
- [*Acocephalus*] *rusticus* Oshanin 1870a: 57 [Listed] ⁶⁷
- A[cucephalus] rusticus* Brischke 1871a: 14 [Listed] ²⁰
- [*Acucephalus rusticus*] *pallidus* Brischke 1871a: 14 [Listed] ²⁰
- [*Acucephalus*] *rusticus striatus* Brischke 1871a: 14 [Listed] ²⁰
- Acocephalus rusticus* Horváth 1871a: 6 [Listed] ³⁷
- Cercopis rustica* Sahlberg 1871a: 88 To *Aphrophora salicis* De G. [error]
- A[cocephalus] striatus* Sahlberg 1871a: 356 [Described, catalogued] ^{1, 9, 24, 64} Equals *Cicada [striata]* Fabr. Equals *Cercopis [striata]* Fabr. Equals *Cicada rustica* Fall. Equals *Acocephalus rusticus* Herr.-Schäff. Equals *Pholetaera rustica* Zett. Equals *Cercopis transversa* Fabr. Equals *Jassus costatus* Germ. [error] :37 [Ecology] :54 [Listed] ^{1, 24, 64}
- Acocephalus adustus* Fieber 1872a: 10 [Listed] ¹⁴
- [*Acocephalus polystolus*] *fasciatus* Fieber 1872a: 10 [Listed]
- [*Acocephalus*] *rusticus* Fieber 1872a: 10 [Listed] ² Equals [*Acocephalus*] *costata* Panz. [error] Equals [*Acocephalus*] *cardui* Curt. Equals [*Acocephalus*] *obscurus* Curt. Equals [*Acocephalus*] *sparsus* Curt. Equals [*Acocephalus*] *rugosus* Curt. Equals

bicincta von Schrank—Continued

- [*Acocephalus*] *adustus* Hardy Equals [*Acocephalus*] *unicolor* Curt. Equals [*Acocephalus*] *pallidus* Curt. Equals [*Acocephalus*] *pulverulentus* Curt. Equals [*Acocephalus*] *livens* Zett. [error] Equals [*Acocephalus*] *nigropunctata* Zett. [error] Equals [*Acocephalus*] *striata* Fabr. Equals [*Acocephalus*] *bicincta* Curt. Equals [*Acocephalus*] *fasciata* Curt. Equals [*Acocephalus*] *nervosa* von Schrank [nec Linné] Equals [*Acocephalus*] *striatella* Fabr. Equals [*Acocephalus*] *transversa* Fabr. Equals [*Acocephalus*] *dispar* Herr.-Schäff. [error]
- [*Aphrophora*] *rustica* Fieber 1872a: 7 To [*Aphrophora*] *salicis* De G. [error]
- [*Acocephalus*] *striata* Fieber 1872a: 10 [Listed] ²
- Acocephalus rusticus* Frivaldszky 1872a: 106 [Listed] ³⁷
- Acocephalus rusticus* Frivaldszky 1873a: 243 [Listed] ³⁷
- A[cocephalus] rusticus* Scott 1873b: 264 [Notes] ¹⁰ :265 [Comparative note]
- A[cocephalus] rusticus* Lethierry 1874a: 263 (59) [Ecology] ⁴
- Equals [*Acocephalus*] *costatus* Panz. [error] Equals [*Acocephalus*] *striatus* Fabr.
- A[cocephalus] rusticus* Raddatz 1874a: 87 [Listed] ²⁵
- J[assus (Thamnotettix)] transversus* Raddatz 1874a: 89 [Ecology] ²⁵
- Ac[cocephalus] striatus* Siebke 1874a: 38 [Listed] ²⁴ Equals *C[icada] rustica* Fall.
- Acocephalus rusticus* Beuthin 1875a: 105 [Listed] ²⁶
- [*Acocephalus*] *rusticus* Kittel 1875a: 5 [Listed] ¹¹
- Acocephalus rusticus* Mocsary 1875a: 197 [Listed] ⁵⁸
- [*Acocephalus polystolus*] *fasciatus* Puton 1875a: 133 [Listed] ²
- [*Aphrophora*] *rustica* Puton 1875a: 125 To [*Aphrophora*] *salicis* De G. [error]
- [*Acocephalus*] *striatus* Puton 1875a: 133 [Listed] ² Equals [*Acocephalus*] *nervosus* von Schrank [nec Linné] Equals [*Acocephalus*] *fasciatus* Curt. Equals [*Acocephalus*] *bicinctus* Curt. Equals [*Acocephalus*] *transversus* Fabr. Equals [*Acocephalus*] *striatellus* Fabr. Equals [*Acocephalus*] *rusticus* Fabr. Equals [*Acocephalus*] *costatus* Panz. [error] Equals [*Acocephalus*] *cardui* Curt. Equals [*Acocephalus*] *obscurus* Curt. Equals [*Acocephalus*] *sparsus* Curt. Equals [*Acocephalus*] *rugosus* Curt. Equals [*Acocephalus*] *adustus* Hardy Equals [*Acocephalus*] *unicolor* Curt. Equals [*Acocephalus*] *pallidus* Curt. Equals [*Acocephalus*] *pulverulentus* Curt.
- [*Acocephalus*] *rusticus* Douglas and Scott 1876a: 74 [Catalogued] ¹⁰
- Equals [*Acocephalus*] *bicinctus* Curt. Equals [*Acocephalus*] *pallidus* Curt. Equals [*Acocephalus*] *fasciatus* Curt. Equals

bicincta von Schrank—Continued

- [*Acucephalus*] *unicolor* Curt. Equals [*Acucephalus*] *rugosus* Curt. Equals [*Acucephalus*] *sparsus* Curt. Equals [*Acucephalus*] *obscurus* Curt. Equals *Acucephalus cardui* Curt. Equals *Cicada rustica* Fall. Equals *Cicada costata* Panz. [error] Equals [*Cercopis*] *transversa* Fabr. Equals [*Cercopis*] *striatella* Fabr. Equals *Cercopis rustica* Fabr. Equals *Acocephalus* (*Acocephalus*) *rusticus* Flor Equals *Acucephalus adustus* Hardy
- Cercopis rustica* Douglas and Scott 1876a: 71 To [*Aphrophora*] *salicis* [error]
- Acocephalus rusticus* Frivaldszky 1877a: 377 [Listed] ³⁷
- Acocephalus striatus* Lethierry 1877a: 46 [Listed] ^{27, 101}
- Acocephalus rusticus* Mocsary 1877a: 182 [Listed] ³¹
- Acocephalus rusticus* Dale 1878a: 307 [Listed] ¹³
- [*Acocephalus rusticus*] *bicinctus* Dale 1878a: 307 [Listed] ¹³
- [*Acocephalus rusticus*] *cardui* Dale 1878a: 307 [Listed] ¹³
- [*Acocephalus rusticus*] *fasciatus* Dale 1878a: 307 [Listed] ¹³
- [*Acocephalus rusticus*] *obscurus* Dale 1878a: 307 [Listed] ¹³
- [*Acocephalus rusticus*] *pulverulentus* Dale 1878a: 307 [Listed] ¹³
- [*Acocephalus rusticus*] *rugosus* Dale 1878a: 307 [Listed] ¹³
- [*Acocephalus rusticus*] *sparsus* Dale 1878a: 307 [Listed] ¹³
- [*Acocephalus rusticus*] *unicola* [sic] Dale 1878a: 307 [Listed] ¹³
- Acocephalus striatus* Horváth 1878a: 85 [Listed] ¹⁰²
- Acocephalus striatus* Lethierry 1878c: xxxviii [Listed] ²⁸
- Acocephalus rusticus* Mocsary 1878a: 262 [Listed] ³⁷
- Acocephalus striatus* Bolívar and Chicote 1879a: 181 (35) [Listed] ²⁹
- [*Acocephalus*] *striatus* Martorell y Pena 1879a: 86 [Listed] ^{80, 103} Equals [*Acocephalus*] *nervosus* von Schrank [nec Linné] Equals [*Acocephalus*] *fasciatus* Curt. Equals [*Acocephalus*] *bicinctus* Curt. Equals [*Acocephalus*] *transversus* Fabr. Equals [*Acocephalus*] *striatellus* [sic] Fabr. Equals [*Acocephalus*] *dispar* Herr.-Schäff. [error] Equals [*Acocephalus*] *rusticus* Fabr. (♀) Equals [*Acocephalus*] *costatus* Panz. [error] Equals [*Acocephalus*] *cardui* Curt. Equals [*Acocephalus*] *obscurus* Curt. Equals [*Acocephalus*] *sparsus* Curt. Equals [*Acocephalus*] *rugosus* Curt. Equals [*Acocephalus*] *adustus* Hardy Equals [*Acocephalus*] *unicolor* Curt. Equals [*Acocephalus*] *pallidus* Curt. Equals [*Acocephalus*] *pulverulentus* Curt.
- Acocephalus rusticus* Norman 1879a: 256 [Listed] ¹⁴
- A[cocephalus] nervosus* [nec Linné] Signoret 1879a: 62 (16); pl. 1, fig. 6 [Described, illustrated, catalogued] ^{2, 30} Equals *C[icada] nervosa* von Schrank [nec Linné] Equals *A[cocephalus] striata* de Fourcr. Equals *A[cocephalus] rusticus* Fabr. Equals *A[cocephalus] variegatus* Fabr. Equals *A[cocephalus] transversus*

bicincta von Schrank—Continued

- Fabr. Equals *A[cocephalus] striatella* Fabr. Equals *A[cocephalus] rusticus costatus* Panz. [error] Equals *A[cocephalus] fasciatus* Curt. (?) Equals *[Acocephalus] cardui* Curt. Equals *[Acocephalus] obscurus* Curt. Equals *[Acocephalus] sparsus* Curt. (?) Equals *[Acocephalus] rugosus* Curt. (?) Equals *[Acocephalus] unicolor* Curt. Equals *[Acocephalus] bicinctus* Curt. Equals *[Acocephalus] pallidus* Curt. (?) Equals *[Acocephalus] pulverulentus* Curt. (?) Equals *A[cocephalus] adustus* Hardy Equals *A[cocephalus] costatus* Blanch. [error] Equals *Diatelmops* [sic] Amyot [non binom.] Equals *Acocephalus* Amyot [non binom.] [error]
- [Acocephalus] striatus* Brancsik 1880a: 30 [Listed] ³¹
Acocephalus striatus Brancsik 1880b: 64 [Ecology] ³¹
Acocephalus striatus Cuni y Martorell 1880a: 222 (18) [Listed] ²⁹
A[cocephalus] rusticus Norman 1880a: 213 [Listed] ¹¹
A[cocephalus] striatus Reiber and Puton 1880a: 62 [Listed] ³²
Acocephalus nervosus [nec Linné] Reuter 1880a: 206 [Listed] ^{33,34}
 Equals *[Acocephalus] striatus* Fabr.
Acocephalus striatus Cuni y Martorell 1881a: 377 (11) [Listed] ²⁹
[Acocephalus] rusticus Mayr 1881a: 93 (17) [Listed] ³⁵
Acocephalus striatus Reuter 1881b: 234 Equals *[Acocephalus] nervosus* von Schrank
A[cocephalus] striatus Cavanna 1882a: 61 [Listed] ⁷
Acocephalus rusticus Cooke 1882a: 72 [Listed] ¹³
Acocephalus rusticus Costa 1882a: 59 [Listed] ⁷
Acocephalus rusticus von Dalla Torre 1882a: 57 [Listed] ³⁵
[Acocephalus] striatus Ferrari 1882a: 113 (41) [Key, catalogued] ⁷
 Equals *A[cocephalus] rusticus* Fabr.
A[cocephalus] rusticus Ferrari and Cavanna 1882a: 369 [Listed] ⁷
Acocephalus rusticus Heller and von Dalla Torre 1882a: 25 (18) [Listed] ³⁵
Acocephalus nervosus [nec Linné] Puton 1882a: 120 [Listed]
Acocephalus rusticus Bloomfield 1883a: 34 [Listed] ¹³
A[cocephalus] striatus Karsch 1883a: 653 [Described]
Acocephalus rusticus Edwards 1884c: 714 [Listed] ¹³
[Acocephalus] striatus Kieffer 1884a: 80 [Ecology] ¹⁰⁴
Acocephalus striatus Lomnicki 1884a: 235 [Listed] ⁴¹
A[cocephalus] striatus Mayr 1884a: 30 [Listed] ² Equals *[Acocephalus] rusticus* Fabr.
A[cocephalus] nervosus [nec Linné] Uhler 1884a: 247 [Notes] ^{2,36}
Acocephalus nervosus [nec Linné] Biro 1885a: 56 [Listed] ³⁷
Acocephalus striatus Cuni y Martorell 1885a: 65 (15) [Listed] ²⁹
A[cocephalus] striatus Fairmaire 1885a: 154 [Described] ⁴

bicincta von Schrank—Continued

- Acocephalus striatus* Ferrari 1885a: 286 [Catalogued] ⁷
Acocephalus striatus Ferrari 1885b: 420 [Catalogued] ⁷ Equals
Cicada [striata Fabr.] Equals *A[cocephalus] rusticus* Mayr
A[cocephalus] rusticus Ivanoff 1885a: 125 (43) [Key] ¹⁷
[Acocephalus] striatus Ivanoff 1885a: 91 (9) [Listed] ¹⁷
Acocephalus nervosus [nec Linné] Reuter 1885a: 30 [Listed] ^{39,62}
 Equals *[Acocephalus] striatus* Fabr.
Acocephalus striatus Bucaille 1886a: 175 [Listed] ⁴
Cercopis rustica Edwards 1886a: 98 To *Aphrophora salicis*
 De G. [error]
Acocephalus striatus Lethierry 1886a: 95 [Listed] ⁴
Acocephalus striatus Löw 1886a: 449 [Ecology] ¹⁰⁶
Acocephalus striatus Puton 1886a: 9 [Listed] ⁴⁰
[Aphrophora] rustica Puton 1886b: 76 To *[Aphrophora] salicis*
 De G. [error]
[Acocephalus] striatus Puton 1886b: 79 [Listed] ² Equals *[Acocephalus] nervosus* von Schrank [nec Linné] Equals *[Acocephalus] fasciatus* Curt. Equals *[Acocephalus] bicinctus* Curt. Equals *[Acocephalus] transversus* Fabr. Equals *[Acocephalus] dispar* Herr.-Schäff. [error] Equals *[Acocephalus] striatellus* Fabr. Equal *[Acocephalus] rusticus* Fabr. Equals *[Acocephalus] costatus* Panz. Equals *[Acocephalus] cardui* Curt. Equals *[Acocephalus] obscurus* Curt. Equals *[Acocephalus] sparsus* Curt. Equals *[Acocephalus] rugosus* Curt. Equals *[Acocephalus] adustus* Hardy Equals *[Acocephalus] unicolor* Curt. Equals *[Acocephalus] pallidus* Curt. Equals *[Acocephalus] pulverulentus* Curt. Equals *[Acocephalus] meratii* Guér. [nom. nud.]
A[cocephalus] nervosus [nec Linné] Then 1886a: 26 [Listed] ^{2,3,35,41}
 Equals *[Acocephalus] striatus* Fabr.
[Cicadella] striata Westwood 1886b: 570 [Listed]
[Cicadella] transversa Westwood 1886b: 570 [Listed]
Acocephalus rusticus Beuthin 1887a: 91 [Listed] ⁴²
A[cucephalus] striatus de Carlini 1887a: 273 [Listed] ⁷
Acocephalus striatus Horváth 1887b: 273 [Listed] ¹⁰⁵
Acocephalus striatus Montandon 1887a: 43, 57, 63 [Listed] ⁵⁸
Acocephalus striatus Costa 1888b: 40 [Listed] ⁴³
A[cocephalus] striatus Dubois 1888a: 163 (67) [Listed] ⁴
Acocephalus nervosus [nec Linné] Edwards 1888d: 19 [Described, catalogued, key] ¹³ Equals *Cicada nervosa* von Schrank [nec Linné] Equals *Acocephalus cardui* Curt. Equals *[Acocephalus] obscurus* Curt. Equals *[Acocephalus] sparsus* Curt. Equals *[Acocephalus] unicolor* Curt. Equals *[Acocephalus] fasciatus* Curt. Equals *[Acocephalus] pallidus* Curt. Equals *[Acocephalus]*

bicincta von Schrank—Continued

- lus*] *bicinctus* Curt. Equals *Acocephalus adustus* Hardy
 Equals *A[cocephalus] rusticus* Herr.-Schäff.
A[cocephalus] nervosus [nec Linné] Uhler 1888c: 247 [Notes] ^{2, 36}
Acocephalus rusticus Balint 1889a: 271 [Listed] ³⁷
Acocephalus nervosus [nec Linné] Douglas 1889a: 435 [Food
 plants] ¹³
Acocephalus striatus Lethierry 1889a: 315 [Listed] ³⁰
Cercopis rustica Buckton 1890c: 83 To *Aphrophora salicis* De G.
 [error]
Acocephalus striatus Dominique 1890a: 112 (28) [Listed] ⁴
Acocephalus striatus Duda 1890a: 21 [Food plants] ⁶
Acocephalus striatus Funk 1890a: 141 [Listed] ¹¹
Acocephalus striatus Hansen 1890a: 37, 39 [Morphology of an-
 tenna]
[Acocephalus] nervosus [nec Linné] Saunders and Edwards 1890a:
 13 [Listed] ¹⁰ Equals *[Acocephalus] rusticus* Fabr.
A[cocephalus] striatus Alfken 1891a: 106 [Listed] ⁴⁴
Acocephalus nervosus [nec Linné] Buckton 1891a: 14; pl. XLI,
 figs. 4, 4a; pl. XLII, figs. 2, 3 [Described, catalogued, illus-
 trated] ^{2, 13, 30, 45} Equals *Cicada nervosa* von Schrank [nec
 Linné] Equals *Acocephalus cardui* Curt. Equals *[Acocephalus]*
obscurus Curt. Equals *[Acocephalus] sparsus* Curt. Equals
[Acocephalus] unicolor Curt. Equals *[Acocephalus] fasciatus*
 Curt. Equals *[Acocephalus] pallidus* Curt. Equals *[Acocephalus]*
bicinctus Curt. Equals *[Acocephalus] adustus* Hardy
 Equals *Acocephalus rusticus* Flor
A[cocephalus] striatellus Buckton 1891a: 15 [Described]
A[cocephalus] transversus Buckton 1891a: 15 [Described]
[Acocephalus] striatus Fokker 1891a: 372 [Listed] ¹⁹
Acocephalus nervosus [nec Linné] Horváth 1891b: 46 [Listed] ¹⁰⁵
 Equals *[Acocephalus] striatus* Fabr.
Acocephalus striatus Jakovleff 1891a: 426 [Listed] ¹⁷
Acocephalus nervosus [nec Linné] Oshanin 1891a: 45 [Zoogeog-
 raphy] Equals *[Acocephalus] striatus* Fabr.
Acocephalus nervosus [nec Linné] de Carlini 1892b: 89 [Listed] ⁷
Acocephalus striatus Carpentier and Dubois 1892a: 436 [Ecology] ⁴
[Acocephalus] rusticus Coubeaux 1892a: 35 (2) [Listed] ²⁸
Acocephalus striatus Coubeaux 1892a: 35 (2) [Listed] ²⁸
A[cocephalus] striatus Dominique 1892a: 120 [Listed] ⁴
[Acocephalus] striatus Duda 1892a: 32 [Listed] ⁶ Equals *[Acocephalus]*
nervosus von Schrank [nec Linné] Equals *[Acocephalus]*
transversus Fabr. Equals *[Acocephalus] striatellus* Fabr.
 Equals *[Acocephalus] dispar* Herr.-Schäff. [error] Equals

bicincta von Schrank—Continued

- [*Acocephalus*] *rusticus* Fabr. Equals [*Acocephalus*] *costatus* Panz. [error]
- [*Aphrophora*] *rustica* Duda 1892a: 29 To [*Aphrophora*] *salicis* De G. [error]
- Acocephalus striatus* Ferrari 1892a: 572 (24) [Listed] ⁷
- Acocephalus striatus* Lethierry 1892b: 24 [Listed] ²⁸
- A[cocephalus] nervosus* [nec Linné] Spitzner 1892a: 30 [Ecology] ⁴⁶
- [*Acucephalus*] *striatus* Bezzi 1893a: 111 (31) [Listed] ⁷ Equals [*Acucephalus*] *rusticus*
- Acocephalus striatus* Brancsik 1893b: 99 [Listed] ³⁷
- Acocephalus nervosus* [nec Linné] Luff 1893a: 208 [Listed] ¹⁰⁷
- Acocephalus nervosus* [nec Linné] M'Gregor 1893a: 220 [Listed] ¹⁴
- A[cocephalus] nervosus* [nec Linné] Olivi 1893a: 142 [Listed]
- [*Acocephalus*] *rusticus* Olivi 1893a: 142 To *A[cocephalus] bifasciatus* Curt. [error]
- Acocephalus striatus* Kriehoff 1894a: 290 [Ecology] ⁵³
- Acocephalus striatus* Moraques y de Manzanos 1894a: 85 (13) [Listed] ¹⁰⁸
- Acocephalus striatus* Rey 1894b: 30 [Listed] ⁴
- Acocephalus striatus* Van Duzee 1894a: 288 [Catalogued] ^{47, 48} Equals [*Acocephalus*] *nervosus* von Schrank [nec Linné]
- A[cocephalus] nervosus* [nec Linné] Edwards 1895a: 120; pl. 14, figs. 4, 4a [Described, illustrated, ecology] ¹³ :119 [Key]
- Acocephalus striatus* Biro 1896a: 200 [Listed] ³⁷
- Cercopis rustica* Melichar 1896a: 120 To *Aphrophora salicis* De G. [error]
- A[cocephalus] striatus* Melichar 1896a: 191 [Key]
- Acocephalus striatus* Melichar 1896a: 191; pl. IX, figs. 22–29 [Described, catalogued, illustrated, food plants] ^{2, 3, 56} Equals *Pholetaera [striata]* Fabr. Equals *A[cocephalus] costatus* Burm. ♀ [error] Equals *A[cocephalus] cardui* Curt. ♀ Equals *A[cocephalus] obscurus* Curt. ♀ Equals *A[cocephalus] bicinctus* Curt. ♂ Equals *Cercopis rustica* Fabr. Equals *C[ercopis] striata* Fabr. Equals *C[ercopis] striatella* Fabr. Equals *C[ercopis] transversa* Fabr. Equals *Cicada [striata]* Fall. Equals *A[cocephalus] rusticus* Flor Equals *Jassus costatus* Germ. [error] Equals *Cicada costata* Panz. ♀ [error] Equals *A[cocephalus] nervosus* Edw. [nec Linné] Equals *Acocephalus* Amy. [non binom.] [error] Equals *Diataeniops* Amy. [non binom.]
- Acocephalus nervosus* [nec Linné] Tuck 1896a: 155 [Inquiline] ¹³
- [*Acucephalus*] *striatus* Acloque 1897a: 404 [Key] ⁴
- A[cocephalus] striatus* Griffini 1897a: 595 [Described, ecology] ⁷

bicincta von Schrank—Continued

[*Acocephalus*] *nervosus* [nec Linné] Horvath 1897c: 50 [Listed] ³⁷

Equals [*Acocephalus*] *striatus* Fabr.

Acocephalus striatus Noualhier 1897a: 77 [Listed] ⁴⁹

A[cocephalus] striatus Oudemans 1897b: 289 [Notes]

Acocephalus striatus Lambertie 1898b: lxxxvii [Ecology] ⁴

Acocephalus striatus Lambertie 1898c: xc [Ecology] ⁴

[*Acucephalus*] *striatus* Lange 1898a: 102 [Listed] ¹⁰⁹

Acocephalus striatus Schneider 1898a: 143 [Listed] ⁵⁰

[*Acocephalus*] *striatus* Horváth 1899b: 469 [Listed] ⁶⁰

Acocephalus striatus Lambertie 1899a: cxxviii [Ecology] ⁴

A[cocephalus] striatus Marchal 1899a: 592 [Listed] ⁴

Equals [*Acocephalus*] *nervosus* von Schrank [nec Linne]

Acocephalus striatus Melichar 1899b: 184 [Listed] ⁴⁰

A[cocephalus] striatus Melichar 1899d: 187 (10) [Ecology] ²

Acocephalus striatus Nobre 1899a: 134 [Listed] ⁵¹

[*Acocephalus*] *nervosus* [nec Linné] Puton 1899a: 94 [Listed] ²

Equals [*Acocephalus*] *striatus* Fabr. Equals [*Acocephalus*]

fasciatus Curt. Equals [*Acocephalus*] *bicinctus* Curt. Equals

[*Acocephalus*] *transversus* Fabr. Equals [*Acocephalus*] *striatellus*

Fabr. Equals [*Acocephalus*] *dispar* Herr.-Schäff. [error] Equals

[*Acocephalus*] *rusticus* Fabr. Equals [*Acocephalus*] *costatus*

Panz. [error] Equals [*Acocephalus*] *cardui* Curt. Equals [*Aco-*

cephalus] *obscurus* Curt. Equals [*Acocephalus*] *sparsus* Curt.

Equals [*Acocephalus*] *rugosus* Curt. Equals [*Acocephalus*]

adustus Hardy Equals [*Acocephalus*] *unicolor* Curt. Equals

[*Acocephalus*] *pallidus* Curt. Equals [*Acocephalus*] *pulverulentus*

Curt. Equals [*Acocephalus*] *meratii* Guér. [nom. nud.]

[*Aphrophora*] *rustica* Puton 1899a: 99 To [*Aphrophora*] *salicis*

De G. [error]

[*Acucephalus*] *striatus* Ball 1900a: 66 [Notes] ⁵²

Acocephalus striatus Fokker 1900c: 26 [Listed] ³⁰

Acocephalus striatus Fokker 1900e: 15 [Listed] ⁵³

Acocephalus striatus Hansen 1900a: 118, 120 [Morphology of antenna]

Acocephalus nervosus [nec Linné] Horváth 1900c: 613 [Listed] ³⁷

Acocephalus nervosus [nec Linné] Lambertie 1900a: clxxiv [Listed] ⁴

A[cocephalus] striatus Lameere 1900a: 134; 1 fig. [Key, illustrated, ecology] ²⁸ Equals [*Acucephalus*] *rusticus* Fabr. Equals [*Acucephalus*] *nervosus* von Schrank [nec Linné]

[*Aphrophora*] *rustica* Lameere 1900a: 123 To *A[phrophora]* *salicis* De G. [error]

bicineta von Schrank—Continued

- Acocephalus nervosus* [nec Linné] Melichar 1900a: 43 [Listed] ⁶⁸
Acocephalus nervosus [nec Linné] Montandon 1900a: 749 [Listed] ⁵⁸
 [Acocephalus] *striatus* Strobl 1900a: 211 [Listed] ⁵⁴
 [Acocephalus] *nervosus* [nec Linné] Horváth 1901a: 255 [Listed] ⁶²
A[*phrodes*] *nervosa* [nec Linné] Kirkaldy 1901f: 338 [Listed] ^{47, 48}
 Equals [*Aphrodes*] *striata*
 [Acocephalus] *nervosus* [nec Linné] Lambertie 1901a: 204 (76)
 [Listed] ⁴
Cercopis rustica Leonardi 1901a: 140 To *Aphrophora salicis*
 De G. [error]
Cercopis rustica Melichar 1901f: 25 To *Aphrophora salicis* De G.
 [error]
Acocephalus striatus Cobelli 1902a: 17 [Listed] ³⁵
A[cocephalus] *nervosus* [nec Linné] Dominique 1902a: 215
 [Listed] ⁴ Equals [*Acocephalus*] *striatus* Fabr.
Acoceph[alus] *striatus* Melichar 1902b: 80 [Comparative note]
Acocephalus striatus Navás 1902a: 218 [Listed] ¹¹⁰
Cicada ochromelas Sherborn 1902a: 686 [Catalogued]
Cercopis rustica Sherborn 1902a: 859 [Catalogued]
Cercopis striatella Sherborn 1902a: 932 [Catalogued]
Cicada striata Sherborn 1902a: 933 [Catalogued]
Cercopis transversa Sherborn 1902a: 985 [Catalogued]
Acocephalus nervosus [nec Linné] Strand 1902a: 269 [Listed] ²⁴
Acocephalus striatus de Acha 1903a: 273 [Listed] ²⁹
Acocephalus nervosus [nec Linné] Graeffe 1903a: 52 (12) Equals
A[cocephalus] *striatus* Fabr.
Acocephalus nervosus [nec Linné] Horváth 1903a: 23 [Listed] ⁵⁵
Acocephalus nervosus [nec Linné] Horváth 1904b: 579 [Listed] ⁶¹
 [Acocephalus] *nervosus* [nec Linné] Hüeber 1904a: 262 [Listed] ⁵⁶
 Equals [*Acocephalus*] *striatus* Fabr. Equals [*Acocephalus*]
fasciatus Curt. Equals [*Acocephalus*] *transversus* Fabr. Equals
 [*Acocephalus*] *striatellus* Fabr. Equals [*Acocephalus*] *dispar*
 Herr.-Schäff. [error] Equals [*Acocephalus*] *costatus* Panz. [error]
 Equals [*Acocephalus*] *rusticus* Fabr. Equals [*Acocephalus*]
cardui Curt. Equals [*Acocephalus*] *adustus* Hardy Equals
 [*Acocephalus*] *meratii* Guér. [nom. nud.]
 [Aphrophora] *rustica* Hüeber 1904a: 266 To [Aphrophora] *salicis*
 De G. [error]
 [Acocephalus] *nervosus* [nec Linné] Hüeber 1904b: 262 [Listed] ⁵⁶
 Equals [*Acocephalus*] *striatus* Fabr. Equals [*Acocephalus*]
fasciatus Curt. Equals [*Acocephalus*] *transversus* Fabr. Equals
 [*Acocephalus*] *striatellus* Fabr. Equals [*Acocephalus*] *dispar*
 Herr.-Schäff. [error] Equals [*Acocephalus*] *costatus* Panz. [error]

bicincta von Schrank—Continued

- Equals [*Acocephalus*] *rusticus* Fabr. Equals [*Acocephalus*] *cardui* Curt. Equals [*Acocephalus*] *adustus* Hardy Equals [*Acocephalus*] *meratii* Guér. [nom. nud.]
- [*Aphrophora*] *rustica* Hübner 1904b: 266 To [*Aphrophora*] *salicis* De G. [error]
- [*Acocephalus*] *nervosus* [nec Linné] Morley 1905b: 27 [Ecology] ¹³
- Acocephalus striatus* Navás 1905a: 116 [Listed] ²⁹
- Acocephalus striatus* Osborn 1905a: 514 [Catalogued] ^{2, 47, 48, 57}
- Equals *Acocephalus nervosus* von Schrank [nec Linné]
- Acocephalus striatus* Osborn 1905c: 514 [Catalogued] ^{2, 47, 48, 57}
- Equals *Acocephalus nervosus* von Schrank [nec Linné]
- Cercopis rustica* Kirkaldy 1906c: 380 Equals *Cicada spumaria salicis* De G. [error] Equals *Aphrophora salicis* De G. [error]
- Acocephalus nervosus* [nec Linné] Lorincz 1906a: 191 [Listed] ³⁷
- Acocephalus nervosus* [nec Linné] Matsumura 1906a: 72 [Listed] ²⁰
- [*Aphrophora*] *rustica* Matsumura 1906a: 74 To [*Aphrophora*] *salicis* De G. [error]
- [*Acocephalus*] *nervosus* [nec Linné] Oshanin 1906a: 89 [Catalogued] ^{1, 3, 4, 7, 10, 29, 30, 33, 37, 40, 47, 48, 56, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71} Equals *Acocephalus striatus* Sahlb. Equals *Acocephalus rusticus* Herr.-Schäff. Equals *Acocephalus meratii* Guér. [nom. nud.] Equals *Acocephalus adustus* Hardy Equals *Aphrodes pulverulenta* Curt. Equals [*Acocephalus*] *pallidus* Curt. Equals [*Acocephalus*] *unicolor* Curt. Equals [*Acocephalus*] *rugosus* Curt. Equals [*Acocephalus*] *sparsus* Curt. Equals [*Acocephalus*] *obscurus* Curt. Equals [*Acocephalus*] *cardui* Curt. Equals [*Acocephalus*] *bicinctus* Curt. Equals *Acocephalus fasciatus* Curt. Equals *Cercopis rustica* Fabr. Equals *Cercopis striatella* Fabr. Equals *Cercopis transversa* Fabr. Equals *Cercopis striata* Fabr. Equals *Cicada nervosa* von Schrank [nec Linné] Equals *Cicada costata* Panz. [error]
- Cercopis rustica* Oshanin 1906a: 27 To [*Aphrophora*] *salicis* De G. [error]
- Acocephalus striatus* Schuguirow 1906a: 714 [Listed] ⁷²
- Acocephalus nervosus* [nec Linné] Strand 1906a: 8 [Listed] ²⁴
- Acocephalus striatus* Bierman 1907b: 30 [Notes] ¹⁹
- Acocephalus striatus* Bierman 1907e: 164 [Listed] ¹⁹
- [*Acocephalus*] *nervosus* [nec Linné] Butler 1907a: 51 [Notes] ¹³
- Acocephalus nervosus* [nec Linné] Butler 1907a: 56 [Listed] ¹³
- Acocephalus nervosus* [nec Linné] Divate 1907a: 12 [Listed] ⁵⁵
- Acocephalus striatus* Lambertie 1907c: clxxvi [Food plants] ⁴
- Acocephalus nervosus* [nec Linné] Oshanin 1907b: 228 (16) [Listed] ⁶⁵

bicincta von Schrank—Continued

- Acocephalus nervosus* [nec Linné] Paganetti-Hummeler 1907a: 95 [Listed] ⁷³
- A[cocephalus] nervosus* [nec Linné] Edwards 1908a: 57 [Comparative note]
- Acocephalus striatus* Enderlein 1908a: 102, 182, 185 [Ecology] ²⁰
- Aphrodes nervosus* [nec Linné] Horváth 1908b: 6 [Listed] ^{2, 36}
- Acocephalus striatus* Lambertie 1908e: cxxxiv [Listed] ⁴
- Acocephalus nervosus* [nec Linné] Oshanin 1908b: 421 [Listed] ^{28, 62, 65, 68, 72, 111}
- [*Acocephalus*] *nervosus* [nec Linné] Saunders and Edwards 1908a: 12 [Listed] ¹⁰ Equals [*Acocephalus*] *rusticus* Fabr.
- Acocephalus nervosus* [nec Linné] Whittaker 1908a: 20 [Listed] ¹³ Equals [*Acocephalus*] *rusticus* Fabr.
- Acocephalus nervosus* [nec Linné] Butler 1909a: 468 [Notes, ecology] ⁹⁴
- Acocephalus striatus* Cobelli 1909a: 12 [Listed] ⁷
- A[cocephalus] nervosus* [nec Linné] Edwards 1909b: 840 [Taxonomy]
- Acocephalus striatus* Lambertie 1909b: cxlvi [Ecology] ⁴
- Acocephalus striatus* Lambertie 1909e: clx [Ecology] ⁴
- Acocephalus striatus* Puhlmann 1909a: 46 [Listed] ²⁰
- [*Acocephalus*] *nervosus* [nec Linné] Lambertie 1910a: 78 [Listed] ⁴
 Equals [*Acocephalus*] *striatus* Fabr. Equals [*Acocephalus*] *fasciatus* Curt. Equals [*Acocephalus*] *bicinctus* Curt. Equals [*Acocephalus*] *transversus* Fabr. Equals [*Acocephalus*] *striatellus* Fabr. Equals [*Acocephalus*] *dispar* Herr.-Schäff. [error] Equals [*Acocephalus*] *costatus* Panz. [error] Equals [*Acocephalus*] *rusticus* Fabr. Equals [*Acocephalus*] *cardui* Curt. Equals [*Acocephalus*] *obscurus* Curt. Equals [*Acocephalus*] *sparsus* Curt. Equals [*Acocephalus*] *rugosus* Curt. Equals [*Acocephalus*] *adustus* Hardy Equals [*Acocephalus*] *unicolor* Curt. Equals [*Acocephalus*] *pallidus* Curt. Equals [*Acocephalus*] *pulverulentus* Curt. Equals [*Acocephalus*] *meratii* Guér. [nom. nud.]
- [*Aphrophora*] *rustica* Lambertie 1910a: 86 To [*Aphrophora*] *salicis* De G. [error]
- Acoc[ephlus] nervosus* [nec Linné] Oshanin 1910a: 159 [Listed]
- Acocephalus nervosus* [nec Linné] Matsumura 1911b: 25 [Catalogued] ^{2, 62, 75, 91}
- Acocephalus nervosus* [nec Linné] Butler 1912b: 188 [Listed] ⁷⁴
- A[cocephalus] nervosus* [nec Linné] Haupt 1912b: 451 (6) [Listed] ⁵³
 Equals [*Acocephalus*] *striatus* Fabr.
- Aphrodes nervosus* [nec Linné] Horvath 1912e: 564 [Listed] ^{2, 36}

bicincta von Schrank—Continued

Cercopis rustica Lallemand 1912a: 62 To *C[ercopis] salicis* De G. [error]

Acocephalus striatus Licent 1912a: 84, 88, 93, 101, 102, 108, 110, 113; pl. II, fig. 16; pl. III, figs. 31, 36, 37; text fig. 34 [Morphology of digestive system, illustrated] :79 [Morphology of digestive tube] :95, 114 [Physiology of digestive system] :142 [Ecology] ^{4, 19} :79, 80 [Listed] ¹⁹

Acocephalus nervosus [nec Linné] Matsumura 1912b: 279, 289 [Catalogued] ⁷⁵ :289 Equals *Cicada nervosa* von Schrank [nec Linné]

[*Acucephalus*] *nervosus* [nec Linné] Oshanin 1912a: 103 [Listed] ^{2, 38, 60, 62, 63, 76} Equals [*Acucephalus*] *striatus* Fabr. Equals [*Acucephalus*] *transversus* Fabr. Equals [*Acucephalus*] *striatellus* Fabr. Equals [*Acucephalus*] *rusticus* Fabr. (?) Equals [*Acucephalus*] *fasciatus* Curt. Equals [*Acucephalus*] *bicinctus* Curt. Equals [*Acucephalus*] *cardui* Curt. Equals [*Acucephalus*] *obscurus* Curt. Equals [*Acucephalus*] *sparsus* Curt. Equals [*Acucephalus*] *rugosus* Curt. Equals [*Acucephalus*] *unicolor* Curt. Equals [*Acucephalus*] *pallidus* Curt. Equals [*Acucephalus*] *pulverulentus* Curt. Equals [*Acucephalus*] *adustus* Hardy Equals [*Acucephalus*] *costatus* Panz. [error] Equals [*Acucephalus*] *merratii* [sic] Guér.-Mén. [nom. nud.]

[*Aphrophora*] *rustica* Oshanin 1912a: 97 To [*Aphrophora*] *salicis* De G. [error]

Acocephalus nervosus [nec Linné] Sabransky 1912a: 317 [Ecology] ⁵⁴

[*Acocephalus*] *nervosus* [nec Linné] Schmidt 1912g: 155 [Listed] ⁷⁷

Acocephalus nervosus [nec Linné] Schumacher 1912d: 106 [Listed] ⁷⁸
Equals [*Acocephalus*] *striatus* Fabr.

[*Acocephalus*] *striatus* von Dalla Torre 1913a: 151 [Listed] ³⁵

Acocephalus nervosus [nec Linné] Melichar 1913a: 328 (10) [Listed] ⁶⁹

Acocephalus rusticus Paczoski 1913a: 4 [Notes] Equals [*Acocephalus*] *nervosus* Scop. [nec Linné] Equals *Acocephalus striatus* Fabr.

Acocephalus nervosus [nec Linné] Strand 1913a: 272 [Listed] ²⁴

Acocephalus striatus Mac Gillavry 1914a: 94 [Listed] ^{79, 111}

Acocephalus nervosus [nec Linné] Melichar 1914a: 130 (4) [Listed] ⁶⁰

Acocephalus nervosus [nec Linné] Codina 1915a: 215 (4) [Listed] ⁸⁰
Equals [*Acocephalus*] *striatus* Fabr.

[*Acocephalus*] *striatus* Jacobsen 1915a: 323 [Listed] ⁸ Equals [*Acocephalus*] *nervosus* von Schrank [nec Linné]

Acocephalus striatus Osborn 1915a: 107 [Ecology, economics] ⁵⁷

bicincta von Schrank—Continued

Acocephalus nevus [sic] [nec Linné] Horváth 1916a: 13 [Listed] ⁸¹
Acocephalus striatus Osborn 1916a: 73; figs. 4a–c [Economics, life history, illustrated] ⁵⁷ :57 [Ecology] ⁵⁷ :58, 59; figs. 13k–n [Hibernation, illustrated] ⁵⁷

[*Acucephalus*] *nervosus* [nec Linné] Van Duzee 1916a: 68 [Listed] ^{47, 82} Equals [*Acucephalus*] *adustus* Hardy Equals [*Acucephalus*] *pulverulenta* Curt. Equals [*Acucephalus*] *bicinctus* Curt. Equals [*Acucephalus*] *pallidus* Curt. Equals [*Acucephalus*] *unicolor* Curt. Equals [*Acucephalus*] *rugosus* Curt. Equals [*Acucephalus*] *obscurus* Curt. Equals [*Acucephalus*] *cardui* Curt. Equals [*Acucephalus*] *sparsus* Curt. Equals [*Acucephalus*] *fasciatus* Curt. Equals [*Acucephalus*] *rustica* Fabr. Equals [*Acucephalus*] *striatella* Fabr. Equals [*Acucephalus*] *striata* Fabr. Equals [*Acucephalus*] *transversa* Fabr. Equals [*Acucephalus*] *costata* Panz. [error] Equals [*Acucephalus*] *meratii* Guér.–Mén. (?) [nom. nud.]

Acocephalus bicinctus Haupt 1917a: 151, 152 [Described, catalogued] ^{3, 11} :151 Equals *Cicada nervosa* [nec] Linné:152 Equals *Cicada bicincta* von Schrank :146 [Described] ¹¹ Equals *Cicada bicincta* von Schrank Equals *Acocephalus nervosus* von Schrank [nec Linné] Equals *Cicada nervosa* von Schrank [nec Linné]

Acucephalus nervosus [nec Linné] Van Duzee 1917b: 618 [Catalogued] ^{48, 57, 83, 84} Equals *Cicada* [*nervosa*] von Schrank [nec Linné] Equals [*Aphrodes*] *adustus* Hardy Equals [*Aphrodes*] *meratii* Guér.–Mén. [nom. nud.] Equals [*Aphrodes*] [*nervosus*] Horv. [nec Linné] Equals [*Aphrodes*] *pulverulenta* Curtis Equals *Cercopis rustica* Fabr. Equals *Cercopis striata* Fabr. Equals *Cercopis striatella* Fabr. Equals *Cercopis transversa* Fabr. Equals [*Cicada*] *bicinctus* Curt. Equals [*Cicada*] *cardui* Curt. Equals [*Cicada*] *fasciatus* Curt. Equals [*Cicada*] *obscurus* Curt. Equals [*Cicada*] *pallidus* Curt. Equals [*Cicada*] *rugosus* Curt. Equals [*Cicada*] *sparsus* Curt. Equals [*Cicada*] *unicolor* Curt. Equals *Cicada costata* Panz. [error] To [*Acucephalus*] *costatus* Germ. [error]

Acocephalus bicinctus Horvath 1918a: 330 [Listed] ¹¹² Equals [*Acocephalus*] *nervosus* von Schrank [nec Linné] :337 [Listed] ¹¹³ [*Acocephalus*] *nervosus* [nec Linné] Jensen-Haarup 1918a: 40 [Described, key] ⁸

Acocephalus bicinctus Reichert 1919a: 190 (8) [Economics] ⁵⁶

Acucephalus nervosus [nec Linné] Barber 1920b: 148 [Listed] ⁸⁵

[*Acucephalus*] *nervosus* [nec Linné] Britton 1920a: 354 [Listed] ⁸⁷
 Equals [*Acucephalus*] *striatus* Linné

bicincta von Schrank—Continued

[*Acocephalus*] *nervosus* [nec Linné] Jensen-Haarup 1920a: 107
[Described, key] ⁸ Equals [*Acocephalus*] *striatus* Fabr. :108, 112
[Listed]

Acocephalus striatus Lawson 1920a: 15 [Economics] ¹¹⁴

A[cocephalus] *nervosus* [nec Linné] Tullgren and Wahlgren 1920a:
147; text figs. 100b, c [Notes, illustrated] ¹

Acocephalus nervosus [nec Linné] Butler 1921a: 160 [Listed] ⁸⁶

Acocephalus nervosus [nec Linné] Fahringer 1922a: 301 [Ecology]
^{76, 115}

Acucephalus nervosus [nec Linné] Osborn 1922c: 37 [Ecology] ⁴⁸

Acucephalus nervosus [nec Linné] Osborn and Drake 1922a: 13
[Listed] ⁴⁸

Acocephalus nervosus [nec Linné] Patch 1922a: 373 [Economics] ⁵⁷
Equals [*Acocephalus*] *striatus*

Acocephalus nervosus [nec Linné] Stichel 1922a: 132 [Listed]

A[cocephalus] *nervosus* [nec Linné] De Long 1923a: 86; 8.4
[Described, catalogued, key, illustrated] ⁸⁷ Equals *Cicada*
nervosus von Schrank [nec Linné] Equals *Cercopis rustica* Fabr.
Equals *Cercopis striata* Fabr.

Acocephalus nervosus [nec Linné] Prohaska 1923a: 84 [Notes,
ecology] ¹¹⁶ Equals [*Acocephalus*] *striatus* Fabr.

Acucephalus nervosus [nec Linné] Buys 1924a: 43; pl. V, figs.
42a,b; pl. VIII, figs. 83, 84 [Described, catalogued, illustrated,
key] ⁴⁸ Equals *Cicada [nervosa]* von Schrank [nec Linné]

Acucephalus nervosus [nec Linné] Downes 1924a: 31 [Listed] ⁸⁸

Acocephalus nervosus Hofmänner 1924a: 52, 77 [Ecology] ^{89, 98, 157}
:69 [Listed]

[*Acocephalus*] *nervosus* [nec Linné] Lindberg 1924: 42 [Listed] ⁶⁴
Equals [*Acocephalus*] *striatus* Fabr. :16 [Notes] ⁶⁴

Acucephalus bicinctus Sherborn 1924a: 709 [Catalogued]

Acucephalus cardui Sherborn 1924b: 1085 [Catalogued]

Acocephalus nervosus [nec Linné] Brown 1925a: 63 [Listed] ⁷⁴

Acocephalus bicinctus Buchner 1925a: 149 [Symbionts] :91 [Listed]

Acocephalus nervosus [nec Linné] Della Beffa 1925a: 144 [Listed] ⁷

A[cocephalus] *bicinctus* Haupt 1925a: 14 [Listed] ¹¹ Equals
[*Acocephalus*] *nervosus* von Schrank [nec Linné] Equals
[*Acocephalus*] *striatus* Sahlb.

Acocephalus nervosus [nec Linné] Hofmänner 1925a: 190 [Ecology] ⁹⁸

A[cocephalus] *nervosus* [nec Linné] Kupka 1925a: 107 [Food
plants] ⁴

Acocephalus striatus Blöte 1926b: 114 [Listed] ¹⁹

Acocephalus bicinctus Haupt 1926b: 304 [Listed] ¹¹⁷ Equals
[*Acocephalus*] *nervosus* von Schrank [nec Linné]

bicineta von Schrank—Continued

- Acocephalus nervosus* [nec Linné] Ivanov 1926a: 211, 212, 214, 215, 218, 221; figs. 2, 12 [Morphology of reproductive system, illustrated]
- Acocephalus nervosus* [nec Linné] Priesner 1926a: 135 [Listed] ¹¹⁸
- Acocephalus bicinctus* Reichert 1926a: 256 (6), 258 (8) [Economics] ⁵⁶
- A[cocephalus] striatus* Rémy-Perrier 1926a: 83; 2 figs. [Key, ecology, illustrated] ⁴ Equals *Acocephalus* *nervosus* von Schrank [nec Linné]
- Acucephalus fasciatus* Sherborn 1926b: 2309 [Catalogued]
- A[phrodes] bicinctus* Blöte 1927b: 68; fig. 30 [Described, illustrated] ¹⁹ :66, 67 [Key]
- [Aphrodes bicincta] cardu[i]* Blöte 1927b: 69 [Described] ¹⁹
- [Aphrodes bicincta] fasciatus* Blöte 1927b: 69 [Described] ¹⁹
- [Aphrodes bicincta] obscurus* Blöte 1927b: 69 [Described] ¹⁹
- [Aphrodes bicincta] pulverulentus* Blöte 1927b: 69 [Described] ¹⁹
- [Aphrodes bicincta] rugosus* Blöte 1927b: 69 [Described] ¹⁹
- [Aphrodes bicincta] rusticus* Blöte 1927b: 68 [Described] ¹⁹
- [Aphrodes bicincta] sparsus* Blöte 1927b: 69 [Described] ¹⁹
- [Aphrodes bicincta] transversus* Blöte 1927b: 68 [Described] ¹⁹
- [Aphrodes bicincta] unicolor* Blöte 1927b: 70 [Described] ¹⁹
- Aphrodes bicinctus* Blöte 1927c: 55 [Listed] ¹⁹ Equals *Acocephalus* *bicinctus* von Schrank] Equals *Acocephalus rusticus* Fabr. Equals *Acocephalus costatus* Panz. [error]
- Aphrodes bicinctus* Blöte 1927d: 221 [Listed] ¹⁹ Equals *Acocephalus striatus* Fabr. Equals *Tettigonia striata* Coq. Equals *Tettigonia costata* Panz. [error]
- [Aphrodes bicincta] cardui* Blöte 1927d: 221 [Listed] ¹⁹
- [Aphrodes bicincta] pulverulentus* Blöte 1927d: 221 [Listed] ¹⁹
- Aphrodes bicinctus rugosus* Blöte 1927d: 221 [Listed] ¹⁹
- [Aphrodes bicincta] rusticus* Blöte 1927d: 221 [Listed] ¹⁹
- [Aphrodes bicincta] sparsus* Blöte 1927d: 221 [Listed] ¹⁹
- [Aphrodes bicincta] striatus* Blöte 1927d: 221 [Listed] ¹⁹
- [Aphrodes bicincta] transversus* Blöte 1927d: 221 [Listed] ¹⁹ Equals *[Aphrodes] signifrons* Rey (?)
- Acucephalus nervosus* [nec Linné] Downes 1927a: 18 [Listed] ⁸⁸
- A[cucephalus] nervosus* [nec Linné] Johnson 1927a: 35 [Listed] ¹¹⁹
- Acocephalus nervosus* [nec Linné] Kusnezov 1927a: 259 [Listed] ¹²⁰
- A[cocephalus] nervosus* [nec Linné] Poisson and Poisson 1927a: 137 [Listed] ⁴
- Acocephalus bicinctus* Reichert 1927a: 256 [Economics] ⁵⁶
- Acucephalus nervosus* [nec Linné] Barber 1928a: 194 [Listed] ⁴⁸
- Acocephalus nervosus* [nec Linné] Brown 1928a: 63 [Listed] ⁷⁴

bicincta von Schrank—Continued

- A[cocephalus] nervosus* [nec Linné] Filipieff 1928a: 152 [Key] ¹⁷
Acocephalus nervosus [nec Linné] Goidanich 1928a: 46, 62
 [Listed] ⁷
Aphroderes [sic] *bicinctus* Haupt 1928a: 92 [Listed] ¹²¹
Acocephalus nervosus [nec Linné] Ivanov 1928b: 493 [Listed] ¹²²
Acocephalus nervosus [nec Linné] Ivanov 1928c: 189 [Listed] ¹²²
Acocephalus nervosus [nec Linné] Lallemant 1928d: 4 [Listed] ⁵¹
A[cucephalus] nervosus [nec Linné] Leonard 1928a: 163 [Listed] ⁴⁸
Acucephalus nervosus [nec Linné] Osborn 1928b: 242 [Described] ⁹⁰
[Acocephalus] nervosus [nec Linné] Osborn 1928b: 370 [Listed]
Acocephalus nervosus [nec Linné] Werner 1928a: 47 [Listed] ¹¹⁶
Acocephalus nervosus [nec Linné] Brown 1929a: 42 [Listed] ¹³
Acocephalus nervosus [nec Linné] Kusnezov 1929a: 314 [Listed] ⁶¹
Acocephalus nervosus [nec Linné] Kusnezov 1929b: 176 [Listed] ¹²³
Acocephalus nervosus [nec Linné] Kusnezov 1929f: 34 [Notes] ⁶¹
Acocephalus striatus Lallemant 1929e: 3 [Listed] ⁵¹
[Acocephalus] nervosus [nec Linné] Luigioni 1929a: 219 (21)
 [Listed] ⁷
Acucephalus obscurus Sherborn 1929a: 4483 [Catalogued]
Acucephalus pallidus Sherborn 1929b: 4699 [Catalogued]
Aphrodes pulverulenta Sherborn 1929d: 5244 [nom. nud., cata-
 logued]
Aphrodes pulverulenta Sherborn 1929d: 5244 [Catalogued]
Acocephalus nervosus [nec Linné] Britten 1930a: 72 [Listed] ¹³
Aphrodes bicinctus Haupt 1930a: 153 [Listed] ⁷
Acocephalus nervosus [nec Linné] Horvath 1930a: 45 [Listed] ¹²⁴
Acocephalus nervosus [nec Linné] Howe 1930a: 326, 328; pl. II,
 figs. 15–16 [Morphology of tarsus, illustrated, food plants]
A[cucephalus] nervosus [nec Linné] Johnson 1930a: 34 [Listed] ^{85, 125}
A[phrodes] bicinctus Reclaire 1930a: 134 [Symbiosis] ¹⁹
Aphrodes rugosa Sherborn 1930a: 5673 [nom. nud., catalogued]
Acucephalus sparsus Sherborn 1930c: 6040 [Catalogued]
Acocephalus nervosus [nec Linné] Zangheri 1930a: 52 [Listed] ⁷
 Equals *Acocephalus striatus* Fabr.
Acucephalus unicolor Sherborn 1931c: 6743 [Catalogued]
A[cocephalus] striatus Enderlein 1932a: 195 [Listed] ⁵⁶
Acocephalus nervosus [nec Linné] Kusnezov 1932a: 44 [Listed]
Acucephalus nervosus [nec Linné] Lowry 1933a: 69 [Ecology] ¹²⁶
[Acocephalus] striatus Acloque 1934a: 404 [Key] ⁴
Acucephalus nervosus [nec Linné] Brown 1934a: 224 [Listed] ⁸³
Acocephalus nervosus [nec Linné] Grandi 1934a: 58, 59 [Parasites] ⁷
Acocephalus nervosus [nec Linné] Murray 1934a: 263 [Ecology] ¹⁴

bicincta von Schrank—Continued

- Acocephalus nervosus* [nec Linné] Ossiannilsson 1934a: 134 [Listed] ¹
- Acocephalus nervosus* [nec Linné] Thornley 1934a: 78 [Listed] ¹³
- Acucephalus nervosus* [nec Linné] Felt and Chamberlain 1935a: 13 [Ecology] ⁴⁸
- Acrocephalus* [sic] *nervosus* [nec Linné] Halbert 1935a: 309 [Listed] ⁴⁵
- [*Aphrodes*] *bicinctus* Haupt 1935a: 168, 169; fig. 316 [Key, illustrated, ecology]
- Acocephalus nervosus* [nec Linné] Jansson 1935a: 59 [Listed] ^{1, 127}
- [*Acocephalus*] *nervosus* [nec Linné] Karl 1935a: 137 [Listed] ⁷⁷
- Aphrodes bicinctus* Mac Gillavry 1935a: 104 [Listed]
- [*Aphrodes bicinctus*] *cardui* Mac Gillavry 1935a: 104 [Listed] ^{111, 128}
- Acocephalus nervosus* [nec Linné] Rapp 1935a: 45 [Listed] ⁵³
- A[cocephalus] striatus* Rémy-Perrier 1935a: 83; 1 fig. [Key, ecology, illustrated] ⁴ Equals [*Acocephalus*] *nervosus* von Schrank [nec Linné]
- A[phrodes] bicinctus* Wagner 1935a: 13 [Ecology] ^{8, 13, 18, 25, 42, 111, 129, 130, 131, 132, 133}
- Aphrodes bicinctus* Nast 1936d: 485 (3) [Listed] ¹³⁴
- [*Acucephalus*] *nervosus* [nec Linné] De Long and Caldwell 1937c: 16 [Catalogued] ^{48, 57, 83}
- Aphrodes bicinctus* Kuntze 1937a: 314, 319, 324, 346, 349, 350, 358, 375, 376, 377 [Ecology] ²⁵ Equals [*Aphrodes*] *rusticus* Fall.
- A[phrodes] bicinctus* Kuntze 1937b: 25 [Ecology] ²⁵ Equals [*Aphrodes*] *rusticus*
- A[phrodes] bicinctus* Wagner 1937b: 68; figs. 4a-b [Notes, illustrated, ecology] ¹³⁰ Equals [*Aphrodes*] *nervosus* von Schrank [nec Linné] Equals [*Aphrodes*] *striatus* Fabr. :67 [Key]
- [*Acucephalus*] *nervosus* [nec Linné] Britton 1938a: 23 [Listed] ⁸⁷
- [*Aphrodes*] *bicinctus* China 1938b: 193 [Listed] ¹⁰ Equals [*Aphrodes*] *nervosus* Edw. [nec Linné]
- Acocephalus nervosus* [nec Linné] China 1938c: 44 [Listed] ^{2, 36, 48, 49, 57, 60, 61, 62, 83, 91}:45 [Comparative note]
- Aphrodes bicinctus* China 1938e: 238 [Notes]
- Aphrodes bicinctus* Kontkanen 1938a: 29 [Ecology] ⁶⁴ Equals [*Aphrodes*] *nervosus* von Schrank [nec Linné]
- Aphrodes bicinctus* Nast 1938d: 227 (3) [Listed] ¹³⁴
- Aphrodes bicinctus* Ossiannilsson 1938b: 68 [Catalogued] ⁹ Equals *Pholetaera rustica* Zett.
- A[cocephalus] nervosus* [nec Linné] Procter 1938a: 77 [Listed] ^{57, 119}
- Diatæniops* [non binom.] Neave 1939b: 64 [Catalogued]

bicincta von Schrank—Continued

- Acucephalus nervosus* [nec Linné] Osborn 1939a: 119; fig. 47 [Economics, life history, illustrated] ^{57, 135, 136, 137}
- Acucephalus striatus* Osborn 1939a: 59, 120 [Economics] ^{2, 52, 138, 139} :122 [Comparative note]
- Acocephalus striatus* Portevin 1939a: 275 [Notes] ⁴
- Acocephalus striatus* de Seabra 1939a: 91 [Economics] ³⁶
- Acocephalus nervosus* [nec Linné] de Seabra 1939b: 33, 50, 56, 62, 75, 85 [Listed] ⁵¹
- Acocephalus nervosus* [nec Linné] de Seabra 1939c: 171 [Listed] ⁵¹
- A[phrodes] bicinctus* Wagner 1939a: 135 [Listed] ^{20, 140, 141} Equals [*Acucephalus*] *rusticus* Kirschb. Equals [*Aphrodes*] *rusticus* Kirschb.
- Acucephalus nervosus* [nec Linné] Schmidt 1940a: 198 (38) [Listed]
- A[phrodes] bicinctus* Wagner 1941a: 149 [Food plants] ^{77, 142} Equals [*Aphrodes*] *nervosus* von Schrank [nec Linné]
- Acucephalus nervosus* [nec Linné] James 1942a: 46 [Predators] ⁸³
- A[phrodes] bicinctus* Ossiannilsson 1942a: 36 [Listed] ¹
- Acocephalus bicinctus* Rau 1942a: 507, 515 [Symbionts]
- [*Acocephalus*] *nervosus* [nec Linné] de Seabra 1942a: 9 [Listed] ⁵¹
- Aphrodes bicinctus* Franz 1943a: 377, 462 [Ecology] ^{3, 13}
- Aphrodes bicinctus* Lang 1943a: 96 [Disease vectors] ³¹
- Aphrodes bicinctus* Medler 1943a: 39 [Described, catalogued] ¹⁴³ Equals *Cicada bicincta* von Schrank Equals *Cicada nervosus* von Schrank (nec Linné) :38 [Key]
- Aphrodes bicinctus* Ossiannilsson 1943a: 54 [Economics]
- Aphrodes bicinctus* Ossiannilsson 1943c: 16 [Listed] ²⁴ Equals [*Aphrodes*] *nervosus* von Schrank [nec Linné]
- Aphrodes bicinctus* Holgersen 1944a: 27 [Ecology] ^{1, 2, 9, 24, 36, 62, 91} Equals *Pholetaera rustica* Schoy. Equals *Ac[oecephalus] nervosus* Strand [nec Linné] Equals *Acoceph[alus] striatus* Siebke :33, 36 [Listed] ²⁴
- Acucephalus nervosus* [nec Linné] Moore 1944a: 43 [Listed] ¹⁴⁴
- A[phrodes] bicinctus* Reclaire 1944a: 228 [Ecology] ¹¹¹ Equals *A[phrodes] nervosus* von Schrank [nec Linné] Equals *A[phrodes] striatus* Fabr.
- A[phrodes] b[icincta] cardui* Reclaire 1944a: 228 [Listed] ¹¹¹
- A[phrodes] b[icincta] rusticus* Reclaire 1944a: 229 [Listed] ¹¹¹
- A[phrodes] b[icincta] pulverulentus* Reclaire 1944a: 229 [Listed] ¹¹¹
- A[phrodes] b[icincta] rugosus* Reclaire 1944a: 229 [Listed] ¹¹¹
- A[phrodes] b[icincta] sparsus* Reclaire 1944a: 229 [Listed] ¹¹¹
- A[phrodes] b[icincta] striatus* Reclaire 1944a: 229 [Listed] ¹¹¹
- A[phrodes] b[icincta] transversus* Reclaire 1944a: 229 [Listed] ¹¹¹
- Aphrodes bicinctus* Roche 1944a: 83 [Listed] ¹³

bicincta von Schrank—Continued

- Aphrodes bicinctus* Dlabola 1945c: 148 [Parasites]
 [Aphrodes] *bicinctus* Kloet and Hincks 1945a: 53 [Listed]¹⁰
 Equals [Aphrodes] *nervosus* von Schrank [nec Linné] Equals
 [Aphrodes] *rusticus* Fabr.
Aphrodes bicinctus Lang 1945b: 130, 131, 134 [Ecology]⁴⁶
Aphrodes bicinctus Lang 1945c: 98–99 [Listed]⁴⁶
Aphrodes bicinctus Lang 1945d: 272, 274, 275 [Ecology]^{6, 46}
Aphrodes bicinetus [sic] Sukhov and Vovk 1945a: 366 [Nonvector]⁶⁷
 [Aphrodes] *bicincta* De Long and Knull 1946a: 28 [Catalogued]⁴⁸.
^{57, 83} Equals *Cicada* [*bicincta* von Schrank] Equals *Cicada*
nervosa von Schrank [nec Linné]
Aphrodes bicinctus Holgersen 1946a: 136 [Listed]²⁴
Aphrodes bicinctus Lang 1946a: 152 [Listed]³¹
Aphrodes bicinctus Moosbrugger 1946a: 70 [Listed]¹⁴⁵
 A[phrodes] *bicinctus* Procter 1946a: 88 [Listed]^{57, 119}
Aphrodes nervosus [nec Linné] Evans 1947a: 148; figs. 12C–D,
 L, N–O [Ecology, illustrated]¹³
Cercopis rustica Evans 1947a: 150 [Listed]² Equals *C*[ercopis]
nervosa von Schrank [nec Linné]
Cercopis striata Evans 1947a: 148 To [*Acucephalus costatus* Germ.]
 [error]
Cicada nervosa [nec Linné] Evans 1947a: 148 To [*Acucephalus*
costatus Germ.] [error]
Aphrodes bicinctus Lang 1947a: 22, 23 [Ecology]⁴⁶
Aphrodes bicinctus Lang 1947b: 94 [Listed]⁶
 A[phrodes] *bicinctus* Lindberg 1947a: 28 [Catalogued]⁶⁴ Equals
Cicada bicincta von Schrank Equals *C*[icada] *nervosa* von
 Schrank [nec Linné] Equals *Acocephalus striatus* Sahlb. Equals
 A[phrodes] *nervosus* Reut. [nec Linné] :72 [Listed]⁶⁴
 [Aphrodes] *bicinctus* Osborn and Knull 1947a: 330 [Listed]⁹⁰
 Equals *Acucephalus nervosus* von Schrank [nec Linné]
 A[phrodes] *bicinctus* Ossiannilsson 1947b: 159; fig. 369 [Described,
 ecology, illustrated]^{1, 8, 24, 64} Equals [Aphrodes] *nervosus* von
 Schrank [nec Linné] Equals [Aphrodes] *rusticus* Fall. Equals
 [Aphrodes] *striatus* Fabr. :158, 159 [Key]
Acucephalus nervosus [nec Linné] Wolcott 1947a: 222 [Ecology]⁴⁸
Aphrodes nervosus [nec Linné] De Long 1948a: 110; fig. 32
 [Illustrated]
Aphrodes bicinctus Kontkanen 1948b: 118 [Ecology]¹⁴⁶
 A[phrodes] *bicinctus* Lindberg 1948b: 134 [Listed]^{147, 148}

bicincta von Schrank—Continued

- Aphrodes bicinctus* Ossiannilsson 1948a: 16 [Listed] ^{1, 8, 12, 24, 64, 130, 149, 158} Equals *Acocephalus* [*bicinctus* von Schrank] Equals [*Aphrodes*] *nervosus* von Schrank [nec Linné]
- Aphrodes bicinctus* Servadei 1948a: 244 [Listed] ⁷
- A*[*phrodes*] *nervosus* Zachvatkin 1948a: 174 [Key]
- A*[*phrodes*] *bicinctus* Fagel 1949a: 146 [Listed] ²⁸
- A*[*phrodes*] *bicinctus transversus* Fagel 1949a: 146 [Listed] ²⁸
- A*[*phrodes*] *striatus* Fagel 1949a: 146 [Listed] ²⁸
- Aphrodes bicinctus* Kontkanen 1949a: 120, 122, 123, 124 [Ecology] ⁶⁴
- Aphrodes bicinctus* Kontkanen 1949c: 40 [Ecology] ⁶⁴
- [*Cercopis*] *rustica* Lallemand 1949a: 5 [Listed]
- Aphrophora* [*rustica*] Lallemand 1949a: 7 [Catalogued] Equals *Cercopis rustica* Fabr.
- Aphrodes bicinctus* Lindberg 1949a: 35 [Listed] ^{150, 151}
- Aphrodes bicinctus* Linnavuori 1949a: 68 [Ecology] ⁶⁴
- Aphrodes bicinctus* Müller 1949a: 356 [Symbionts]
- [*Aphrodes*] *adusta* Oman 1949a: 58 [Catalogued] Equals *Acocephalus adusta* Hardy To [*Aphrodes*] *costata* [error]
- [*Aphrodes*] *bicincta* Oman 1949a: 58 [Catalogued] Equals *Acucephalus bicinctus* Curt. To [*Aphrodes*] *costata* [error]
- [*Aphrodes*] *cardui* Oman 1949a: 58 [Catalogued] To [*Aphrodes*] *costata* [error]
- [*Aphrodes*] *fasciata* Oman 1949a: 58 [Catalogued] To [*Aphrodes*] *costata* [error]
- [*Aphrodes*] *nervosa* [nec Linné] Oman 1949a: 58 [Catalogued] Equals *Cicada* [*nervosa* von Schrank] (nec Linné) To [*Aphrodes*] *costata* [error]
- [*Aphrodes*] *obscura* Oman 1949a: 58 [Catalogued] Equals *Acucephalus obscura* Curt. To [*Aphrodes*] *costata* [error]
- [*Aphrodes*] *pallida* Oman 1949a: 58 [Catalogued] Equals *Acucephalus pallida* Curt. To [*Aphrodes*] *costata* [error]
- [*Aphrodes*] *pulverulenta* Oman 1949a: 58 [Catalogued] To [*Aphrodes*] *costata* [error]
- [*Aphrodes*] *rugosa* Oman 1949a: 58 [Catalogued] Equals *Acucephalus rugosa* Curt. To [*Aphrodes*] *costata* [error]
- [*Aphrodes*] *rustica* Oman 1949a: 58 [Catalogued] Equals *Cercopis rustica* Fabr. To [*Aphrodes*] *costata* [error]
- [*Aphrodes*] *sparsa* Oman 1949a: 58 [Catalogued] Equals *Acucephalus sparsa* Curt. To [*Aphrodes*] *costata* [error]
- [*Aphrodes*] *striata* Oman 1949a: 58 [Catalogued] Equals *Cercopis striata* Fabr. To [*Aphrodes*] *costata* [error]

bicincta von Schrank—Continued

- [*Aphrodes*] *striatella* Oman 1949a: 58 [Catalogued] Equals *Cercopis striatella* Fabr. To [*Aphrodes*] *costata* [error]
- [*Aphrodes*] *transversa* Oman 1949a: 58 [Catalogued] Equals *Cercopis transversa* Fabr. To [*Aphrodes*] *costata* [error]
- [*Aphrodes*] *unicolor* Oman 1949a: 58 [Catalogued] Equals *Acucephalus unicolor* Curt. To [*Aphrodes*] *costata* [error]
- Aphrodes bicinctus* Ossiannilsson 1949a: 39; pl. 7, figs. 7–8; pl. 8, figs. 1–2 [Morphology of stridulating organs, illustrated] ¹ :86; pl. 13, figs. 36–37 [Stridulation, illustrated] ¹ :41, 52 [Comparative notes]
- [*Aphrodes*] *bicinctus* China 1950a: 245 [Listed] ¹⁰ Equals [*Aphrodes*] *nervosus* von Schrank [nec Linné] Equals [*Aphrodes*] *rusticus* Fabr.
- Aphrodes bicinctus* Kontkanen 1950c: 5, 17, 46, 73, 74, 79, 81 [Ecology] ⁶⁴ :86 [Listed] ⁶⁴
- Aphrodes bicincta* Moore 1950a: 259 [Listed] ¹⁴⁴
- Aphrodes bicincta* Moore 1950b: 34 [Listed] ¹⁴⁴
- Aphrodes nervosus* Evans 1951a: 7 [Taxonomy]
- Aphrodes bicinctus* Ossiannilsson 1951c: 12 [Ecology] ^{2, 63, 91, 152, 153}
- [*Aphrodes*] *bicinctus* Wagner 1951b: 26 [Ecology] ¹¹ Equals [*Aphrodes*] *nervosus* von Schrank [nec Linné]
- Aphrodes bicinctus* Farsky 1952a: 75–80; fig. 4 [Economics, illustrated] ³¹
- Aphrodes bicinctus* Fischer 1952a: 112 [Listed] ¹⁵⁴
- Aphrodes bicinctus* Kontkanen 1952b: 562 [Listed] ^{36, 64}
- Aphrodes bicinctus* Linnavuori 1952a: 9, 10, 11, 13, 14, 15 [Ecology] ⁶⁴
- Aphrodes bicinctus* Linnavuori 1952e: 71 [Listed] ⁶⁴
- Aphrodes bicinctus* Rabeler 1952a: 135, 137 [Ecology] ²⁰
- Aphrodes bicinctus* Ribaut 1952a: 333; figs. 881–883 [Described, illustrated] ^{2, 4, 60, 61, 62, 63, 91} Equals [*Aphrodes*] *adustus* Hardy Equals [*Aphrodes*] *cardui* Curt. Equals [*Aphrodes*] *costatus* Panz. [error] Equals [*Aphrodes*] *fasciatus* Curt. Equals [*Aphrodes*] *meratii* Guér.-Mén. [nom. nud.] Equals [*Aphrodes*] *obscurus* Curt. Equals [*Aphrodes*] *pallidus* Curt. Equals [*Aphrodes*] *pulverulentus* Curt. Equals [*Aphrodes*] *rugosus* Curt. Equals [*Aphrodes*] *sparsus* Curt. Equals [*Aphrodes*] *unicolor* Curt. Equals [*Aphrodes*] *nervosus* von Schrank [nec Linné] Equals [*Aphrodes*] *striatus* Fabr. Equals [*Aphrodes*] *transversus* Fabr. Equals [*Aphrodes*] *striatellus* Fabr. Equals [*Aphrodes*] *rusticus* Fabr. (?) :335 [Comparative note] :329 [Notes] :331, 332 [Key] :473 [Listed] ⁴³

bicincta von Schrank—Continued

- Aphrodes bicinctus* Buchner 1953a: 315 [Symbionts] Equals *Acocephalus* [*bicinctus* Curt.]
- Aphrodes bicintus* [sic] Marchand 1953a: 118, 145, 149 [Ecology] ²⁰
- Aphrodes bicinctus* Ossiannilsson 1953b: 107 [Listed] ¹
- Aphrodes bicinctus* Rabeler 1953a: 168 [Ecology] ²⁰
- Aphrodes bicinctus* Blattný et al 1954a: 399, 400, 401, 402, 409, 412; figs. 21–22 [Disease vector, illustrated]
- A*[*phrodes*] *bicinctus* Dlabola 1954a: 151; pl. XXVI, figs. 504–506; pl. XLIX, fig. 1251 [Notes, illustrated, catalogued] ^{6, 46, 155} Equals [*Aphrodes*] *striatus* Fabr. Equals [*Aphrodes*] *nervosus* von Schrank [nec Linné]: 150 [Key]: 45, 52, 67 [Ecology] ^{6, 46, 155}:50 [Commensalism]
- Aphrodes bicinctus* Esaki and Ito 1954a: 82 [Catalogued, food plants] ^{2, 18, 56, 60, 62, 75, 91, 136} Equals *Cicada bicincta* von Schrank Equals *Cicada nervosa* von Schrank [nec Linné] Equals *Cicada striata* Fabr. Equals *Cercopis striata* Fabr. Equals *Acocephalus striatus* Stål Equals *Cercopis transversa* Fabr. Equals *Cicada costata* Panz. [error] Equals *Cercopis striatella* Fabr. Equals *Acocephalus nervosus* Germ. [nec Linné] Equals *Acocephalus fasciatus* Curt. Equals *Acocephalus sparsus* Curt. Equals *Acocephalus cardui* Curt. Equals *Acocephalus obscurus* Curt. Equals *Acocephalus rugosus* Curt. Equals *Acocephalus unicolor* Curt. Equals *Acocephalus pallidus* Curt. Equals *Acocephalus pulcerulenta* [sic] Curt. Equals *Acocephalus bicinctus* Curt. Equals *Acocephalus adustus* Hardy Equals *Acocephalus rusticus* Flor
- Acocephalus striatus* Esaki and Ito 1954a: 136 To *Psammotettix striatus* Linné [error]
- Cicada striata* (Linné 1761) Esaki and Ito 1954a: 136 To *Psammotettix striatus* Linné [error]
- A*[*phrodes*] *bicinctus* Smreczynski 1954a: 119 [Notes] ¹³⁴ Equals *A*[*phrodes*] *striatus* Fabr. Equals *Aphrodes rusticus* Fall. Equals *A*[*phrodes*] *nervosus* von Schrank [nec Linné]:120 [Comparative note]
- A*[*phrodes*] *nervosus* [nec Linné] Evans 1955a: 16 [Comparative note]
- Aphrodes bicinctus* Servadei 1955a: 242 [Listed] ^{2, 7, 62}
- LOCALITIES: ¹ Sweden. ² Europe. ³ Austria. ⁴ France. ⁵ Locality unknown. ⁶ Bohemia. ⁷ Italy. ⁸ Denmark. ⁹ Lapland. ¹⁰ Great Britain. ¹¹ Bavaria. ¹² Gotland. ¹³ England. ¹⁴ Scotland. ¹⁵ Southern England. ¹⁶ Leningrad. ¹⁷ Russia. ¹⁸ Schleswig-Holstein. ¹⁹ Netherlands. ²⁰ Prussia. ²¹ Karelia. ²² Dagestan. ²³ Russian Turkestan. ²⁴ Norway. ²⁵ Mecklenburg. ²⁶ Schleswig.

bicincta von Schrank—Continued

- ²⁷ Morocco. ²⁸ Belgium. ²⁹ Spain. ³⁰ Algeria. ³¹ Czechoslovakia. ³² Alsace-Lorraine. ³³ Aland Islands. ³⁴ Abo Archipelago. ³⁵ Tyrol. ³⁶ North America. ³⁷ Hungary. ³⁸ Africa. ³⁹ Omsk. ⁴⁰ Tunisia. ⁴¹ Galicia. ⁴² Hamburg. ⁴³ Sardinia. ⁴⁴ Island of Juist. ⁴⁵ Ireland. ⁴⁶ Moravia. ⁴⁷ Canada. ⁴⁸ New York. ⁴⁹ Madeira. ⁵⁰ Borkum Island. ⁵¹ Portugal. ⁵² United States. ⁵³ Thuringia. ⁵⁴ Styria. ⁵⁵ Serbia. ⁵⁶ Germany. ⁵⁷ Maine. ⁵⁸ Rumania. ⁵⁹ Central Russia. ⁶⁰ Caucasus. ⁶¹ Turkestan. ⁶² Siberia. ⁶³ Nearctic Region. ⁶⁴ Finland. ⁶⁵ Saint Petersburg. ⁶⁶ Livonia. ⁶⁷ Moscow. ⁶⁸ Irkutsk. ⁶⁹ Uzbek. ⁷⁰ Tashkent. ⁷¹ Tobolsk. ⁷² Crimea. ⁷³ Corfu. ⁷⁴ Wales. ⁷⁵ Sakhalin. ⁷⁶ Turkey. ⁷⁷ Pomerania. ⁷⁸ Baltrum. ⁷⁹ Terschelling Island. ⁸⁰ Catalonia. ⁸¹ Albania. ⁸² Northern States. ⁸³ Ontario. ⁸⁴ Palearctic Region. ⁸⁵ Massachusetts. ⁸⁶ Isle of Arran. ⁸⁷ Connecticut. ⁸⁸ British Columbia. ⁸⁹ Southern Tyrol. ⁹⁰ Ohio. ⁹¹ Northern Africa. ⁹² Bessarabia. ⁹³ Tauria. ⁹⁴ Isle of Wight. ⁹⁵ Isle of Portland. ⁹⁶ Isle of Skye. ⁹⁷ Bremen. ⁹⁸ Switzerland. ⁹⁹ Transylvania. ¹⁰⁰ Wiesbaden. ¹⁰¹ Spanish Morocco. ¹⁰² Transcaucasia. ¹⁰³ Mediterranean Region. ¹⁰⁴ Lorraine. ¹⁰⁵ Croatia. ¹⁰⁶ Southern Austria. ¹⁰⁷ Guernsey. ¹⁰⁸ Majorca Island. ¹⁰⁹ Saxony. ¹¹⁰ New Castile. ¹¹¹ Holland. ¹¹² Montenegro. ¹¹³ Macedonia. ¹¹⁴ Kansas. ¹¹⁵ Asia Minor. ¹¹⁶ Carinthia. ¹¹⁷ Dalmatia. ¹¹⁸ Spikeroog Island. ¹¹⁹ Mount Desert Island, Maine. ¹²⁰ Armenia. ¹²¹ Crete. ¹²² Kiev. ¹²³ Transbaikalia. ¹²⁴ French Morocco. ¹²⁵ Nantucket Island. ¹²⁶ New Hampshire. ¹²⁷ Gotska Sando. ¹²⁸ Vlieland Island. ¹²⁹ East Frisian Islands. ¹³⁰ Northern Germany. ¹³¹ Hanover. ¹³² Oldenburg. ¹³³ North Frisian Islands. ¹³⁴ Poland. ¹³⁵ Eastern United States. ¹³⁶ Northern North America. ¹³⁷ Northern Europe. ¹³⁸ Formosa. ¹³⁹ Asia. ¹⁴⁰ Hesse. ¹⁴¹ Pfalz. ¹⁴² Mecklenburg region. ¹⁴³ Minnesota. ¹⁴⁴ Quebec. ¹⁴⁵ Vorarlberg. ¹⁴⁶ Karelia. ¹⁴⁷ Cyprus. ¹⁴⁸ Holarctic Subrealm. ¹⁴⁹ Oland. ¹⁵⁰ Bulgaria. ¹⁵¹ Greece. ¹⁵² Estonia. ¹⁵³ Northern Asia. ¹⁵⁴ Swabia. ¹⁵⁵ Slovakia. ¹⁵⁶ Frankfurt. ¹⁵⁷ Northern Tyrol. ¹⁵⁸ Eastern Baltic States.

bicincta var. α Fallén

[*Cicada rustica*] var. α Fallén 1806a: 9 [n. var.] ¹

[*Cicada rustica*] var. α Fallén 1826a: 24 [Described] ¹

LOCALITIES: ¹ Sweden.

bicincta var. *a* Edwards

[*Acocephalus nervosus*] var. *a* Edwards 1888d: 20 [n. var.]

[*Acocephalus nervosus*] var. *a* Edwards 1895a: 120 [Described]

bicincta var. *a* Ossiannilsson [nom. nud.]

[*Aphrodes bicincta*] var. *a* Ossiannilsson 1938b: 68 [nom. nud., listed] ¹

LOCALITIES: ¹ Lapland.

bicincta var. *aestuarina* Edwards.

Acocephalus aestuarinus Edwards 1908a: 57 [n. sp., food plants] ¹

[*Acocephalus*] *aestuarinus* Saunders and Edwards 1908a: 12 [Listed] ²

bicincta var. **aestuarina** Edwards—Continued

- Acocephalus aestuarinus* Edwards 1909b: 840 [Ecology] ¹
 [*Acocephalus*] *aestuarinus* Oshanin 1910a: 159 [Catalogued] ²
 [*Acucephalus*] *aestuarinus* Oshanin 1912a: 103 [Listed] ³
A[cocephalus] aestuarinus Jensen-Haarup 1920a: 108 [Listed]
Acocephalus aestuarinus China 1929a: 226 [Notes] ¹
A[phrodes] bicinctus aestuarinus Wagner 1937b: 65 Equals
A[phrodes] aestuarinus Edw.
Acocephalus aestuarinus Wagner 1937b: 68 [Comparative note]
[Aphrodes bicinctus] aestuarinus China 1938b: 194 [Catalogued] ²
A[phrodes] aestuarinus Reclaire 1944a: 229 [Listed] ^{1, 5} Equals
A[phrodes] bicinctus [aestuarinus] Edw.]
[Aphrodes bicincta] aestuarinus Kloet and Hincks 1945a: 53
 [Listed] ²
[Aphrodes bicincta] aestuarinus China 1950a: 245 [Listed] ²
[Aphrodes bicincta] aestuarina Ribaut 1952a: 334 [Described,
 comparative note] ^{1, 4}
A[phrodes] aestuarinus Smreczynski 1954a: 120 [Notes] ⁶

LOCALITIES: ¹ England. ² Great Britain. ³ Europe. ⁴ Germany. ⁵ Holland.
⁶ Poland.

bicincta var. **alpina** Prohaska

- [Acocephalus nervosus] alpinus* Prohaska 1923a: 84 [n. var.,
 ecology] ¹

LOCALITIES: ¹ Carinthia.

bicincta var. **β** Fallén

- [Cicada rustica]* var. **β** Fallén 1806a: 9 [n. var.] ¹
[Cicada rustica] var. **β** Fallén 1826a: 24 [Described] ¹
[Cicada rustica] var. **a** Zetterstedt 1828a: 518 nom. nov. pro
[Cicada rustica] var. **β** Fallén [1806] Described, catalogued] ²
 Equals *Cicada costata* Panz. [error] Equals *Cercopis striata*
 Fabr.
[Pholetaera rustica] var. **a** Zetterstedt 1840a: 288 [Described, cata-
 logued] ² Equals *Cicada costata* Panz. [error] Equals *Cicada*
rustica Fall. Equals *Cercopis striata* Fabr.

LOCALITIES: ¹ Sweden. ² Lapland.

bicincta var. **b** Edwards

- [Acocephalus nervosus]* var. **b** Edwards 1888d: 20 [n. var.]
[Acocephalus nervosus] var. **b** Edwards 1895a: 120 [Described]

bicincta var. **b** Ossiannilsson [nom. nud.]

- [Aphrodes bicincta]* var. **b**. Ossiannilsson 1938b: 68 [nom nud.,
 listed] ¹

LOCALITIES: ¹ Lapland.

bicincta var. **bicincta** von Schrank

[*Aphrodes bicinctus bicinctus* Ribaut 1952a: 334 [Comparative note]

bicincta var. **brevior** Melichar

[*Acocephalus nervosus*] *brevior* Melichar 1914a: 130 (4) [n. var.] ¹

LOCALITIES: ¹ Caucasus.

bicincta var. **c** Blöte [nom. nud.]

[*Aphrodes bicincta*] var. *c* Blöte 1927d: 221 [nom. nud., listed] ¹

A[phrodes] b[icincta] var. *c* Reclaire 1944a: 228 [nom. nud., listed] ¹

LOCALITIES: ¹ Netherlands.

bicincta var. **c** Ossiannilsson [nom. nud.]

[*Aphrodes bicincta*] var. *c* Ossiannilsson 1938b: 68 [nom. nud., listed] ¹

LOCALITIES: ¹ Lapland.

bicincta var. *cardui* Curtis. See *Aphrodes bicincta* von Schrank.

bicincta var. *costata* Panzer. See *Aphrodes costata* Panzer.

bicincta var. **δ** Fallén

[*Cicada rustica*] var. *δ* Fallén 1806a: 9 [n. var.] ¹

[*Cicada rustica*] var. *δ* Fallén 1826a: 24 [Described] ¹

[*Cicada rustica*] var. *d* Zetterstedt 1828a: 518 nom. nov. pro

[*Cicada rustica*] var. *δ* Fallén [1806] [Described, catalogued] ²

Cic[ada] rustica var. *d* Zetterstedt 1840a: 288 [Comparative note]

[*Pholetaera rustica*] var. *d* Zetterstedt 1840a: 288 [Described, catalogued] ² Equals [*Cicada rustica*] var. *δ* Fall. Equals [*Cicada rustica*] var. *d* Zett.

LOCALITIES: ¹ Sweden. ² Lapland.

bicincta var. **d** Blöte [nom. nud.]

[*Aphrodes bicincta*] var. *d* Blöte 1927d: 221 [nom. nud., listed] ¹

A[phrodes] b[icincta] var. *d* Reclaire 1944a: 229 [nom. nud., listed] ¹

LOCALITIES: ¹ Netherlands.

bicincta var. **d** Ossiannilsson [nom. nud.]

[*Aphrodes bicincta*] var. *d* Ossiannilsson 1938b: 68 [nom. nud., listed] ¹

LOCALITIES: ¹ Lapland.

bicincta var. **d** Sahlberg

[*Acocephalus striatus*] var. *d*. Sahlberg 1871a: 357 [n. var.] ¹

LOCALITIES: ¹ Scandinavia.

bicineta diminuta Ribaut

[*Aphrodes bicincta*] *diminutus* Ribaut 1952a: 334; figs. 884-885
[n. subsp., illustrated, comparative note] ¹

LOCALITIES: ¹ France.

bicineta var. **ε** Fallén

[*Cicada rustica*] var. **ε** Fallén 1806a: 9 [n. var.] ¹

[*Cicada rustica*] var. **ε** Fallén 1826a: 24 [Described] ¹

[*Cicada rustica*] var. *e* Zetterstedt 1828a: 519 nom. nov. pro

[*Cicada rustica*] var. **ε** Fallén [1806] [Described, catalogued] ²

[*Pholetaera rustica*] var. *e* Zetterstedt 1840a: 288 [Described, catalogued] ² Equals [*Cicada rustica*] var. **ε** Fall. Equals

[*Cicada rustica*] var. *e* Zett.

[*Acocephalus striatus*] var. *c* Sahlberg 1871a: 357 nom. nov. pro

[*Acocephalus striatus*] var. **ε** Fallén [1806] Equals [*Acocephalus striatus*] var. *e* Zetterstedt

[*Acocephalus striatus*] var. *c* Siebke 1874a: 38 [Listed] ³

LOCALITIES: ¹ Sweden. ² Lapland. ³ Norway.

bicineta var. **e** Ossiannilsson [nom. nud.]

[*Aphrodes bicincta*] var. *e* Ossiannilsson 1938b: 68 [nom. nud., listed] ¹

LOCALITIES: ¹ Lapland.

bicineta var. *fasciata* Curtis. See *Aphrodes bicincta* von Schrank.

bicineta var. **γ** Fallén

[*Cicada rustica*] var. **γ** Fallén 1806a: 9 [n. var.] ¹

[*Cicada rustica*] var. **γ** Fallén 1826a: 24 [Described] ¹

[*Cicada rustica*] var. *b* Zetterstedt 1828a: 518 nom. nov. pro

[*Cicada rustica*] var. **γ** Fallén [1806] [Described, catalogued] ²

[*Pholetaera rustica*] var. *b* Zetterstedt 1840a: 288 [Described, catalogued] ² Equals [*Cicada rustica*] var. **γ** Fall. Equals

[*Cicada rustica*] var. *b* Zett.

[*Acocephalus striatus*] var. *b* Sahlberg 1871a: 356 [Described, catalogued] ³ Equals [*Acocephalus striatus*] var. **γ** Fall.

[*Acocephalus striatus*] var. *b* Siebke 1874a: 38 [Listed] ⁴

LOCALITIES: ¹ Sweden. ² Lapland. ³ Scandinavia. ⁴ Norway.

bicineta var. *obscura* Curtis. See *Aphrodes bicincta* von Schrank.

bicineta var. **obtusifrons** Kirschbaum

[*Acocephalus* (*Acocephalus*)] *obtusifrons* Kirschbaum 1868b: 74
[n. sp.] ¹

[*Acocephalus*] *obtusifrons* Kirschbaum 1868b: 75 [Comparative note]

bicincta var. **obtusifrons** Kirschbaum—Continued

- [*Acocephalus*] *obtusifrons* Fieber 1872a: 10 [Listed] ²
A[cocephalus] *obtusifrons* Scott 1873b: 266 [Listed] ²
[Acocephalus] *obtusifrons* Puton 1875a: 132 [Listed] ^{3, 4}
[Acocephalus nervosus] *obtusifrons* Signoret 1880c: 365 (141)
 [Notes, catalogued] Equals *A[cocephalus]* *obtusifrons* Kirschb.
A[cocephalus] *obtusifrons* Mayr 1884a: 30 [Listed] ⁴
[Acocephalus striatus] *obtusifrons* Puton 1886b: 80 [Listed] ^{3, 4}
[Acocephalus striatus] *obtusifrons* Melichar 1896a: 192 [Described]
[Acocephalus nervosus] *obtusifrons* Puton 1899a: 94 [Listed]
[Acocephalus nervosus] *obtusifrons* Lambertie 1901a: 204 (76)
 [Listed] ⁵
[Acocephalus nervosus] *obtusifrons* Hübner 1904a: 262 [Listed] ⁴
[Acocephalus nervosus] *obtusifrons* Hübner 1904b: 262 [Listed] ⁴
[Acocephalus nervosus] *obtusifrons* Oshanin 1906a: 90 [Catalogued] ⁴
 Equals *Acocephalus* *obtusifrons* Kirschb. Equals *Acocephalus*
striatus *obtusifrons* Mel.
[Acocephalus nervosus] *obtusifrons* Lambertie 1910a: 78 [Listed] ⁵
[Acocephalus nervosus] *obtusifrons* Oshanin 1912a: 103 [Listed] ⁶
[Aphrodes bicincta] *obtusifrons* Blöte 1927b: 68, 70 [Described] ⁷
[Aphrodes bicincta] *obtusifrons* China 1938b: 193 [Listed] ⁸
Aphrodes bicinctus *obtusifrons* China 1938e: 238 [Notes] ⁸
[Acocephalus] *obtusifrons* Wagner 1939a: 136 To *A[phrodes]*
albifrons Linné (?) [error]
[Aphrodes bicincta] *obtusifrons* Kloet and Hincks 1945a: 53
 [Listed] ⁸
[Aphrodes bicincta] *obtusifrons* China 1950a: 245 [Listed] ⁸

LOCALITIES: ¹ Prussia. ² Baden. ³ Austria. ⁴ Germany. ⁵ France. ⁶ Denmark. ⁷ Netherlands. ⁸ Great Britain.

bicincta var. *pulverulenta* Curtis. See *Aphrodes bicincta* von Schrank.

bicincta var. *rugosa* Curtis. See *Aphrodes bicincta* von Schrank.

bicincta var. *rustica* Fabricius. See *Aphrodes bicincta* von Schrank.

bicincta var. **signifrons** Rey

- Acocephalus striatus* *signifrons* Rey 1894b: 30 [n. var.] ¹
[Acocephalus nervosus] *signifrons* Oshanin 1910a: 159 [Catalogued] ¹
[Acocephalus nervosus] *signifrons* Oshanin 1912a: 103 [Listed] ¹
[Aphrodes] *signifrons* Blöte 1927d: 221 To *[Aphrodes bicincta]*
transversus Fabr. (?)

LOCALITIES: ¹ France.

bicincta var. *sparsa* Curtis. See *Aphrodes bicincta* von Schrank.

bicincta var. *striata* Fabricius. See *Aphrodes bicincta* von Schrank.

bicincta var. *transversa* Fabricius. See *Aphrodes bicincta* von Schrank.

bicincta var. *unicolor* Curtis. See *Aphrodes bicincta* von Schrank.
bicinctus. Typographical error for *Aphrodes bicinctus* von Schrank.
bicintus. Typographical error for *Aphrodes bicincta* von Schrank.
bifasciata Melichar (var.). See *Aphrodes albifrons* var. *bifasciata* Melichar.

bifasciata Linné

- [*Cicada bifasciata* Linné 1758a: 436 [n. sp.] ¹
Cicada bifasciata Linné 1761a: 234 [Described] ¹
[*Cicada*] *bifasciata* Pontoppidan 1763a: 681 [Listed] ⁵⁷
Cicada bifasciata Müller 1764a: 26 [Described, food plants] ⁵⁷
[*Cicada*] *bifasciata* Linné 1767a: 706 [Described, catalogued] ¹
Cicada bifasciata de Merian 1771c: 57 [Catalogued] ¹⁴
Cicada trifasciata De Geer 1773a: 186; pl. 11, fig. 25 nom. nov.
pro *Cicada bifasciata* Linné [1758] [Described, illustrated]
Cicada bifasciata Müller [P.L.S.] 1774a: 455 [Described] ¹
[*Cercopis*] *bifasciata* Fabricius 1775a: 689 [Catalogued] Equals
Cicada bifasciata Linné
[*Cicada*] *bifasciata* Müller [O.F.] 1776a: 102 [Described] ^{20, 57}
Cicada bifasciata von Schrank 1776a: 73 [Described]
[*Cicada*] *bifasciata* Goeze 1778a: 130 [Described, catalogued] ¹
Equals *Cicada trifasciata*
[*Cicada*] *trifasciata* Goeze 1778a: 161 [Described, catalogued] ⁴
Cicada trifasciata Goeze 1780a: 119 [Described, catalogued]
Equals *Cicada bifasciata* Linné
[*Cercopis*] *bifasciata* Fabricius 1781a: 330 [Catalogued] Equals
Cicada bifasciata Linné Equals *Cicada trifasciata* De G.
[*Cicada*] *bifasciata* Höslin 1782a: 170 [Described]
[*Cicada*] *trifasciata* Retzius 1783a: 82 [Described, catalogued]
Equals [*Cicada*] *bifasciata* Linné
[*Cicada*] *trifasciata* de Fourcroy 1785a: 190 [Described] ⁴
[*Cicada*] *bifasciata* De Villers 1789a: 456 [Described, catalogued] ^{1, 4}
[*Cicada*] *trifasciata* [sic] De Villers 1789a: 468 [Described] ⁴
[*Cicada*] *bifasciata* Gmelin 1789a: 2101 [Described, catalogued] ³
Equals *Cicada trifasciata* De G.
[*Cicada*] *tristriata* Gmelin 1789a: 2116 [n. sp.] ⁴
[*Cicada*] *bifasciata* Rossi 1792a: 219 To [*Cercopis*] *bifasciata* Fabr.
[nec Linné] [error]
[*Cicada*] *trifasciata* Rossi, 1792a: 219 To [*Cercopis*] *bifasciata*
Fabr. [nec Linné] [error]
Cicada trifasciata Petagna 1792a: 623 To [*Cercopis*] *bifasciata*
Fabr. [nec Linné] [error]
Cicada bifasciata Petagna 1792a: 623 To [*Cercopis*] *bifasciata*
Fabr. [nec Linné] [error]
Cicada bifasciata Panzer 1793c: 20 To *Cercopis bifasciata* Fabr.
[nec Linné] [error]

bifasciata Linné—Continued

- Cicada trifasciata* Panzer 1793c: 20 To *Cercopis bifasciata* Fabr.
[nec Linné] [error]
- [*Cercopis*] 2-fasciata Fabricius 1794a: 56 [Catalogued]
- Cic[ada] bifasciata* Georgi 1801a: 2062 [Catalogued]⁵
- C[icada] bifasciata* Dwigubsky 1802a: 119 [Described]⁴⁹
- Tettigonia tristriata* de Tigny 1802a: 162 [Described]^{3, 4}
- [*Cercopis*] *bifasciata* Turton 1802a: 587 [Described]¹
- Cicada tristriata* Turton 1802a: 603 [Described]⁴
- [*Cercopis*] 2-fasciata Fabricius 1803a: 98 [Catalogued] Equals
Cicada 2-fasciata Linné
- [*Cicada*] 2-fasciata Fallén 1806a: 12 [Described]¹ Equals *Cic[ada]*
3-fasciata De G. :13, 14 [Comparative notes]
- [*Cicada bifasciata*] *spuria* Fallén 1806a: 13 [n. var.]¹
- Cicada bifasciata* Rossi 1807a: 351 [Comparative note] Equals
[*Cicada*] *trifasciata* De G.
- [*Cicada*] 2-fasciata Billberg 1820a: 73 [Listed]¹
- [*Aphrophora bifasciata*] var. *a* Germar 1821a: 51 nom. nov. pro
Cicada bifasciata Linné [1758] Equals *Cerc[opis] xanthocephala*
von Schrank [error] Equals *Cerc[opis] bifasciata* Panz. [error]
- Cicada* [*bifasciata*] Germar 1821a: 51 To *A[phrophora] bifasciata*
[error]
- J[assus] obliquus* Germar 1821a: 89 [n. sp.]²²
- Cicada bifasciata* Hummel 1825a: 5 To *Cic[ada] rustica* Fall. [error]
- C[icada]* 2-fasciata Fallén 1826a: 26 [Described, catalogued]¹
Equals *Cic[ada]* 3-fasciata De G. Equals *Cerc[opis]* 3-fasciata
Fabr. [error] :12 [Comparative note]
- C[icada] bifasciata* Zetterstedt 1828a: 519 [Described, catalogued]⁶
Equals *Cercopis* 3-fasciata Fabr. [error]
- C[icada] spuria* Zetterstedt 1828a: 519 [Described, catalogued]⁶
Equals *Cicada bifasciata spuria* Fall.
- [*Aphrodes*] *bifasciata* Curtis 1829a: 193 [Listed]⁷
- [*Tettigonia*] *bifasciata* Curtis 1829a: 193 [Listed]^{7, 8}
- [*Tettigonia*] *bifasciata* Stephens 1829a: 66 [Listed]⁷ :357 [Cata-
logued]⁷ Equals *Ci[cada] bifasciata* Linné Equals *Cer[copis]*
bifasciata Kirby and Spence [error]
- [*Aphrodes bifasciata*] Curtis 1833a: 195 [Comparative note]
Equals *Cicada bifasciata* Linné
- [*Acucephalus spurius*] Herrich-Schäffer 1834b: 15 [Comparative
note] Equals *C[icada] spuria* Zett.
- Acucephalus bifasciatus* Herrich-Schäffer 1834c: 1 [Catalogued]⁵⁹
Equals *Cic[ada bifasciata]* Linné Equals *J[assus] obliquus* Germ.
- [*Acucephalus bifasciatus*] Burmeister 1835a: 112 Equals *C[icada]*
bifasciata Linné (nec Fabr.) Equals *C[icada] trifasciata* De G.

bifasciata Linné—Continued

- Cic[ada] bifasciata* Burmeister 1835a: 122 To [*Aphrophora bifasciata*] var. *a* Burm. [error]
- [*Acucephalus*] *albifrons* [nec Linné] Herrich-Schäffer 1835a: 72 [Key]
- [*Cicada*] *albifrons* [nec Linné] Herrich-Schäffer 1835a: 102 [Listed]
- [*Cicada*] *bifasciata* Herrich-Schäffer 1835a: 102 To *Acucephalus bifasciatus* Linné
- [*Acucephalus*] *bifasciatus* Herrich-Schäffer 1835a: 115 [Catalogued] Equals [*Jassus*] *trifasciatus* Germ. [error] Equals *Cic[ada] trifasciata* De G. Equals *Cic[ada bifasciata]* Linné Equals *Cercopis bifasciata* Fabr. [nec Linné] [error]
- Acue[ephalus] biafsc[iatus]* [sic] Herrich-Schäffer 1835a: 108 Equals [*Cercopis*] *trifasciata* Fabr. [error]
- [*Cicada*] *trifasciata* Herrich-Schäffer 1835a: 104 To *Ac[ucephalus] bifasc[iatus]*
- [*Acucephalus*] *spurius* Herrich-Schäffer 1835a: 116 [Catalogued] Equals *Cic[ada] bifasciata spur[ia]* Fall. Equals *Cic[ada spuria]* Zett.
- [*Cicada*] *spuria* Herrich-Schäffer 1835a: 104 To *Acuceph[alus] spurius* Zett.]
- [*Jassus*] *obliquus* Herrich-Schäffer 1835a: 113, 115 To *Acuceph[alus] albifrons* Linné [error]
- [*Acucephalus*] *bifasciatus* Curtis 1836a: pl. 6, 20 [Described, catalogued]¹²
- [*Acucephalus*] *bifasciatus* Curtis 1837a: 222 [Listed]⁷
- Jassus obliquus* Germar 1837b: pl. 16 To *Jassus subrusticus* Fall. [error]
- [*Acucephalus*] *spurius* Gistel 1837a: 110 (15) [Listed]⁵⁹ Equals [*Acucephalus*] *seratulae* [sic] Germ. [error]
- Cicada bifasciata* Blanchard 1840a: 189 To *Aphrophora bifasciata* [nec Linné] [error]
- A[cocephalus] albifrons* [nec Linné] Herrich-Schäffer 1840a: 382 [Listed]⁵⁹
- Ph[oletaera] bifasciata* Zetterstedt 1840a: 289 [Described, catalogued]⁶ Equals *Cercopis 3-fasciata* Fabr. [error]
- C[icada] bifasciata* Zetterstedt 1840a: 288 [Comparative note]
- Ph[oletaera] spuria* Zetterstedt 1840a: 288 [Described, catalogued]⁶ Equals *Cicada bifasciata spuria* Fall. Equals *Cicada spuria* Zett.
- [*Ptyelus bifasciatus*] Amyot and Serville 1843a: 567 Equals *Cicada bifasciata* Linné

bifasciata Linné—Continued

- [*Cicada*] *bifasciatus* Amyot 1847a: 192 To *Ptyelus* Amy. [non binom.] [error]
- [*Cicada*] *trifasciatus* Amyot 1847a: 192 To *Ptyelus* Amy. [non binom.] [error]
- Penthotaenia* Amyot 1847a: 206 [non binom., described] ⁴ Equals [*Aphrodes*] *tricincta* Curt. [error] Equals [*Cicada*] *bifasciata* Linné
- [*Cicada*] *bifasciatus* Amyot 1848a: 388 To *Ptyelus* Amy. [non binom.] [error]
- [*Cicada*] *trifasciatus* Amyot 1848a: 388 To *Ptyelus* Amy. [non binom.] [error]
- Penthotaenia* Amyot 1848a: 402 [non binom., described] ⁴ Equals [*Aphrodes*] *tricincta* Curt. [error] Equals [*Cicada*] *bifasciata* Linné
- Cicada* [*bifasciata*] Lucas 1849a: 107 To *Ptyelus bifasciatus* [nec Linné] [error]
- Cicada bifasciata* Blanchard 1850a: 189 To *Aphrophora bifasciata* [nec Linné] [error]
- Acucephalus bifasciatus* Boheman 1850a: 261 [Ecology] ¹¹
- [*Athysanus*] *bifasciatus* Dahlbom 1850a 186 [Listed] ¹¹
- Acocephalus bifasciatus* Walker 1851b: 850 [Catalogued] ^{10, 12, 13} Equals *Cicada bifasciata* Linné Equals *Cicada trifasciata* De G. Equals *Acucephalus bifasciatus* Curt. Equals *Pholetaera bifasciata* Zett. Equals *Cicada tristriata* Geoffr. (?) Equals *Acucephalus tricinctus* Curt. [error] Equals *Cicada bistriata* Geoffr. (?) [error] Equals *Cercopis trifasciata* Fabr. [error] Equals *Iassus trifasciatus* Germ. [error]
- Cicada bifasciata* Walker 1851b: 720 To *Ptyelus bifasciatus* [nec Linné] [error]
- Cicada trifasciata* Walker 1851b: 720 To *Ptyelus bifasciatus* [nec Linné] [error]
- Acocephalus spurius* Walker 1851b: 850 [Catalogued] ¹ Equals *Cicada bifasciata spuria* Fall. Equals *Cicada spuria* Zett. Equals *Pholetaera spuria* Zett.
- Acucephalus bifasciatus* Boheman 1852b: 119 [Ecology] ¹
- [*Acocephalus*] *bifasciatus* de Graaf and Snellen van Vollenhoven 1854a: 184 [Catalogued] ¹⁶
- P[holetaera] bifasciata* Perris 1857a: 172 (92) [Ecology] ⁶⁰
- Acocephalus bifasciatus* Stål 1858e: 192 [Catalogued] ²¹
- [*Acucephalus*] *bifasciatus* Dohrn 1859a: 84 [Listed] ³ Equals [*Acucephalus*] *trifasciatus* De G. Equals [*Acucephalus*] *tricinctus* Curt. [error]

bifasciata Linné—Continued

- [*Acucephalus*] *spurius* Dohrn 1859a: 84 [Listed] ¹
Ptyelus trifasciatus Signoret 1860c: lxxxviii [Listed] ^{4, 43, 79}
[Acocephalus] bifasciatus Walker 1860a: 19 [Listed] ¹² Equals
[Acocephalus] tricinctus Curt. [error]
Acocephalus (Acocephalus) bifasciatus Flor 1861a: 201 [Described, catalogued] ^{1, 2, 4, 5, 6, 11, 12, 14, 15} Equals *Acuc[ephalus] trifasciatus* Curt. [error] Equals *Cercopis trifasciata* Fabr. [error] Equals *Jassus trifasciatus* Germ. [error] Equals *Diadessmia* Amyot [non binom.] [error] Equals *Cicada albifrons* von Schrank [error] Equals *Penthotaenia* Amyot [non binom.] Equals *Acuc[ephalus] bifasciatus* Curt. Equals *Cicada trifasciata* De G. Equals *Cicada [bifasciata]* Fall. Equals *Acuceph[alus] albifrons* Herr.-Schäff. [nec Linné] Equals *Jassus subrusticus* Germ. [in part] Equals *Jassus obliquus* Germ. Equals *Acucephalus dispar* Germ. [error] Equals *Pholetaera bifasciata* Zett. Equals *Pholetaera spuria* :198 [Key]
Acocephalus bifasciatus Flor 1861b: 631 [Listed] ²¹
[Acucephalus] bifasciatus Curtis 1862a: pl. 620 [Described] ¹²
Acocephalus bifasciatus Fuss 1862a: 18 [Listed] ⁶¹
[Acocephalus] bifasciatus de Graaf, Six, and Snellen van Vollenhoven 1862a: 81 [Catalogued] ¹⁶
C[icada (Pholetaera)] bifasciata Thomson 1862a: 124 [Key]
Acucephalus bifasciatus Frey-Gessner 1865a: 154 [Listed] ¹⁵
Acocephalus bifasciatus Marshall 1865j: 146 [Described, catalogued] ¹² Equals *Cicada bifasciata* Linné Equals *Iassus obliquus* Germ. Equals *Acoceph[alus] albifrons* Herr.-Schäff. [nec Linné] Equals *[Acocephalus] tricinctus* Curt. [error] Equals *[Iassus] subrusticus* Fall. [error] Equals *Acoceph[alus] dispar* Herr.-Schäff. [error]
[Acocephalus] bifasciatus Morris 1865a: 111 [Listed] ⁷
Aglena tristriata Bellevoye 1866a: 144: (32) [Listed] ⁴
[Iassus] obliquus Marshall 1866a: 177 To *Acocephalus albifrons* Linné [error]
[Acocephalus] bifasciatus Marshall 1866l: 118 [Listed] ¹³
Ac[ucephalus] bifasciatus [sic] Bold 1867a: 129 [Notes] ¹²
A[cocephalus (Acocephalus)] bifasciatus Kirschbaum 1868b: 76 [Key, catalogued] ^{15, 17}
[Acocephalus] bifasciatus Kirschbaum 1868b: 78 [Comparative note]
A[cocephalus] bifasciatus Sahlberg 1868b: 191 [Listed] ¹⁸
[Acocephalus] bifasciatus Oshanin 1870a: 58 [Notes] ⁴⁹
Acocephalus bifasciatus Oshanin 1871c: 108 [Listed]

bifasciata Linné—Continued

- A[cocephalus] bifasciatus* Sahlberg 1871a: 357 [Described] ^{1, 19, 20}
 Equals *Cicada* [*bifasciata*] Linné Equals *Pholetaera* [*bifasciata*]
 Zett. Equals *Cicada* 3-fasciata De G. Equals *Jassus obliquus*
 Germ. Equals *Pholetaera spuria* Zett. Equals *Cercopis* [*trifasciata*]
 Fabr. [error] :36, 37 [Ecology]: 54 [Listed] ^{1, 19, 20}
- [*Acocephalus*] *bifasciatus* Fieber 1872a: 10 [Listed] ^{3, 21} Equals
 [*Acocephalus*] *spurius* Zett. Equals [*Acocephalus*] *trifasciatus* De
 G. Equals [*Acocephalus*] *tricinctus* Curt. [error] Equals [*Acocephalus*]
obliquus [sic] Germ. Equals [*Acocephalus*] *subrusticus*
 Germ. [in part]
- [*Acocephalus*] *granulatus* Fieber 1872a: 10 [nom. nud., listed] ²²
Jassus obliquus Fieber 1872b: 34 To *Acoceph[alus] albifrons* Linné
 [error] To *Acoceph[alus] ornatus* Fieb. [nom. nud.] [error]
- Acoc[ephalus] bifasciatus* Fieber 1872b: 34 Equals *Jassus obliquus*
 Germ.
- Acoceph[alus] bifasciatus* Fieber 1872c: 34 [Listed]
- A[cocephalus] bifasciatus* Scott 1873b: 264 [Notes] ⁷
- A[cocephalus] granulatus* Scott 1873b: 266 [nom. nud., listed] ²²
- Acocephalus bifasciatus* Douglas 1874a: 118 [Ecology] ¹³
- A[cocephalus] bifasciatus* Raddatz 1874a: 87 [Listed] ²³
- Ac[cocephalus] bifasciatus* Siebke 1874a: 38 [Listed] ²⁰
- [*Acocephalus*] *bifasciatus* Kittel 1875a: 5 [Listed] ^{6, 59}
- [*Acocephalus*] *bifasciatus* Puton 1875a: 133 [Listed] ³ Equals
 [*Acocephalus*] *tricinctus* Curt. [error] Equals [*Acocephalus*]
trifasciatus De G. Equals [*Acocephalus*] *obliquus* Germ. Equals
 [*Acocephalus*] *spurius* Zett. Equals [*Acocephalus*] *subrusticus*
 Germ. (in part)
- [*Acocephalus*] *granulatus* Puton 1875a: 132 [nom. nud., listed] ^{2, 14}
- [*Acocephalus*] *bifasciatus* Douglas and Scott 1876a: 74 [Catalogued] ⁷ Equals *Acocephalus tricinctus* Curt. [error] Equals
Pholetaera spuria Zett. Equals *Jassus obliquus* Germ. Equals
Cicada trifasciata De G. Equals *Cicada bifasciata* Linné Equals
Jassus subrusticus Germ. [in part]
- Acocephalus bifasciatus* Lethierry 1876a: lxxxiii (7) [Comparative
 note]
- Acocephalus bifasciatus* Lethierry 1876c: 11 [Comparative note]
- Acocephalus bifasciatus* Frivaldszky 1877a: 377 [Listed] ⁵⁶
- A[cocephalus] bifasciatus* Horváth 1878a: 86 [Listed] ⁵⁰
- [*Acocephalus*] *bifasciatus* Lethierry 1878c: xxxviii [Listed] ²⁴
- Acocephalus bifasciatus* Bolívar and Chicote 1879a: 181 (35)
 [Listed] ²⁵

bifasciata Linné—Continued

- A[cocephalus] bifasciatus* Norman 1879a: 256 [Listed] ¹³
- A[cocephalus] bifasciatus* Signoret 1879a: 66 (20); pl. 1, fig. 8 [Described, catalogued, illustrated] ³ Equals [*Cicada*] *tristriata* Gmel. Equals [*Cicada*] *bifasciata* Panz. Equals *Cerc[opsis]* *bifasciata* Fabr. Equals *Jassus subrusticus* Germ. [in part] Equals *Penthotaenia* Amyot [non binom.] Equals *Jassus obliquus* Germ. Equals [*Cicada*] *3-fasciata* De G. Equals *A[cocephalus] granulatus* Fieb. [nom. nud.] Equals *Pholetera* [sic] *bifasciata* Zett. Equals [*Acocephalus*] *interruptus* Fieb. [error]
- [Acocephalus albifrons] bifasciatus* Signoret 1879a: 79 (33) [Described]
- A[cocephalus] bifasciatus* Signoret 1879a: 70 (24) To *A[cocephalus] trifasciatus* de Fourcr. [error]
- [Acocephalus albifrons] obliquus* Signoret 1879a: 79 (33) [Described] Equals [*Acocephalus*] *subrusticus* Germ. [in part]
- [Acucephalus] bifasciatus* Brancsik 1880a: 30 [Listed] ²⁶
- A[cocephalus] bifasciatus* Herve 1880a: 36 [Listed] ⁴
- A[cocephalus] bifasciatus* Norman 1880a: 213 [Listed] ¹³
- A[cocephalus] bifasciatus* Reiber and Puton 1880a: 62 [Listed] ²⁷
- A[cocephalus] bifasciatus* Reuter 1880a: 206 [Listed] ^{28, 29}
- [Acocephalus] bifasciatus* Mayr 1881a: 93 (17) [Listed] ³⁰
- Acocephalus granulatus* Chicote 1882a: 90 [nom. nud., listed] ³¹
- A[cocephalus] bifasciatus* Cooke 1882a: 72 [Listed] ¹²
- Ac[cocephalus] bifasciatus* von Dalla Torre 1882a: 57 [Listed] ³⁰
- Acocephalus bifasciatus* Heller and von Dalla Torre 1882a: 25 (18) [Listed] ³⁰
- [Acocephalus] bifasciatus* Bloomfield 1883a: 34 [Listed] ¹²
- A[cocephalus] bifasciatus* Karsch 1883a: 653 [Described]
- A[cocephalus] bifasciatus* Lomnicki 1884a: 235 [Listed] ⁵⁵
- [Acocephalus] bifasciatus* Kieffer 1884a: 80 [Ecology] ⁶²
- A[cocephalus] bifasciatus* Mayr 1884a: 30 [Listed] ³
- A[cocephalus] granulatus* Mayr 1884a: 30 [nom. nud., listed] ¹⁴
- A[cocephalus] bifasciatus* Fairmaire 1885a: 155 [Described] ⁴
- A[cocephalus] bifasciatus* Ivanoff 1885a: 125 (43) [Key] ⁵ :91 (9) [Listed] ⁵
- A[cocephalus] bifasciatus* Reuter 1885a: 30 [Listed] ³²
- Acocephalus bifasciatus* Bucaille 1886a: 175 [Listed] ⁴
- Acocephalus bifasciatus* Capon 1886a: 264 [Listed] ¹²
- A[cocephalus] bifasciatus* Lethierry 1886a: 95 [Listed] ⁴
- Acocephalus bifasciatus* Löw 1886a: 499 [Ecology] ⁸⁶

bifasciata Linné—Continued

- [*Acocephalus*] *bifasciatus* Puton 1886b: 80 [Listed] ³ Equals
 [*Acocephalus*] *trifasciatus* De G. Equals [*Acocephalus*] *tristriatus*
 Gmel. Equals [*Acocephalus*] *obliquus* Germ. Equals [*Acocephalus*] *subrusticus* Germ. [in part]
Acocephalus *bifasciatus* Then 1886a: 26 [Listed] ^{2, 3, 30, 55}
Acocephalus *bifasciatus* de Carlini 1887a: 273 [Listed] ¹⁰
Acocephalus *bifasciatus* Fauvel 1887a: 17 [Listed] ⁴
Acocephalus *bifasciatus* Edwards 1888d: 20 [Described, catalogued] ⁷ Equals [*Acocephalus*] *nigritus* Kirschb. [error] Equals
Acocephalus *trifasciatus* Sahlb. [error] Equals *Jassus* *trifasciatus*
 Germ. [error] Equals *Acocephalus* *interruptus* Fieb. [error]
 Equals *Cicada* *bifasciata* Linné Equals *Acocephalus* *tricinctus*
 Curt. [error] Equals *Acocephalus* *dispar* Kirschb. [nec Zett.]
 [error] :19 [Key]
Acocephalus *bifasciatus* Edwards 1889a: 706 [Listed] ¹²
Acocephalus *bifasciatus* Dominique 1890a: 112 (28) [Listed] ⁴
Acocephalus *bifasciatus* Duda 1890a: 21 [Food plants] ³⁶
Acocephalus *bifasciatus* Funk 1890a: 141 [Listed]
Acocephalus *bifasciatus* Saunders and Edwards 1890a: 13
 [Listed] ⁷
Acocephalus *bifasciatus* Alfken 1891a: 106 [Listed] ³³
Acocephalus *bifasciatus* Buckton 1891a: 13; pl. XL, fig. 5 [Described, catalogued, illustrated] ^{3, 34} Equals [*Acocephalus*] *nigrilis* [sic] Kirschb. [error] Equals *Acocephalus* *dispar* Kirschb.
 [nec Zett.] [error] Equals *Acocephalus* *interruptus* Fieb. [error]
 Equals *Jassus* *subrusticus* Germ. [in part] Equals *Penthotaenia*
bifasciata Curt.] Equals *Acocephalus* *trifasciatus* Sahlb. [error]
 Equals *Acocephalus* *tricinctus* Curt. [error]
Acocephalus *bifasciatus* Fokker 1891a: 372 [Listed] ¹⁶
Acocephalus *bifasciatus* Jakovleff 1891a: 426 [Listed] ⁵
Acocephalus *bifasciatus* Coubeaux 1892a: 35 (2) [Listed] ²⁴
Acocephalus *bifasciatus* Dominique 1892a: 120 [Listed] ⁴
Acocephalus *bifasciatus* Duda 1892a: 32 [Listed] ³⁶ Equals [*Acocephalus*] *trifasciatus* De G. Equals [*Acocephalus*] *obliquus*
 Germ. Equals [*Acocephalus*] *subrusticus* Germ. [in part]
Acocephalus *bifasciatus* Ferrari 1892a: 572 (24) [Listed] ¹⁰
Acocephalus *bifasciatus* Lethierry 1892b: 24 [Listed] ²⁴
Acocephalus *bifasciatus* Spitzner 1892a: 30 [Ecology] ³⁷
Acocephalus *bifasciatus* Bezzi 1893a: 111 (31) [Listed] ¹⁰
Acocephalus *bifasciatus* M'Gregor 1893a: 220 [Listed] ¹³
Acocephalus *bifasciatus* M'Gregor 1893b: 93 [Listed] ¹³

bifasciata Linné—Continued

- A[cocephalus] bifasciatus* Olivi 1893a: 142 [Listed] ¹⁰ Equals [*Acocephalus*] *trifasciatus* Equals [*Acocephalus*] *tricinctus* [error] Equals [*Acocephalus*] *rusticus* [error]
- Acocephalus bifasciatus* Krieghoff 1894a: 290 [Ecology] ⁶³
- [*Cicada*] *bifasciata* Linné 1894a: 436 [n. sp., reprinted] ¹
- Acocephalus bifasciatus* Rey 1894b: 30 [Notes] ⁴
- A[cocephalus] bifasciatus* Edwards 1895a: 121; pl. 14, fig. 5 [Described, illustrated, ecology] ^{12, 13} :119 [Key]
- Acocephalus bifasciatus* Melichar 1896a: 193 [Described, catalogued] ^{2, 3, 14, 15, 17, 30, 55, 64} Equals *Acu[cephalus] bifasciatus* Curt. Equals *Cicada trifasciata* De G. Equals *Cicada* [*bifasciata*] Fall. Equals *Jassus obliquus* Germ. ♀ Equals *Jassus subrusticus* Germ. ♀ [in part] Equals *Pholetaera bifasciata* Zett. Equals *Ph[oletaera] spuria* Zett. Equals *A[cucephalus] albifrons* Herr.-Schäff. ♂ [nec Linné] Equals *A[cucephalus] trifasciatus* Curt. [error] Equals *Cercopis trifasciata* Fabr. [error] Equals *J[assus] trifasciatus* Germ. ♀ [error] Equals *A[cucephalus] dispar* Herr.-Schäff. [error] :191 [Key] :195 [Comparative note]
- [*Acucephalus] bifasciatus* Acloque 1897a: 404 [Key] ⁴
- [*Acocephalus] bifasciatus* Horváth 1897c: 50 [Listed] ⁵⁶
- [*Acucephalus] bifasciatus* Lange 1898a: 102 [Listed] ⁵⁸
- [*Acocephalus] bifasciatus* Horváth 1899b: 469 [Listed] ⁴³
- [*Acocephalus] bifasciatus* Puton 1899a: 94 [Listed] ³ Equals [*Acocephalus*] *tristriatus* Gmel. Equals [*Acocephalus*] *trifasciatus* De G. Equals [*Acocephalus*] *obliquus* Germ. Equals [*Acocephalus*] *subrusticus* Germ. [in part]
- [*Acocephalus albifrons*] *obliquus* Puton 1899a: 94 [Listed] ³
- Acocephalus bifasciatus* Melichar 1900a: 43 [Listed] ²¹
- Acocephalus bifasciatus* Montandon 1900a: 749 [Listed] ⁴⁰
- [*Acocephalus] bifasciatus* Strobl 1900a: 211 [Listed] ³⁸
- Acocephalus befasciatus* [sic] Bachmetjew 1901a: 251 [Notes] ⁵
- [*Acocephalus] bifasciatus* Lambertie 1901a: 204 (76) [Listed] ⁴
- Acocephalus bifasciatus* Cobelli 1902a: 18 [Listed] ³⁰
- A[cocephalus] bifasciatus* Dominique 1902a: 215 [Listed] ⁴
- Acocephalus bifasciatus* Lambertie 1902b: 325 [Listed] ⁴
- Acocephalus bifasciatus* Lambertie 1902c: lxxix [2], lxxx [3] [Listed] ⁴
- Acocephalus bifasciatus* Melichar 1902c: 123 (48) [Catalogued] ^{46, 65}
- Cicada bifasciata* Sherborn 1902a: 120 [Catalogued]
- Acocephalus bifasciatus* Strand 1902a: 269 [Listed] ²⁰

bifasciata Linné—Continued

- [*Acocephalus*] *bifasciatus* Hübner 1904a: 262 [Listed] ¹⁴ Equals
 [*Acocephalus*] *trifasciatus* De G. Equals [*Acocephalus*] *tristriatus*
 Gmel. Equals [*Acocephalus*] *obliquus* Germ. Equals [*Acocephalus*]
subrusticus Germ. [in part]
- [*Acocephalus*] *bifasciatus* Hübner 1904b: 262 [Listed] ¹⁴ Equals
 [*Acocephalus*] *tristriatus* Gmel. Equals [*Acocephalus*] *trifasciatus*
 De G. Equals [*Acocephalus*] *obliquus* Germ. Equals [*Acocephalus*]
subrusticus Germ. [in part]
- [*Acocephalus*] *albifrons* *obliquus* Hübner 1904a: 263 [Listed] ¹⁴
 [*Acocephalus*] *albifrons* *obliquus* Hübner 1904b: 263 [Listed] ¹⁴
 [*Acocephalus*] *bifasciatus* Lambertia 1904a: 28 (12) [Listed] ⁴
 [*Acocephalus*] *bifasciatus* Morley 1905b: 27 [Listed] ¹²
Acocephalus *bifasciatus* Matsumura 1906a: 66, 72 [Listed] ²²
 [*Acocephalus*] *bifasciatus* Oshanin 1906a: 90 [Catalogued] ^{1, 2, 4, 7,}
^{14, 19, 21, 25, 28, 40, 41, 42, 43, 44, 45, 46, 47, (?)}, ^{48, 49, 50, 56} Equals *Ci-*
cada tristriata Gmel. Equals *Cicada bifasciata* Linné Equals
Jassus subrusticus Germ. [in part] Equals *Jassus obliquus* Germ.
 Equals *Cicada trifasciata* De G. Equals *Pholetaera spuria* Zett.
- [*Acocephalus*] *albifrons* *obliquus* Oshanin 1906a: 93 [Catalogued]
 Equals *Jassus obliquus* Germ. Equals *Jassus subrusticus* Germ.
 [in part]
- [*Acocephalus*] *bifasciatus* Strand 1906a: 8 [Listed] ²⁰
Acocephalus *bifasciatus* Butler 1907a: 56 [Listed] ¹²
Ac[occephalus] *bifasciatus* Oshanin 1907b: 228 (16) [Listed] ⁴⁷
Acoc[ephalus] *bifasciatus* Oshanin 1908b: 421 [Listed] ^{16, 24, 47}
 [*Acocephalus*] *bifasciatus* Saunders and Edwards 1908a: 12
 [Listed] ⁷
Acocephalus *bifasciatus* Whittaker 1908a: 20 [Listed] ¹²
A[cocephalus] *bifasciatus* Edwards 1909c: 201 [Described] ¹²
Acocephalus *bifasciatus* Lambertia 1909e: clx [Ecology] ⁴
 [*Acocephalus*] *bifasciatus* Lambertia 1910a: 78 [Listed] ⁴ Equals
 [*Acocephalus*] *tristriatus* Gmel. Equals [*Acocephalus*] *trifasciatus*
 De G. Equals [*Acocephalus*] *obliquus* Germ. Equals [*Acocephalus*]
subrusticus Germ. [in part]
- Acoceph[alus]* *bifasciatus* Oshanin 1910a: 159 [Catalogued]
Acocephalus *bifasciatus* Dahl 1912a: 439 (101) [Key] :401 (63)
 [Ecology] ²²
A[cocephalus] *bifasciatus* Haupt 1912b: 451 (6) [Listed] ⁶³
Acocephalus *bifasciatus* Matsumura 1912b: 289 [Catalogued] ⁵¹
 Equals *Cicada bifasciata* Linné
- [*Acocephalus*] *bifasciatus* Oshanin 1912a: 103 [Listed] ^{3, 35, 43, 44, 45}
 Equals [*Acocephalus*] *trifasciatus* De G. Equals [*Acocephalus*]

bifasciata Linné—Continued

tristriatus Gmel. Equals [*Acocephalus*] *obliquus* Germ. Equals [*Acocephalus*] *subrusticus* Germ. [in part] Equals [*Acocephalus*] *spurius* Zett.

[*Acocephalus*] *bifasciatus* Schmidt 1912g: 156 [Listed] ⁵²

A[*cocephalus*] *bifasciatus* von Dalla Torre 1913a: 151 [Listed] ³⁰

Acocephalus bifasciatus Strand 1913a: 272 [Listed] ²⁰

A[*cocephalus*] *bifasciatus* Melichar 1914a: 130 (4) [Listed] ⁴³

A[*cocephalus*] *bifasciatus* Edwards 1915a: 206 [Comparative note]

[*Acocephalus*] *bifasciatus* Jacobsen 1915a: 323 [Listed] ⁵⁷

[*Acocephalus*] *bifasciatus* Jensen-Haarup 1918a: 40 [Key]

A[*cocephalus*] *bifasciatus* Jensen-Haarup 1918b: 97 [Described] ⁵⁷

A[*cocephalus*] *bifasciatus* Jensen-Haarup 1920a: 110 [Described] ⁵⁷
:107 [Key]

A[*cocephalus*] *bifasciatus* Tullgren and Wahlgren 1920a: 147; pl. III, fig. 15, text fig. 100d [Notes, illustrated] ¹

Acocephalus bifasciatus Stichel 1922a: 132 [Listed]

A[*cocephalus*] *bifasciatus* Prohaska 1923a: 85 [Ecology] ⁶⁶

A[*cocephalus*] *bifasciatus* Hofmänner 1924a: 53, 69 [Listed] ^{15, 88, 89}

A[*cocephalus*] *bifasciatus* Lindberg 1924a: 16, 42 [Listed] ¹⁹

A[*cocephalus*] *trifasciatus* Buchner 1925a: 149 [Symbionts]

[*Acocephalus*] *bifasciatus* Della Beffa 1925a: 144 [Listed] ¹⁰

A[*cocephalus*] *bifasciatus* Haupt 1925a: 14 [Listed] ⁵⁹ :16
[Ecology] ⁵⁹ :14, 16 Equals *A*[*cocephalus*] *trifasciatus* de Fourcr. [error]

Acocephalus bifasciatus Blöte 1926b: 141 [Listed] ¹⁶

A[*phrodes*] *bifasciatus* Blöte 1927b: 70 [Described] ¹⁶ :66, 67
[Key]

[*Aphrodes albifrons*] *obliquus* Blöte 1927b: 71 [Described] ¹⁶

Aphrodes bifasciatus Blöte 1927c: 55 [Listed] ¹⁶ Equals
Acocephalus [*bifasciatus* Linné]

Aphrodes bifasciatus Blöte 1927d: 222 [Listed] ¹⁶ Equals *Acocephalus* [*bifasciatus* Linné]

Acocephalus bifasciatus Kusnezov 1927a: 259 [Listed] ^{43, 53}

A[*cocephalus*] *bifasciatus* Poisson and Poisson 1927a: 137 [Listed] ⁴

A[*cocephalus*] *bifasciatus* Brown 1928a: 63 [Listed] ⁵⁴

A[*cocephalus*] *bifasciatus* Filipieff 1928a: 152 [Key] ⁵

Acocephalus bifasciatus Ivanov 1928b: 493 [Listed] ⁶⁷

Acocephalus bifasciatus Ivanov 1928c: 189 [Listed] ⁶⁷

Aphrodes bifasciatus Peus 1928a: 572, 574, 643 [Ecology] ⁶⁸

Acocephalus bifasciatus Kusnezov 1929a: 314 [Listed] ⁴⁴

Acocephalus bifasciatus Kusnezov 1929f: 34 [Notes] ⁴⁴ :35 [Listed]

[*Acocephalus albifrons*] *bifasciatus* Lallemand 1929e: 3 [Listed] ⁶⁹

bifasciata Linné—Continued

- Acocephalus bifasciatus* Lallemand 1929e: 3 [Listed] ⁶⁹
Jassus obliquus Sherborn 1929a: 4465 [Catalogued]
A[cocephalus] bifasciatus Britten 1930a: 72 [Listed] ¹²
Cicada spuria Sherborn 1930c: 6110 [Catalogued] Equals
C[cicada] bifasciata [spuria] Fall.
Aphrodes bifasciatus Haupt 1931b: 227 [Food plants] ²³
Aphrodes bifasciatus Rabeler 1931a: 227, 229, 282 [Ecology] ²³
Acocephalus bifasciatus Kusnezov 1932b: 231 [Listed]
Aphrodes bifasciatus Peus 1932a: 112 [Ecology] ³
[Acocephalus] bifasciatus Acloque 1934a: 404 [Key] ⁴
A[cocephalus] bifasciatus Murray 1934a: 263 [Ecology] ¹³
A[cocephalus] bifasciatus Ossiannilsson 1934a: 134 [Listed] ¹
Penthotaenia Schulze, Kükenthal, and Heider 1934a: 2575
[non binom., catalogued]
Acocephalus bifasciatus Thornley 1934a: 78 [Listed] ¹²
[Aphrodes] bifasciatus Haupt 1935a: 168, 169; fig. 318 [Key,
ecology, illustrated] ¹⁴
[Aphrodes] bifasciatus Haupt 1935a: 168 Equals *[Aphrodes]*
trifasciatus de Fourcr. [error]
[Acocephalus] bifasciatus Karl 1935a: 137 [Listed] ⁵²
A[phrodes] bifasciatus Wagner 1935a: 13 [Notes] ^{12, 23, 57, 70, 71, 72,}
^{73, 74, 75, 76}
A[cocephalus] bifasciatus Wu 1935a: 79 [Catalogued] ^{1, 2, 4, 5, 7, 14}
^{25, 40, 43, 44, 45, 56} Equals *Cicada trifasciata* De G. Equals
Jassus obliquus Germ. Equals *Pholetaera spuria* Zett. Equals
Cicada tristata [sic] Gmel. Equals *Jassus subrusticus* Germ.
[in part]
A[phrodes] bifasciatus Kuntze 1937a: 327, 338, 341, 346, 358
[Ecology] ²³ :358 Equals *[Aphrodes] tricinctus* Haupt [error]
A[phrodes] bifasciatus Kuntze 1937b: 25 [Ecology] ²³
A[phrodes] bifasciatus Wagner 1937b: 68; figs. 2a–b [Notes,
illustrated] ^{71, 75, 77, 78} :66 [Key] :67, 68 [Comparative notes]
Aphrodes bifasciatus Kontkanen 1938a: 11, 29 [Ecology] ¹⁹
Aphrodes bifasciatus Nast 1938d: 227 (3) [Listed] ⁷⁹
A[phrodes] bifasciatus Ossiannilsson 1938b: 69 [Catalogued] ⁶ :68
Equals *Pholetaera bifasciata* Equals *[Aphrodes bifasciata]*
var. a
Pholetaera spuria Ossiannilsson 1938b: 68 [Catalogued] ⁶
[Cicada] bifasciata Linné 1939a: 436 [n. sp., reprinted] ¹
Acocephalus bifasciatus de Seabra 1939b: 33, 66 [Listed] ⁶⁹
Acocephalus bifasciatus de Seabra 1939c: 171 [Listed] ⁶⁹
[Aphrodes] bifasciatus (?) Wagner 1939a: 136 [Notes]
Penthotaenia Neave 1940a: 654 [non binom., catalogued]

bifasciata Linné—Continued

- A[phrodes] bifasciatus* Wagner 1941a: 149 [Listed] ^{52, 80}
[Acocephalus] bifasciatus de Seabra 1942a: 9 [Listed] ⁶⁹
Aphrodes bifasciatus Ossiannilsson 1943c: 16, 37 [Listed] ²⁰
A[phrodes] bifasciatus Dlabola 1944b: 95 [Listed]
Aphrodes bifasciatus Holgersen 1944a: [Ecology] ^{3, 20, 45, 81} Equals
Acocephalus [bifasciatus] :27, 33, 36 [Listed]
A[phrodes] bifasciatus Reclaire 1944a: 229 [Ecology] ⁷⁶
A[phrodes] bifasciatus Roche 1944a: 83 [Listed] ¹²
[Aphrodes] bifasciatus Kloet and Hincks 1945a: 53 [Listed] ⁷
Aphrodes bifasciatus Holgersen 1946a: 135 [Listed] ²⁰
Aphrodes bifasciatus Lang 1947a: 24 [Ecology] ³⁷
A[phrodes] bifasciatus Lindberg 1947a: 28 [Ecology, catalogued] ¹⁹
 Equals *Cicada bifasciata* Linné Equals *Acocephalus bifasciatus*
 Sahlb. :72 [Listed] ¹⁹
A[phrodes] bifasciatus Ossiannilsson 1947b: 160; figs. 330, 331,
 362, 363 [Described, ecology, illustrated] ^{1, 19, 20, 57} :159 [Key]
 :162 [Comparative note]
Aphrodes bifasciatus Villiers 1947a: 55; pl. IV, fig. 67 [Described,
 illustrated, ecology] ⁴
Aphrodes bifasciatus Ossiannilsson 1948a: 16 [Listed] ^{1, 11, 19, 20,}
^{57, 71, 82, 85}
A[phrodes] bifasciatus Zachvatkin 1948a: 174 [Key]
A[phrodes] bifasciatus Fagel 1949a: 146 [Listed] ²⁴
[Cercopis] bifasciata Lallemand 1949a: 5 [Listed]
Philaenus [bifasciatus] Lallemand 1949a: 7 [Catalogued] Equals
Cercopis bifasciata Linné
A[phrodes] bifasciatus Lindberg 1949a: 35 [Listed] ⁸³
A[phrodes] bifasciatus Linnavuori 1949a: 68 [Ecology] ¹⁹
Aphrodes bifasciatus Ossiannilsson 1949a: 83; pl. 13, figs. 33–34
 [Stridulation, illustrated] ¹ :41 [Morphology of stridulating
 organs] ¹ :135 [Physiology of stridulating organs] :85, 86
 [Comparative notes] :8, 111 [Stridulation]
[Aphrodes] bifasciatus China 1950a: 245 [Listed] ⁷
Aphrodes bifasciatus Kontkanen 1950b: 127 [Ecology] ¹⁹
Aphrodes bifasciatus Kontkanen 1950c: 17, 46, 64, 81 [Ecology] ¹⁹
 :86 [Listed] ¹⁹
[Aphrodes bifasciata] Ossiannilsson 1951a: 146 Equals *Aphrophora*
bifasciata Linné
Aphrophora bifasciata Ossiannilsson 1951a: 146 To *[Aphrophora]*
spumaria Fall. (error)
Aphrodes bifasciatus Ossiannilsson 1951c: 12 [Ecology] ^{3, 39, 84}
Aphrodes bifasciatus Fischer 1952a: 112 [Listed] ⁸⁷
A[phrodes] bifasciatus Linnavuori 1952a: 10, 11, 15 [Ecology] ¹⁹

bifasciata Linné—Continued

- A[phrodes] bifasciatus* Linnavuori 1952e: 71 [Listed] ¹⁹
Aphrodes bifasciatus Rabeler 1952a: 136 [Ecology] ²²
Aphrodes bifasciatus Ribaut 1952a: 343; figs. 908–910 [Described, ecology, illustrated] ^{3, 4, 43, 44, 45} Equals [*Aphrodes*] *spurius* Zett. Equals [*Aphrodes*] *obliquus* Germ. Equals [*Aphrodes*] *tristriatus* Gmel. :330, 333 [Key]
[Aphrodes trifasciatus] Buchner 1953a: 315 [Symbionts]
Aphrodes bifasciatus Kontkanen 1953a: 102 [Ecology] ¹⁹
A[phrodes] bifasciatus Ossiannilsson 1953b: 107 [Listed] ¹
A[phrodes] bifasciatus Dlabola 1954a: 150; pl. XXVI, figs. 507–509 [Notes, key, illustrated, catalogued] ^{9, 36} :67 [Ecology] ^{9, 36}
A[phrodes] bifasciatus Smreczynski 1954a: 120 [Notes] ⁷⁹
Aphrodes bifasciatus Servadei 1955a: 233, 242 [Listed] ^{3, 10, 45}

LOCALITIES: ¹ Sweden. ² Austria. ³ Europe. ⁴ France. ⁵ Russia. ⁶ Lapland. ⁷ Great Britain. ⁸ Ireland. ⁹ Slovakia. ¹⁰ Italy. ¹¹ Gotland. ¹² England. ¹³ Scotland. ¹⁴ Germany. ¹⁵ Switzerland. ¹⁶ Netherlands. ¹⁷ Hesse. ¹⁸ Karelia. ¹⁹ Finland. ²⁰ Norway. ²¹ Irkutsk. ²² Prussia. ²³ Mecklenburg. ²⁴ Belgium. ²⁵ Spain. ²⁶ Czechoslovakia. ²⁷ Alsace-Lorraine. ²⁸ Aland Islands. ²⁹ Abo Archipelago. ³⁰ Tyrol. ³¹ Greece. ³² Omsk. ³³ Island of Juist. ³⁴ Northern England. ³⁵ China. ³⁶ Bohemia. ³⁷ Moravia. ³⁸ Styria. ³⁹ Northern Asia. ⁴⁰ Rumania. ⁴¹ Northern Russia. ⁴² Central Russia. ⁴³ Caucasus. ⁴⁴ Turkestan. ⁴⁵ Siberia. ⁴⁶ Western China. ⁴⁷ St. Petersburg. ⁴⁸ Livonia. ⁴⁹ Moscow. ⁵⁰ Transcaucasia. ⁵¹ Japan. ⁵² Pomerania. ⁵³ Armenia. ⁵⁴ Wales. ⁵⁵ Galicia. ⁵⁶ Hungary. ⁵⁷ Denmark. ⁵⁸ Saxony. ⁵⁹ Bavaria. ⁶⁰ Guienne. ⁶¹ Transylvania. ⁶² Lorraine. ⁶³ Thuringia. ⁶⁴ Württemberg. ⁶⁵ Szechwan. ⁶⁶ Carinthia. ⁶⁷ Kiev. ⁶⁸ Northwestern Germany. ⁶⁹ Portugal. ⁷⁰ East Frisian Islands. ⁷¹ Northern Germany. ⁷² Schleswig-Holstein. ⁷³ North Frisian Islands. ⁷⁴ Oldenburg. ⁷⁵ Hanover. ⁷⁶ Holland. ⁷⁷ Central Germany. ⁷⁸ Holstein. ⁷⁹ Poland. ⁸⁰ Mecklenburg region. ⁸¹ Scandinavia. ⁸² Eastern Baltic States. ⁸³ Bulgaria. ⁸⁴ Estonia. ⁸⁵ Oland. ⁸⁶ Southern Austria. ⁸⁷ Swabia. ⁸⁸ Northern Tyrol. ⁸⁹ Southern Tyrol.

bifasciata var. α Fallén

[*Cicada bifasciata*] var. α Fallén 1826a: 27 [n. var.] ¹

LOCALITIES: ¹ Sweden.

bifasciata var. *a* Ossiannilsson. See *Aphrodes bifasciata* Linné.

bifasciata var. β Fallén

[*Cicada bifasciata*] var. β Fallén 1806a: 12 [n. var.] ¹

[*Cicada bifasciata*] var. *b* Billberg 1820a: 73 [Listed] ¹

[*Cicada bifasciata*] var. β Fallén 1826a: 27 [n. var.] ¹

LOCALITIES: ¹ Sweden.

bifasciata var. *b* Sahlberg

[*Acocephalus bifasciatus*] var. *b* Sahlberg 1871a: 358 [n. var.] ¹

LOCALITIES: ¹ Scandinavia.

bifasciata var. **c** Sahlberg[*Acocephalus bifasciatus*] var. *c* Sahlberg 1871a: 358 [n. var.] ¹LOCALITIES: ¹ Scandinavia.**bifasciata** var. **d** Sahlberg[*Acocephalus bifasciatus*] var. *d* Sahlberg 1871a: 358 [n. var.] ¹LOCALITIES: ¹ Scandinavia.**bifasciata** var. **e** Sahlberg.[*Acocephalus bifasciatus*] var. *e* Sahlberg 1871a: 358 [n. var.] ¹LOCALITIES: ¹ Scandinavia.**bifasciata** var. **f** Sahlberg[*Acocephalus bifasciatus*] var. *f* Sahlberg 1871a: 358 [n. var.] ¹LOCALITIES: ¹ Scandinavia.**bifasciata** var. **g** Sahlberg[*Acocephalus bifasciatus*] var. *g* Sahlberg 1871a: 358 [n. var.] ¹LOCALITIES: ¹ Scandinavia.**bifasciata** var. **simulans** Ribaut[*Aphrodes bifasciata*] *simulans* Ribaut 1952a: 344 [n. var.] ¹LOCALITIES: ¹ France.*bifasciata* var. *tricincta* Curtis. See *Aphrodes tricincta* Curtis.*bistriata* Gmelin. See *Aphrodes serratulae* Fabricius.*blotei* Metcalf (var.). See *Aphrodes albifrons* var. *blotei* Metcalf.**bolivari** Melichar*Acocephalus bolivari* Melichar 1902b: 79 [n. sp.] ¹[*Acocephalus*] *bolivari* Oshanin 1906a: 90 [Catalogued] ¹[*Acocephalus*] *bolivari* Oshanin 1912a: 103 [Listed] ²LOCALITIES: ¹ Spain. ² Portugal.**brachyptera** China*Acocephalus brachypterus* China 1938c: 45; text fig. 16 [n. sp., illustrated] ¹LOCALITIES: ¹ Madeira.*brevior* Melichar (var.). See *Aphrodes bicincta* var. *brevior* Melichar.*brunneobifasciata* Signoret. See *Aphrodes serratulae* Fabricius.*c* Blöte (var.) [*bicincta*] [nom. nud.]. See *Aphrodes bicincta* var. *c* Blöte [nom. nud.].*c* Ossianilsson (var.) [*bicincta*] [nom. nud.]. See *Aphrodes bicincta* var. *c* Ossianilsson [nom. nud.].*c* Sahlberg (var.) [*albifrons*]. See *Aphrodes albifrons* var. *c* Sahlberg.*c* Sahlberg (var.) [*bifasciata*]. See *Aphrodes bifasciata* var. *c* Sahlberg.*C* Signoret (var.) [*albifrons*]. See *Aphrodes albifrons* var. *C* Signoret.*cardui* Curtis. See *Aphrodes bicincta* von Sehrank.

carinata Stål

- Acucephalus carinatus* Stål 1864b: 64 [n. sp.] ¹
 [Acocephalus] *carinatus* Fieber 1872a: 10 [Listed] ²
 [Acocephalus] *variegatus* Fieber 1872a: 10 [nom. nud., listed] ^{3, 4}
 [Acocephalus] *carinatus* Puton 1875a: 132 [Listed] ²
 [Acocephalus] *variegatus* Puton 1875a: 132 [nom. nud., listed] ^{4, 5}
Acocephalus carinatus Bolívar and Chicote 1879a: 181 (35) [Listed] ⁶
A[cocephalus] carinatus Norman 1879a: 256 [Listed] ⁷
A[cocephalus] carinatus Signoret 1879a: 65 (19); pl. 1, fig. 7 [Described, illustrated, catalogued] ^{1, 3, 8} Equals *A[cocephalus] variegatus* Fieb. [nom. nud.]
A[cocephalus] carinatus Ferrari 1882a: 113 (41) [Key, catalogued] ⁹ Equals *A[cocephalus] variegatus* Fieb. (nom. nud.)
Acocephalus carinatus Ferrari 1884a: 513 (77) [Notes, catalogued] ¹⁰: 444 (8) [Listed] ¹⁰
Acocephalus carinatus Ferrari 1885a: 286 [Catalogued] ⁹
Acocephalus carinatus Puton 1886a: 9 [Listed] ¹⁰
 [Acocephalus] *carinatus* Puton 1886b: 80 [Listed] ¹¹
 [Acocephalus] *carinatus* Ragusa 1887a: 186 [Listed] ²
 [Acocephalus] *carinatus* Costa 1888a: 71 [Listed] ¹²
A[cocephalus] carinatus Edwards 1888d: 20 [Notes] Equals *[Acocephalus] variegatus* Fieb. [nom. nud.]
A[cucephalus] carinatus Buckton 1891a: 16 [Notes]
Acocephalus carinatus Ferrari 1892a: 572 (24) [Listed] ⁹
Acocephalus carinatus Moraques y de Manzanos 1894a: 85 (13) [Listed] ¹⁷
A[cocephalus] carinatus Edwards 1895a: 121 [Comparative note] Equals *[Acocephalus] variegatus* Fieb. [nom. nud.]
Acocephalus carinatus Melichar 1896a: 192 [Described, catalogued] ¹⁸ Equals *A[cocephalus] variegatus* Fieb. [nom. nud.] :191 [Key]
Acoceph[alus] carinatus Melichar 1899b: 184 [Listed] ¹⁰
 [Acocephalus] *carinatus* Puton 1899a: 94 [Listed] ¹¹
A[cocephalus] carinatus Dominique 1902a: 215 [Listed] ³
[Acucephalus] carinatus de Acha 1903a: 273 [Listed] ⁶
 [Acocephalus] *carinatus* Lambertie 1904a: 28 (12) [Listed] ³
 [Acocephalus] *carinatus* Oshanin 1906a: 90 [Catalogued] ^{1, 2, 4, 5, 6, 9, 10, 13}
[Acocephalus] carinatus Lambertie 1910a: 78 [Listed] ³
 [Acocephalus] *carinatus* Oshanin 1912a: 103 [Listed] ^{1, 10, 16}
Acocephalus carinatus de Bergevin 1916b: 314 [Listed] ¹⁴
Acocephalus carinatus Horváth 1916a: 13 [Listed] ¹⁵
A[cocephalus] carinatus Prohaska 1923a: 84 [Ecology] ^{18, 19}

carinata Stål—Continued

Acocephalus carinatus Hofmänner 1924a: 52, 77, 80 [Ecology] ¹⁸.
 20, 29, 30 :69 [Listed] ²⁰

A[cocephalus] carinatus Hofmänner 1925a: 190 [Ecology] ²⁰

Acocephalus carinatus Ivanov 1928b: 493, 503, 504 [Listed] ²¹

Acocephalus carinatus Ivanov 1928c: 189, 199, 200 [Listed] ²¹

Acocephalus carinatus Lallemand 1928d: 5 [Listed] ⁸

Acocephalus carinatus Lallemand 1929e: [Listed] ⁸

[*Acocephalus*] *carinatus* Luigioni 1929a: 219 (21) [Listed] ⁹

Acocephalus carinatus Zangheri 1930a: 52 [Listed] ⁹

A[cucephalus] carinatus China 1938c: 45 [Comparative note]

Acocephalus carinatus de Seabra 1939b: 33, 47, 85 [Listed] ⁸

Acocephalus carinatus de Seabra 1939c: 171 [Listed] ⁸

[*Acocephalus*] *carinatus* de Seabra 1942a: 9 [Listed] ⁸

Aphrodes carinatus Ribaut 1952a: 335; figs. 886–887 [Described, illustrated] ², ⁴, ⁶, ⁸, ⁹, ²², ²³, ²⁴, ²⁵, ²⁶, ²⁷, ²⁸ :330, 332 [Key] :329, 330 [Notes]

Aphrodes carinatus Servadei 1952a: 473 [Listed] ¹²

LOCALITIES: ¹ Algeria. ² Sicily. ³ France. ⁴ Corsica. ⁵ Southern France.

⁶ Spain. ⁷ Scotland. ⁸ Portugal. ⁹ Italy. ¹⁰ Tunisia. ¹¹ Mediterranean

Region. ¹² Sardinia. ¹³ Lusitania. ¹⁴ Morocco. ¹⁵ Albania. ¹⁶ Europe.

¹⁷ Majorca. ¹⁸ Southern Europe. ¹⁹ Carinthia. ²⁰ Switzerland. ²¹ Kiev.

²² Brittany. ²³ Guienne. ²⁴ Gascony. ²⁵ Languedoc. ²⁶ Provence. ²⁷ Ly-

onnais. ²⁸ Northern Africa. ²⁹ Northern Tyrol. ³⁰ Southern Tyrol.

chlorizans Walker [nom. nud.]. See *Verdanus abdominalis* Fabricius. Family EUSCELIDAE.

circumflexa Provancher. See *Aphrodes albifrons* Linné.

concinna Curtis. See *Aphrodes albifrons* var. *dispar* Zetterstedt.

confusa Kirschbaum. See *Aphrodes albifrons* var. *confusa* Kirschbaum.

conspersa Signoret. See *Aphrodes albifrons* var. *conspersa* Signoret.

costata Curtis. See *Aphrodes costata* Panzer.

costata Panzer

Cicada costata Panzer 1799a: 14 [n. sp., illustrated] ¹

Cicada costata Latreille 1807a: 162 [Listed]

J[assus] costatus Germar 1821a: 93 [Described] Equals *Cicada costata* Panz.

T[ettigonia] costata Ansljñ 1828a: 128 [Listed] ²

Cicada costata Zetterstedt 1828a: 518 To [*Cicada rustica*] var. *a* nom. nov. [error]

T[ettigonia] costata Eichwald 1830a: 229 [Listed] ³

C[icada] costata Herrich-Schäffer 1834b: 15 To *Acucephalus rusticus* Fabr. [error]

A[cucephalus] costatus Burmeister 1835a: 112 [Described, cataloged] Equals *Cicada costata* Panz.

costata Panzer—Continued

- [*Jassus*] *costatus* Herrich-Schäffer 1835a: 113, 115 To *Acuceph[alus] rust[icus]* [error]
- Cere[opis] costata* Herrich-Schäffer 1825a: 115 To [*Acucephalus*] *rusticus* Fabr. [error]
- [*Cicada*] *costata* Herrich-Schäffer 1835a: 102 To *Acuc[ephalus] costatus* Panz.]
- [*Aphrodes*] *costata* Curtis 1837a: 222 [Listed] ⁴
- [*Aphrodes*] *costata* Curtis 1837b: pl. 633 [n. sp.] ⁴
- [*Acocephalus*] *costatus* Eversmann 1837a: 33 [Listed] ⁵
- Acocephalus costatus* Burmeister 1838a: [7]; pl. [11] [Described, catalogued, illustrated] Equals *Cercop[is] costata* Panz. Equals *Jassus costatus* Germ. Equals *Cercopis rustica* Fabr. [error] Equals *Cicad[a] rust[ica]* Fall. [error] Equals *Cercopis striat[a]* Fabr. [error] Equals *Cercopis variegata* [error] Equals *Cercopis striatella* [error] Equals *Cercopis transversa* Fabr. [error] Equals *Cicad[a] nervosa* von Schrank [nec Linné] [error] Equals *Jassus striatus* Germ. [error]
- Acocephalus costatus* Labram and Imhoff 1838a: [2; pl. 2] [Described, illustrated] ⁶ Equals [*Jassus*] *costatus* Germ. Equals *Cercopis costata* Panz.
- Acocephalus costatus* Blanchard 1840a: 197 [Described, catalogued] ^{7, 8} Equals *Cicada costata* Panz.
- A[phrodes] costata* Westwood 1840b: 116 [Listed]
- Cicada costata* Zetterstedt 1840a: 288 To [*Pholetaera rustica*] var. *a* [error]
- [*Acucephalus costatus*] Amyot and Serville 1843a: 582 [Catalogued] Equals *Cicada costata* Panz.
- [*Acocephalus*] *costatus* Gimmerthal 1846a: 27 [Listed] ⁹
- Acocephalus* Amyot 1847a: 204; fig. 77 [non binom., described, catalogued, illustrated] ^{7, 10} Equals [*Jassus*] *costatus* Panz.
- A[cucephalus] costatus* Blanchard 1847a: 88 [Listed] ¹⁰ Equals *Cicada costata* Panz.
- Acocephalus* Amyot 1848a: 400; fig. 77 [non binom., described, illustrated] ^{7, 10} Equals [*Jassus*] *costatus* Panz.
- A[phrodes] costata* Blanchard 1849c: 3 [Listed] ¹⁰ Equals *Cicada costata* Fabr.
- Acocephalus costatus* Blanchard 1850a: 197 [Described, catalogued] ^{7, 8} Equals *Cicada costata* Panz.
- Acocephalus costatus* Walker 1851b: 848 [Catalogued] Equals *Cicada costata* Panz. Equals *Jassus costatus* Germ.
- Jassus costatus* Walker 1851b: 888 [Catalogued] ¹¹ Equals *Aphrodes costata* Curt.

costata Panzer—Continued

- [*Acocephalus*] *costatus* de Graaf and Snellen von Vollenhoven 1854a: 184 [Catalogued] ²
- [*Aucephalus*] *costatus* Dohrn 1859a: 84 [Listed] ¹⁰
- [*Jassus*] *costatus* Dohrn 1859a: 87 [Listed] ¹¹
- Acocephalus costatus* Kolenati 1860a: 391 [Comparative note]
- Acocephalus costatus* Signoret 1860a: 206 [Comparative note]
- [*Acocephalus*] *costatus* Walker 1860a: 19 [Listed] ¹¹
- [*Iassus*] *costatus* Walker 1860a: 20 [Catalogued] ¹¹
- Acocephalus costatus* Flor 1861a: 199 To *Acocephalus* (*Acocephalus*) *rusticus* Fabr. [error]
- Acocephalus* Flor 1861a: 199 [non binom.] To *Acocephalus* (*Acocephalus*) *rusticus* Fabr. [error]
- Jassus costatus* Flor 1861a: 199 To *Acocephalus* (*Acocephalus*) *rusticus* Fabr. [error]
- Cicada costata* Flor 1861a: 199 To *Acocephalus* (*Acocephalus*) *rusticus* Fabr. [error]
- [*Aphrodes*] *costata* Curtis 1862a: pl. 633 [n. sp., reprinted] ⁴
- Acocephalus costatus* Fuss 1862a: 18 [Ecology] ¹²
- [*Acocephalus*] *costatus* de Graaf, Six, and Snellen van Vollenhoven 1862a: 81 To [*Acocephalus*] *rusticus* Fabr. [error]
- Acoceph[alus]* *costatus* Marshall 1865j: 145 To *Acocephalus* *rusticus* Fabr. [error]
- Cicada costata* Marshall 1865j: 145 To *Acocephalus* *rusticus* Fabr. [error]
- Acocephalus costatus* Bellevoye 1866a: 145 (33) [Listed] ⁷
- Deltocephalus costatus* Bellevoye 1866a: 147 (35) [Listed] ⁷
- A[cocephalus]* *costatus* Lethierry 1869a: 357 [Ecology] ⁷
- Jassus costatus* Sahlberg 1871a: 356 To *A[cocephalus]* *striatus* Fabr. [error]
- [*Acocephalus*] *costata* Fieber 1872a: 10 To [*Acocephalus*] *rusticus* Fabr. [error]
- [*Aphrodes*] *costata* Fieber 1872a: 12 [Listed] ¹¹
- Cicada costata* Schreck 1872a: 23 [Listed] ⁸
- [*Acocephalus*] *costatus* Lethierry 1874a: 263 (59) To *A[cocephalus]* *rusticus* Fabr. [error]
- [*Acocephalus*] *costatus* Puton 1875a: 133 To [*Acocephalus*] *striatus* Fabr. [error]
- Cicada costata* Douglas and Scott 1876a: 74 To [*Acocephalus*] *rusticus* [error]
- [*Acocephalus* *rusticus*] *costatus* Dale 1878a: 307 [Listed] ¹¹
- [*Acocephalus*] *costatus* Martorell y Pena 1879a: 86 To [*Acocephalus*] *striatus* Fabr. [error]

costata Panzer—Continued

- A[cocephalus] rusticus costatus* Signoret 1879a: 62 (16) To *A[cocephalus] nervosus* von Schrank [error]
- A[cocephalus] costatus* Signoret 1879a: 62 (16) To *A[cocephalus] nervosus* von Schrank [error]
- Acocephalus* Signoret 1879a: 62 (16) [non binom.] To *A[cocephalus] nervosus* von Schrank [error]
- Acocephalus costatus* Cavanna 1882a: 61 [Listed] ¹³
- A[cocephalus] costatus* Karsch 1883a: 652 [Described]
- A[cucephalus] costatus* Buckton 1891a: 15 [Described]
- [Acocephalus] costatus* Duda 1892a: 32 To *[Acocephalus] striatus* Fabr. [error]
- A[cucephalus] costatus* ♀ Melichar 1896a: 191 To *Acocephalus striatus* Fabr. [error]
- Jassus costatus* Melichar 1896a: 191 To *Acocephalus striatus* Fabr. [error]
- Cicada costata* ♀ Melichar 1896a: 191 To *Acocephalus striatus* Fabr. [error]
- [Acocephalus] costatus* Puton 1899a: 94 To *[Acocephalus] nervosus* von Schrank [error]
- Acocephalus* Melichar 1896a: 191 [non binom.] To *Acocephalus striatus* Fabr. [error]
- Cicada costata* Sherborn 1902a: 253 [Catalogued]
- [Acocephalus] costatus* Hübner 1904a: 262 To *[Acocephalus] nervosus* von Schrank [error]
- [Acocephalus] costatus* Hübner 1904b: 262 To *[Acocephalus] nervosus* von Schrank [error]
- Cicada costata* Oshanin 1906a: 89 To *[Acocephalus] nervosus* von Schrank [error]
- [Acocephalus] costatus* Lambertie 1910a: 78 To *[Acocephalus] nervosus* von Schrank [error]
- [Acucephalus] costatus* Oshanin 1912a: 103 To *[Acucephalus] nervosus* von Schrank [error]
- [Acucephalus] costata* von Duzee 1916a: 68 To *[Acucephalus] nervosus* von Schrank [error]
- Cicada costata* Van Duzee 1917b: 618 To *Acucephalus nervosus* von Schrank [error]
- [Acucephalus] costatus* Van Duzee 1917b: 618 Equals *[Acucephalus] nervosus* von Schrank [error]
- Acocephalus* Sherborn 1922a: 40 [non binom., catalogued]
- [Aphrodes bicincta] costatus* Blöte 1927b: 69 [Described] ²
- Acocephalus costatus* Blöte 1927c: 55 To *Aphrodes bicinctus* von Schrank [error]
- [Aphrodes bicincta] costatus* Blöte 1927d: 221 [Listed] ²

costata Panzer—Continued

Tettigonia costata Blöte 1927d: 221 To *Aphrodes bicinctus* von Schrank [error]

A[phrodes] b[icincta] costatus Reclaire 1944a: 228 [Listed] ¹⁴

[Acucephalus costatus] Evans 1947a: 148 [Listed] ¹ Equals *Cicada costata* Germ. Equals *Cercopis striata* Fabr. [error] Equals *Cicada nervosa* von Schrank [error]

[Aphrodes] costata Oman 1949a: 58 [Catalogued] ^{15, 16} Equals *Cicada costata* Panz. Equals *[Aphrodes] nervosa* von Schrank [error] Equals *[Aphrodes] rustica* Fabr. [error] Equals *[Aphrodes] striata* Fabr. [error] Equals *[Aphrodes] striatella* Fabr. [error] Equals *[Aphrodes] transversa* Fabr. [error] Equals *[Aphrodes] cardui* Curtis. [error] Equals *[Aphrodes] fasciata* Curt. [error] Equals *[Aphrodes] obscura* Curt. [error] Equals *[Aphrodes] pallida* Curt. [error] Equals *[Aphrodes] rugosa* Curtis [error] Equals *[Aphrodes] sparsa* Curt. [error] Equals *[Aphrodes] unicolor* Curt. [error] Equals *[Aphrodes] pulverulenta* Curt. [error] Equals *[Aphrodes] adusta* Hardy [error] Equals *[Aphrodes] testudo* Curt. [error] Equals *[Aphrodes] bicincta* Curt. [error]

Aphrodes costata Phillips 1951a: 199 [Life history notes, food plants] ¹⁷

[Aphrodes] costatus Ribaut 1952a: 333 To *Aphrodes bicinctus* von Schrank [error]

A[phrodes] costata Beirne 1954f: fig. 1 [Notes, illustrated] ^{17, 18, 19, 20}

Cicada costata Esaki and Ito 1954a: 82 To *Aphrodes bicinctus* von Schrank [error]

Aphrodes costata Neunzig and Gyrisco 1955a: 448 [Economics] ²¹

Aphrodes costata Wolfe 1955c: 8 [Ecology] ^{22, 23}

Aphrodes costata Wolfe 1955c: 28, 32, 33 [Food plants]

LOCALITIES: ¹ Austria. ² Netherlands. ³ Podolia. ⁴ Great Britain. ⁵ Russia. ⁶ Switzerland. ⁷ France. ⁸ Germany. ⁹ Livonia. ¹⁰ Europe. ¹¹ England. ¹² Transylvania. ¹³ Italy. ¹⁴ Holland. ¹⁵ Northeastern States. ¹⁶ Northwestern States. ¹⁷ Ontario. ¹⁸ Quebec. ¹⁹ Saskatchewan. ²⁰ British Columbia. ²¹ New York. ²² San Juan Islands. ²³ Washington.

craticula Curtis. See *Speudotettix subfuscus* Fallén. Family EUSCELIDAE.

♂ Fallén (var.) *[albifrons]*. See *Aphrodes albifrons* var. ♂ Fallén.

♂ Fallén (var.) *[bicincta]*. See *Aphrodes bicincta* var. ♂ Fallén

d Blöte (var.) *[bicincta]* [nom. nud.]. See *Aphrodes bicincta* var. *d* Blöte [nom. nud.].

d Ossianilsson (var.) *[bicincta]* [nom. nud.]. See *Aphrodes bicincta* var. *d* Ossianilsson [nom. nud.].

d Sahlberg (var.) *[albifrons]*. See *Aphrodes albifrons* var. *d* Sahlberg.

d Sahlberg (var.) *[bicincta]*. See *Aphrodes bicincta* var. *d* Sahlberg.

d Sahlberg (var.) *[bifasciata]*. See *Aphrodes bifasciata* var. *d* Sahlberg.

deleta Ribaut (var.). See *Aphrodes albiger* var. *deleta* Ribaut.

dimidiata Ribaut (var.). See *Aphrodes albifrons* var. *dimidiata* Ribaut.

diminuta Ribaut. See *Aphrodes bicincta diminuta* Ribaut.

dispar Blöte (var.). See *Aphrodes albifrons* var. *blotei* Metcalf.

dispar Zetterstedt. See *Aphrodes albifrons* var. *dispar* Zetterstedt.

€ Fallén (var.) [*bicincta*]. See *Aphrodes bicincta* var. € Fallén.

e Ossiannilsson (var.) [*bicincta*] [nom. nud.]. See *Aphrodes bicincta* var. e Ossiannilsson [nom. nud.].

e Sahlberg (var.) [*albifrons*]. See *Aphrodes albifrons* var. e Sahlberg.

e Sahlberg (var.) [*bifasciata*]. See *Aphrodes bifasciata* var. e Sahlberg.

elongata Lethierry

Acocephalus elongatus Lethierry 1876a: lxxxiii (7) [n. sp.] ¹

Acocephalus elongatus Lethierry 1876c: 11 [n. sp.] ¹

A[cocephalus] elongatus Signoret 1879a: 74 (28); pl. 2, fig. 12
[Described, catalogued, illustrated] ^{1, 2} Equals [*Acocephalus*]

dispar var. — Herr.-Schäff. [error]

Acocephalus elongatus Horváth 1880a: 191 [Listed]

[*Acocephalus*] *elongatus* Puton 1886b: 80 [Listed] ³

Acocephalus elongatus Montandon 1887a: 42 [Listed] ⁵

[*Acocephalus*] *elongatus* Horváth 1897c: 50 [Listed] ⁴

[*Acocephalus*] *elongatus* Horváth 1899b: 469 [Listed] ²

[*Acocephalus*] *elongatus* Puton 1899a: 94 [Listed] ^{3, 4}

Acocephalus elongatus Montandon 1900a: 749 [Listed] ⁵

[*Acocephalus*] *elongatus* Horváth 1901a: 255 [Listed] ^{8, 9}

[*Acocephalus*] *elongatus* Oshanin 1906a: 91 [Catalogued] ^{1, 2, 4, 5, 6, 7}

Equals *Acocephalus dispar* Herr.-Schäff. (?) [error]

Acoc[ephalus] elongatus Oshanin 1908b: 422 [Listed] ⁸

[*Acocephalus*] *elongatus* Oshanin 1912a: 104 [Listed] ^{2, 3, 4, 5} Equals

[*Acocephalus*] *dispar* Herr.-Schäff. [error]

Acocephalus elongatus Gadeau de Kerville 1926a: 110 [Listed] ¹⁰

[*Aphrodes*] *elongatus* Haupt 1935a: 168 [Key] ⁴

Aphrodes elongatus Dlabola 1941a: [1] [Listed] ¹¹

Aphrodes elongatus Dlabola 1952a: 47, 50, 51 [Listed] ^{4, 11, 12, 13}

A[phrodes] elongatus Dlabola 1954a: 151; pl. XXVII, figs. 525–527 [Notes, catalogued, illustrated] ^{11, 12} :150 [Key] :67 [Ecology] ^{11, 12}

LOCALITIES: ¹ Saratov. ² Caucasus. ³ Southern Russia. ⁴ Hungary. ⁵ Rumania. ⁶ Central Russia. ⁷ Daghestan. ⁸ Krasnoyarsk. ⁹ Siberia.

¹⁰ Syria. ¹¹ Moravia. ¹² Slovakia. ¹³ Ukraine.

f Sahlberg (var.) [*albifrons*]. See *Aphrodes albifrons* var. f Sahlberg.

f Sahlberg (var.) [*bifasciata*]. See *Aphrodes bifasciata* var. f Sahlberg.

F Signoret (var.) [*albifrons*]. See *Aphrodes albifrons* var. F Signoret.

falklandica Enderlein

Acocephalus (?) *falklandicus* Enderlein 1912a: 52 [n. sp.] ¹ :155
[Listed] ¹

LOCALITIES: ¹ Falkland Islands.

fasciata Curtis. See *Aphrodes bicincta* von Schrank.

ferruginea Gistel [nom. nud.]

[*Acucephalus*] *ferrugineus* Gistel 1837a: 110 (15) [nom. nud., listed] ¹

LOCALITIES: ¹ Bavaria.

flavigera Evans

Aphrodes flavigera Evans 1955a: 15; fig. 11 [n. sp., illustrated] ¹

LOCALITIES: ¹ Belgian Congo.

flavistriatus. Typographical error for *Aphrodes flavostriatus* Donovan.

flavostriata Donovan

Cicada flavostriata Donovan 1799a: 88; pl. CCLXXXVIII, fig. 2 [n. sp., illustrated] ¹

J[assus] *rivularis* Germar 1821a: 89 [n. sp.] ²

[*Aphrodes*] *flavostrigata* [sic] Curtis 1829a: 193 [Listed] ¹

Ci[cada] *flavostrigata* [sic] Stephens 1829a: 359 [Catalogued]

[*Jassus*] *rivularis* Herrich-Schäffer 1835a: 114 [Listed]

[*Aphrodes*] *flavostrigata* [sic] Curtis 1837a: 222 [Listed] ¹

[*Aphrodes*] *rivularis* Curtis 1837a: 222 [Listed] ¹

[*Aphrodes*] *rivularis* (?) Curtis 1837b: pl. 633 [Described] ¹

[*Acucephalus*] *rivularis* Gistel 1837a: 110 (15) [Listed] ³ To
[*Acucephalus*] *albifrons* Fall. [error]

[*Jassus* (*Athysanus*)] *rivularis* Burmeister 1838b: [15] [Key, catalogued]

[*Acocephalus*] *rivularis* Gimmerthal 1846a: 27 [Listed] ¹³

Iassus rivularis Walker 1851b: 888 [Catalogued] ^{4, 5} Equals

Aphrodes rivularis Curt.

[*Deltocephalus* (*Athysanus*)] *rivularis* Kirschbaum 1858a: 3 [Listed] ⁶ Equals [*Jassus*] *rivularis* Germ.

[*Jassus*] *rivularis* Dohrn 1859a: 87 [Listed] ⁷

[*Deltocephalus*] *rivularis* Walker 1860a: 19 [Catalogued] ⁴

Acocephalus (*Acocephalus*) *rivularis* Flor 1861a: 205 [Described, catalogued] ^{3, 4, 8} Equals *Jassus* [*rivularis*] Germ. Equals

Aphrodes [*rivularis*] Curt. :199 [Key]

[*Aphrodes*] *rivularis* Curtis 1862a: pl. 633 [Described] ¹

[*Acocephalus*] *rivulari*[s] Morris 1865a: 111 [Listed] ¹

Acocephalus rivularis Bold 1866b: 207 [Listed] ⁴

Acocephalus rivularis Marshall 1866a: 178 [Described] ¹ Equals

Iassus rivularis Germ. :180 [Comparative note]

Ac[ucephalus] *rivularis* Bold 1867a: 130 [Ecology] ⁴

A[cocephalus] (*An[oscopus]*) *rivularis* Kirschbaum 1868b: 77 [Key, catalogued] ² :78 [Comparative note]

A[cucephalus] *rivularis* Sahlberg 1868b: 191 [Catalogued] ⁹ Equals

Jassus [*rivularis*] Flor

[*Acocephalus*] *rivularis* Oshanin 1870a: 58 [Listed] ³⁹

flavostriata Donovan—Continued

- A[cocephalus] rivularis* Brischke 1871a: 14 [Listed] ²
A[cocephalus] rivularis Sahlberg 1871a: 363 [Described, catalogued] ^{4, 10, 11, 12, 13} Equals *Jassus [rivularis]* Germ. :36, 37 [Ecology] :54 [Listed] ^{10, 11, 12}
[Acocephalus] rivularis Fieber 1872a: 10 [Listed] ⁶ Equals *[Acocephalus] histrionicus* Fall. [in part]
A[cocephalus] rivularis Scott 1873b: 264 [Taxonomy] ¹
A[cocephalus] rivularis Lethierry 1874a: 263 (59) [Ecology] ²⁰
A[cocephalus] rivularis Raddatz 1874a: 87 [Listed] ²⁴
Ac[cocephalus] rivularis Siebke 1874a: 39 [Listed] ¹²
[Anoscopus] rivularis Kittel 1875a: 5 [Ecology] ³
[Acocephalus] rivularis Puton 1875a: 133 [Listed] ⁶ Equals *[Acocephalus] histrionicus* Fall. [in part]
[Acocephalus] flavostriatus Douglas and Scott 1876a: 75 [Catalogued] ¹ Equals *Acocephalus (Anoscopus) rivularis* Kirschb. Equals *Acocephalus (Acocephalus) rivularis* Flor Equals *Aphrodes rivularis* Curt. Equals *Iassus rivularis* Germ. Equals *Cicada flavostriata* Don.
[Acocephalus] rivularis Lethierry 1878c: xxxviii [Listed] ¹⁴
[Acocephalus] (A[noscopus]) flavostrigatus [sic] Signoret 1879a: 85 (39) [Described, catalogued] ^{10, 11, 15, 20} Equals *A[cocephalus] rivularis* Germ. Equals *A[cocephalus] flavostrigatus* [sic] Scott
[Acocephalus] flavolineatus [sic] Signoret 1879a: pl. 2, fig. 17 [Illustrated]
A[cocephalus] rivularis Reiber and Puton 1880a: 63 [Listed] ¹⁶
A[cocephalus] flavostrigatus [sic] Reuter 1880a: 207 [Listed] ^{17, 18} Equals *[Acocephalus] rivularis* Germ.
Acocephalus flavostriatus Hansen 1881a: 277 [Catalogued] ⁵⁵ Equals *Cicada [flavostriata]* Don. Equals *Acocephalus rivularis* Flor Equals *Anoscopus flavostrigatus* [sic] Sign. Equals *Cicada [flavostriata]* Don. Equals *Acocephalus rivularis* Flor
A[cocephalus] rivularis Reuter 1881b: 234 Equals *[Acocephalus] flavostrigatus* [sic] Don.
A[cocephalus] flavostriatus Cooke 1882a: 72 [Listed] ⁴
A[cocephalus] rivularis Ferrari 1882a: 115 (43) [Catalogued] ¹⁹ Equals *A[cocephalus] flavostrigatus* [sic] Don. :113 (41) [Key]
Acocephalus rivularis Norman 1882a: 276 [Listed] ⁵
[Acocephalus] flavostrigatus [sic] Puton 1882a: 120 [Listed]
Acocephalus rivularis Edwards 1884c: 714 [Listed] ⁴
[Acocephalus] rivularis Kieffer 1884a: 80 [Ecology] ⁵⁶
A[cocephalus] rivularis Lomnicki 1884a: 235 [Listed] ²¹
A[cocephalus] rivularis Mayr 1884a: 30 [Listed] ^{6, 7, 16}
A[cocephalus] rivularis Fairmaire 1885a: 154 [Described] ²⁰

flavostriata Donovan—Continued

- Acocephalus rivularis* Ferrari 1885b: 420 [Catalogued]¹⁹ :403 [Listed]⁵⁷
- A[cocephalus] rivularis* Ivanoff 1885a: 125 (43) [Key]⁵² :91 (9) [Listed]⁵²
- Acocephalus flavostriatus* Capron 1886a: 264 [Listed]
- Acocephalus rivularis* Löw 1886a: 499 [Ecology]⁵³
- [Acocephalus] rivularis* Puton 1886b: 80 [Listed]⁶ Equals *[Acocephalus] flavostrigatus* [sic] Don. (?)
- A[cocephalus] rivularis* Then 1886a: 27 [Listed]^{6, 21, 22}
- Acocephalus rivularis* Brancsik 1887a: 56 [Listed]²³
- Acocephalus rivularis* Brancsik 1887b: 92 [Ecology]²³
- A[cocephalus] rivularis* Dubois 1888a: 164 (68) [Ecology]²⁰
- Acocephalus flavostriatus* Edwards 1888d: 24 [Described, catalogued]¹ Equals *Cicada flavostriata* Don. Equals *Jassus rivularis* Germ. Equals *Aphrodes rivularis* Curt. Equals *Acocephalus rivularis* Flor :19 [Key]
- Acocephalus rivularis* Edwards 1889a: 710 Equals *[Acocephalus] flavostriatus* Don.
- Selenocephalus placidus* Provancher 1889a: 280; pl. V, fig. 14 [n. sp., illustrated]⁵⁹
- A[cocephalus] rivularis* Funk 1890a: 141 [Listed]
- [Acocephalus] flavostriatus* Saunders and Edwards 1890a: 13 [Listed]¹
- Acocephalus flavostriatus* Buckton 1891a: 11; pl. XLI, figs. 3, 3a [Described, catalogued, illustrated]^{6, 11, 20, 25} Equals *Cicada flavostriata* Don. Equals *Jassus rivularis* Germ. Equals *Aphrodes rivularis* Curt. Equals *Acocephalus rivularis* Flor Equals *Anoscopus histrionicus* Kirschb. [in part] Equals *Acocephalus flavostrigatus* [sic] Sign.
- [Acucephalus] rivularis* Fokker 1891a: 372 [Listed]⁴²
- A[cocephalus] rivularis* Jakovleff 1891a: 426 [Listed]⁵²
- Acocephalus flavostrigatus* [sic] Oshanin 1891a: 45 [Zoogeography] Equals *[Acocephalus] rivularis* Germ.
- A[cucephalus] rivularis* Carpentier and Dubois 1892a: 436 [Ecology]²⁰
- [Acocephalus] rivularis* Coubeaux 1892a: 35 (2) [Listed]¹⁴
- [Acocephalus] rivularis* Duda 1892a: 32 [Listed]²⁶
- Acocephalus rivularis* Ferrari 1892a: 572 (24) [Listed]¹⁹
- [Acocephalus] rivularis* Lethierry 1892b: 24 [Listed]¹⁴
- A[cocephalus] rivularis* Spitzner 1892a: 30 [Ecology]²⁷
- A[cucephalus] rivularis* Bezzi 1893a: 111 (31) [Listed]¹⁹
- Acocephalus rivularis* Brancsik 1893c: 141, 156 [Ecology]²³
- Acocephalus rivularis* Krieghoff 1894a: 290 [Ecology]⁶⁰

flavostriata Donovan—Continued

- Selenocephalus placidus* Van Duzee 1894a: 308 [Catalogued]
A[cocephalus] flavostriatus Edwards 1895a: 124; pl. 14, fig. 11
 [Described, illustrated, ecology] ^{4, 5}:119 [Key]
Acocephalus rivularis Melichar 1896a: 197 [Described, catalogued, ecology] ^{6, 7, 21, 22} Equals *Jassus [rivularis]* Germ. Equals *Cicada flavostriata* Don. Equals *Anoscopus [rivularis]* Kirschb. Equals *A[cucephalus] flavostriatus* Edw. Equals *Aprodes* [sic] *[rivularis]* Curt. :191 [Key]
[Acucephalus] rivularis Acloque 1897a: 404 [Key] ²⁰
A[cocephalus] rivularis Griffini 1897a: 595 [Described, ecology] ¹⁹
[Acocephalus] rivularis Horváth 1897c: 51 [Listed] ⁵³
[Acucephalus] rivularis Lange 1898a: 102 [Listed] ⁸
[Acocephalus] rivularis Melichar 1899d: 187 (10) [Ecology] ⁶
[Acocephalus] rivularis Puton 1899a: 94 [Listed] ⁶ Equals *[Acocephalus] flavostrigatus* [sic] Don. (?)
Acocephalus rivularis Jakobson 1899a: 239 [Listed] ⁶¹
A[cucephalus] flavostriatus Ball 1900a: 65 [Described, key] ²⁸
 Equals *A[cucephalus] rivularis* Germ.
A[cucephalus] albifrons [nec Linné] Ball 1900a: 65 [Described, key] ^{34, 62, 63, 64, 65}
Acocephalus rivularis Melichar 1900a: 43 [Listed] ³⁰
Acocephalus rivularis Montandon 1900a: 749 [Listed] ⁵⁴
[Acocephalus] rivularis Strobl 1900a: 212 [Listed] ²⁹
[Acocephalus] rivularis Bachmetjew 1901a: 251 [Notes] ⁵²
[Acocephalus] rivularis Horváth 1901a: 255 [Listed] ³⁷
A[phrodes] flavostriata Kirkaldy 1901f: 338 [Listed] ²⁸ Equals *[Aphrodes] rivularis* Germ.
[Acocephalus] rivularis Lambertie 1901a: 204 (76) [Listed] ²⁰
Acocephalus rivularis Breddin 1902f: 549 [Catalogued] ^{31, 32}
 Equals *Cicada flavostrigata* [sic] Don. Equals *Acocephalus flavostrigata* [sic] Sign. Equals *Acocephalus flavostriatus* Edw. Equals *Jassus rivularis* Germ. Equals *Anoscopus rivularis* Kirschb.
Acocephalus rivularis Cobelli 1902a: 18 [Listed] ³³
Cicada flavostriata Sherborn 1902a: 378 [Catalogued]
Acocephalus rivularis Graeffe 1903a: 52 (12) [Ecology] ⁶⁶
[Acocephalus] rivularis Hübner 1904a: 263 [Listed] ⁷
[Acocephalus] rivularis Hübner 1904b: 263 [Listed] ⁷
[Acocephalus] flavostriatus Morley 1905b: 28 [Listed] ⁴
Acocephalus flavostriatus Osborn 1905a: 515 [Catalogued] ^{6, 28, 34}
 Equals *A[cocephalus] flavostrigatus* [sic] Sign. Equals *A[cocephalus] rivularis* Germ.

flavostriata Donovan—Continued

- Acocephalus flavostriatus* Osborn 1905c: 515 [Catalogued] ^{6, 28, 34}
 Equals *A[cocephalus] flavostrigatus* [sic] Sign. Equals *A[cocephalus] rivularis* Germ.
- [*Acocephalus*] *rivularis* Matsumura 1906a: 72 [Listed] ²
- [*Acocephalus*] *flavostrigatus* [sic] Oshanin 1906a: 94 [Catalogued]
 1, 7, 10, 11, 13, 15, 17, 19, 20, 22, 35, 36, 37, 38, 39, 40, 41, 53, ⁵⁴ Equals *Cicada*
flavostrigata [sic] Don. Equals *Acocephalus rivularis* Flor. Equals
Jassus rivularis Germ. Equals *Acocephalus flavostriatus* Edw.
- Acocephalus rivularis* Bierman 1907b: 30 [Listed] ⁴²
- Ac[cocephalus] flavostriatus* Oshanin 1907b: 229 (17) [Listed] ⁴³
- Acocephalus flavostriatus* Oshanin 1907c: 6 [Listed] ³⁷
- Aphrodes rivularis* Horváth 1908b: 6 [Listed] ^{6, 45}
- Acocephalus rivularis* Lambertie 1908c: cii (1) [Listed] ²⁰
- A[cocephalus] rivularis* Lambertie 1908c: cii (2) [Described,
 ecology] ²⁰
- Acocephalus rivularis* Lambertie 1908f: 90 [Ecology] ²⁰
- Acoc[ephalus] flavostriatus* Oshanin 1908b: 422 [Listed] ^{14, 30, 37,}
^{42, 43, 44} Equals [*Acocephalus*] *flavostrigatus* [sic]
- [*Acocephalus*] *flavostrigatus* [sic] Saunders and Edwards 1908a: 12
 [Listed] ¹
- Acocephalus flavostriatus* Whittaker 1908a: 20 [Listed] ⁴
- A[cocephalus] flavostrigatus* [sic] Butler 1909a: 468 [Notes, ecol-
 ogy] ⁶⁷
- Acocephalus rivularis* Lambertie 1909b: cxlviii [Ecology] ²⁰
- [*Acocephalus*] *rivularis* Lambertie 1910a: 78 [Listed] ²⁰
- Acocephalus rivularis* Dahl 1912a: 372 (34), 384 (46), 393 (55)
 [Ecology] ²
- A[cocephalus] flavostriatus* Haupt 1912b: 451 (6) [Listed] ⁶⁰ Equals
 [*Acocephalus*] *rivularis* Germ.
- Aphrodes rivularis* Horváth 1912e: 564 [Listed] ^{6, 45}
- [*Acocephalus*] *flavostriatus* Oshanin 1912a: 104 [Listed] ^{6, 36, 37, 38}
 Equals [*Acocephalus*] *rivularis* Germ.
- [*Acocephalus*] *rivularis* Schmidt 1912g: 156 [Listed] ⁴⁶
- Acucephalus* [1] *placidus* Van Duzee 1912b: 328 [Notes] Equals
Selenocephalus placidus Prov.
- A[cocephalus] rivularis* von Dalla Torre 1913a: 151 [Listed] ³³
- [*Acocephalus*] *rivularis* Jacobsen 1915a: 323 [Listed] ⁴⁸
- Acocephalus flavostriatus* Haupt 1916c: 278 [Parasites] ⁷
- [*Acucephalus*] *flavostrigatus* [sic] Van Duzee 1916a: 68 [Listed] ⁴⁷
 Equals [*Acucephalus*] *rivularis* Germ. Equals [*Acucephalus*]
flavolineatus [sic] Sign. Equals [*Acucephalus*] *flavostriatus* Edw.
- [*Acucephalus*] *placidus* Van Duzee 1916a: 68 [Listed] ⁶⁸

flavostriata Donovan—Continued

- A[cocephalus] flavostriatus* Haupt 1917a: 154 [Taxonomy]
Acucephalus flavostrigatus [sic] Van Duzee 1917b: 619 [Catalogued]^{6, 28, 34} Equals *Cicada* [*flavostriata*] Don. Equals *Jassus rivularis* Germ. Equals *Aphrodes* [*flavostriata*] Horv. Equals [*Acucephalus*] *flavolineatus* [sic] Sign. Equals [*Acucephalus*] *flavostriatus* Edw.
Acucephalus placidus Van Duzee 1917b: 621 [Catalogued]⁵⁹ (?) Equals *Selenocephalus* [*placidus*] Prov.
[Acocephalus] rivularis Jensen-Haarup 1918a: 40 [Described, key]⁴⁸
Acococephalus flavostriatus Britten 1919a: 17 [Listed]⁴
A[noscopus] flavostrigatus [sic] Edwards 1920a: 56 [Comparative note]
A[cocephalus] rivularis Jensen-Haarup 1920a: 109; fig. 53 [Described, illustrated]⁴⁸ Equals [*Acococephalus*] *flavostrigatus* [sic] Don. :107 [Key]
A[cocephalus] flavostriatus Tullgren and Wahlbren 1920a: 147 [Notes]¹¹
Acococephalus flavostrigatus [sic] Henriksen 1922a: 4 [Ecology, catalogued]^{4, 11, 12, 28, 32, 35, 36, 37, 45, 48, 55, 69}
Acococephalus flavostriatus Stichel 1922a: 132 [Listed]
A[cocephalus] flavostriatus Prohaska 1923a: 85 [Ecology]⁷⁰ Equals [*Acococephalus*] *rivularis* Germ.
[Acucephalus] flavostrigatus [sic] Buys 1924a: 43 [Key]³⁴
[Acocephalus] flavostriatus Lindberg 1924a: 42 [Listed]¹⁰ Equals [*Acococephalus*] *rivularis* Germ. :16 [Notes]¹⁰
Acucephalus flavostrigatus [sic] Olsen 1924a: 151 [Notes]^{28, 34}
A[cocephalus] flavostriatus Singh-Pruthi 1925b: 211; pl. XXVI, fig. 213 [♂ genitalia described, illustrated]
Acococephalus flavostriatus Benick 1926a: 100 [Listed]⁷³
Acococephalus rivularis Blöte 1926b: 114 [Listed]⁴²
A[phrodes] flavostriatus Blöte 1927b: 73 [Described]⁴²: 67, 68 [Key]
A[phrodes] flavostriatus Blöte 1927c: 57 [Listed]⁴²
Aphrodes flavostriatus Blöte 1927d: 222 [Listed]⁴² Equals *Acococephalus rivularis* Germ.
A[cucephalus] flavostrigatus [sic] Barber 1928a: 194 [Listed]³⁴
Acococephalus flavostriatus Ivanov 1928b: 494 [Listed]⁴⁰
Acococephalus flavostriatus Ivanov 1928c: 190 [Listed]⁴⁰
A[cucephalus] flavostrigatus [sic] Leonard 1928a: 163 [Listed]³⁴
A[cucephalus] placidus Leonard 1928a: 163 [Listed]³⁴
A[cocephalus] flavostriatus Poisson and Poisson 1928a: 84 [Ecology]²⁰

flavostriata Donovan—Continued

- Acocephalus flavostrigatus* [sic] Henriksen 1929a: 4 Equals *Acocephalus rivularis* Sahlb. Equals *Acocephalus flavostriatus* Hans.
A[cocephalus] flavostriatus Britten 1930a: 72 [Listed] ⁴
Jassus rivularis Sherborn 1930a: 5529 [Catalogued]
Acucephalus albifrons [nec Linné] Ball 1932b: 499 [Economics] ⁷¹
Acocephalus flavostriatus Osborn 1932a: 514 [Listed] ^{34, 51}
[Acocephalus] rivularis Acloque 1934a: 404 [Key] ²⁰
Acocephalus flavostriatus Thornley 1934a: 78 [Listed] ⁴
A[cocephalus] flavostrigatus [sic] Halbert 1935a: 309 [Listed] ⁷²
[Aphrodes] flavostriatus Haupt 1935a: 169; fig. 322 [Key, ecology, illustrated] Equals *[Aphrodes] rivularis* Germ.
[Acocephalus] flavostriatus Karl 1935a: 137 [Listed] ⁴⁶
A[phrodes] flavostriatus Wagner 1935a: 13 [Ecology] ^{4, 43, 73, 74, 75, 76, 87}
[Acucephalus] flavostrigatus [sic] De Long and Caldwell 1937c: 16 [Catalogued] ^{28, 34}
[Acucephalus] placidus De Long and Caldwell 1937c: 16 [Catalogued] ⁵⁹
Aphrodes flavostriatus Kuntze 1937a: 334, 338, 341, 346, 350, 358 [Ecology] ²⁴ :358 Equals *[Aphrodes] rivularis* Germ.
A[phrodes] flavostriatus Kuntze 1937b: 26 [Ecology] ²⁴ Equals *[Aphrodes] rivularis*
[Aphrodes] flavostriatus Wagner 1937b: 67; figs. 10a–b [Key, illustrated] :69 [Comparative note]
[Aphrodes] flavostriatus China 1938b: 194 [Listed] ¹ Equals *[Aphrodes] flavostrigatus* [sic] Edw.
A[phrodes] flavostriatus Kontkanen 1938a: 29 [Ecology] ¹⁰
Aphrodes flavostriatus Nast 1938d: 227 (3) [Listed] ²⁵
A[phrodes] flavostriatus Ossiannilsson 1938b: 70 [Listed]
A[phrodes] flavostriatus Wagner 1939a: 136 [Listed] ² Equals *[Acucephalus] rivularis* Germ.
A[phrodes] flavostriatus Wagner 1941a: 149 [Ecology] ^{46, 77} Equals *[Aphrodes] rivularis* Germ.
Aphrodes flavostriatus Ossiannilsson 1942a: 36 [Listed] ¹¹
[Aphrodes] flavistriatus [sic] Franz 1943a: 377 [Ecology] ²²
Aphrodes flavostriatus Ossiannilsson 1943c: 16 [Listed] ¹²
Aphrodes flavostriatus Holgersen 1944a: 31 [Ecology] ^{6, 12, 37, 45}
 Equals *Acocephalus rivularis* Siebke :31, 33, 36 [Listed] ¹²
[Acucephalus] flavostrigatus [sic] Moore 1944a: 43 [Listed] ⁵⁹
A[phrodes] flavostriatus Reclaire 1944a: 229 [Ecology] ⁷⁶ Equals *A[phrodes] rivularis* Germ.
A[phrodes] flavostriatus Roche 1944a: 83 [Listed] ⁴

flavostriata Donovan—Continued

- [*Aphrodes*] *flavostriatus* Kloet and Hincks 1945a: 53 [Listed] ¹
 Equals [*Aphrodes*] *flavostrigatus* [sic] Edw.
- [*Aphrodes*] *flavostrigata* [sic] De Long and Knull 1946a: 28 [Catalogued] ^{28, 34, 51} Equals *Cicada* [*flavostriata* Don.]
- [*Aphrodes*] *placida* De Long and Knull 1946a: 28 [Catalogued] ⁵⁹
Aphrodes flavostriatus Holgersen 1946a: 137 [Listed] ¹²
Aphrodes flavostriatus Lang 1946a: 152 [Listed] ²³
Aphrodes flavostriatus Moosbrugger 1946a: 70 [Listed] ⁵⁰
Aphrodes flavostriatus Lang 1947a: 23 [Ecology] ²⁷
A[*phrodes*] *flavostriatus* Lindberg 1947a: 29 [Ecology, catalogued] ¹⁰
 Equals *Cicada flavostriata* Don. Equals *Acocephalus rivularis* Sahlb. :72 [Listed] ¹⁰
- [*Aphrodes*] *flavostrigatus* [sic] Osborn and Knull 1947a: 330 [Listed] ⁵¹ Equals *Acucephalus flavostriatus*
- A*[*phrodes*] *flavostriatus* Ossiannilsson 1947b: 163; figs. 338, 365 [Described, ecology, illustrated] ^{10, 11, 12, 48} Equals [*Aphrodes*] *rivularis* Germ. :159 [Key] :166 [Comparative note]
- Aphrodes flavostriatus* Villiers 1947a: 55; pl. IV, fig. 68 [Described, illustrated, ecology] ²⁰
- Aphrodes flavostriatus* Ossiannilsson 1948a 16 [Listed] ^{10, 11, 12, 48, 74, 78, 79, 80} Equals [*Aphrodes*] *rivularis* Germ.
- A*[*phrodes*] *flavostriatus* Zachvatkin 1948a: 174 [Key]
- A*[*phrodes*] *flavostriatus* Fagel 1949a: 146 [Listed] ¹⁴ Equals [*Aphrodes*] *rivularis* Germ.
- A*[*phrodes*] *flavostriatus* Lindberg 1949a: 35 [Listed] ⁸¹
- A*[*phrodes*] *flavostriatus* Linnavuori 1949a: 68 [Ecology] ¹⁰
- [*Aphrodes*] *flavostrigata* [sic] Oman 1949a: 58 [Catalogued] Equals *Cicada flavostrigata* [sic] Don.
- [*Aphrodes*] *placida* Oman 1949a: 58 [Catalogued] ⁸² Equals *Acucephalus placida* Prov. Equals *Selenocephalus placida* Prov.
- [*Aphrodes*] *rivularis* Oman 1949a: 58 [Catalogued] Equals *Jassus rivularis* Germ. To [*Aphrodes*] *flavostrigata* [sic]
- Aphrodes flavostriatus* Ossiannilsson 1949a: 87, 112; pl. 13, fig. 38 [Stridulation, illustrated] ¹¹ :41, 103 [Morphology of stridulating organs] ¹¹
- [*Aphrodes*] *flavostriatus* China 1950a: 245 [Listed] ¹ Equals [*Aphrodes*] *flavostrigatus* [sic] Edw.
- Aphrodes flavostriatus* Kontkanen 1950c: 20, 44 [Ecology] ¹⁰ :86 [Listed] ¹⁰
- Aphrodes flavostrigata* [sic] Moore 1950a: 259 [Listed] ⁵⁹
- Aphrodes flavostrigata* [sic] Moore 1950b: 34 [Listed] ⁵⁹
- Aphrodes placidus* Moore 1950a: 259 [Listed] ⁵⁹
- Aphrodes placidus* Moore 1950b: 34 [Listed] ⁵⁹

flavostriata Donovan—Continued

- A[phrodes] flavostriatus* Wagner 1951b: 27 [Listed] ³
A[phrodes] flavostriatus Kontkanen 1952b: 562 [Listed] ^{10, 45}
A[phrodes] flavostriatus Linnavuori 1952a: 1, 10, 11, 15 [Ecology] ¹⁰
A[phrodes] flavostriatus Linnavuori 1952c: 71 [Listed] ¹⁰
Aphrodes flavostriatus Rabeler 1952a: 136 [Ecology] ²
Aphrodes flavostriatus Ribaut 1952a: 340; fig. 896–900 [Described, ecology, illustrated] ^{20, 31, 32, 36, 37, 38} Equals [*Aphrodes*] *rivularis* Germ. :332, 333 [Key]
Aphrodes flavostriatus Marchand 1953a: 145, 146; fig. 2 [Ecology, illustrated] ²
Aphrodes flavostrigata [sic] Beirne 1954f: 199; fig. 3 [Notes, illustrated] ^{45, 59, 83, 84, 85, 86} Equals *A[phrodes] placida* Prov. Equals *Aphrodes albifrons* Ball [nec Linné]
A[phrodes] flavostriatus Dlabola 1954a: 151; pl. XXVII, figs. 522–524 [Notes, catalogued, illustrated] ^{26, 27, 49} Equals [*Aphrodes*] *rivularis* Germ. :150 [Key] :45, 68 [Ecology] ^{26, 27, 49}
A[phrodes] flavostriatus Smreczynski 1954a: 121 [Notes] ²⁵ Equals *A[phrodes] rivularis* Germ.

LOCALITIES: ¹ Great Britain. ² Prussia. ³ Bavaria. ⁴ England. ⁵ Scotland. ⁶ Europe. ⁷ Germany. ⁸ Saxony. ⁹ Karelia. ¹⁰ Finland. ¹¹ Sweden. ¹² Norway. ¹³ Livonia. ¹⁴ Belgium. ¹⁵ Kharkov. ¹⁶ Alsace-Lorraine. ¹⁷ Aland Islands. ¹⁸ Abo Archipelago. ¹⁹ Italy. ²⁰ France. ²¹ Galicia. ²² Austria. ²³ Czechoslovakia. ²⁴ Mecklenburg. ²⁵ Poland. ²⁶ Bohemia. ²⁷ Moravia. ²⁸ Vermont. ²⁹ Styria. ³⁰ Irkutsk. ³¹ Northern Europe. ³² Central Europe. ³³ Tyrol. ³⁴ New York. ³⁵ Central Russia. ³⁶ Turkistan. ³⁷ Siberia. ³⁸ Nearctic Region. ³⁹ Moscow. ⁴⁰ Kiev. ⁴¹ Uzbek. ⁴² Netherlands. ⁴³ St. Petersburg. ⁴⁴ Tver. ⁴⁵ North America. ⁴⁶ Pomerania. ⁴⁷ Eastern States. ⁴⁸ Denmark. ⁴⁹ Slovakia. ⁵⁰ Vorarlberg. ⁵¹ Ohio. ⁵² Russia. ⁵³ Hungary. ⁵⁴ Rumania. ⁵⁵ Faroe Islands. ⁵⁶ Lorraine. ⁵⁷ Italian Tyrol. ⁵⁸ Southern Austria. ⁵⁹ Quebec. ⁶⁰ Thuringia. ⁶¹ Novaya Zemlya. ⁶² Lower Canada. ⁶³ New Hampshire. ⁶⁴ District of Columbia. ⁶⁵ Michigan. ⁶⁶ Kustenland. ⁶⁷ Isle of Wight. ⁶⁸ Canada. ⁶⁹ Southern Finland. ⁷⁰ Carinthia. ⁷¹ Massachusetts. ⁷² Ireland. ⁷³ Schleswig-Holstein. ⁷⁴ Northern Germany. ⁷⁵ Hanover. ⁷⁶ Holland. ⁷⁷ Mecklenburg region. ⁷⁸ Oland. ⁷⁹ Gotland Island. ⁸⁰ Eastern Baltic States. ⁸¹ Bulgaria. ⁸² Northeastern States. ⁸³ Nova Scotia. ⁸⁴ Prince Edward Island. ⁸⁵ Ontario. ⁸⁶ British Columbia. ⁸⁷ Hamburg.

flavostriata var. **a** Marshall

[*Acocephalus rivularis*] var. *a* Marshall 1866a: 179 [n. var.] ¹

LOCALITIES: ¹ Great Britain.

flavostriata var. **b** Sahlberg

[*Acocephalus rivularis*] var. *b* Sahlberg 1871a: 364 [n. var.] ¹

LOCALITIES: ¹ Scandinavia.

flavostrigata. Typographical error for *Aphrodes flavostriata* Donovan.
fuliginosa Ferrari. See *Aphrodes albifrons* Linné.

fuscofasciata Goeze. See *Aphrodes serratulae* Fabricius.

γ Fallén (var.) [*albifrons*]. See *Aphrodes albifrons* var. γ Fallén.

γ Fallén (var.) [*bicincta*]. See *Aphrodes bicincta* var. γ Fallén.

g Sahlberg (var.) [*bifasciata*]. See *Aphrodes bifasciata* var. *g* Sahlberg.

germari Wagner (var.). See *Aphrodes albifrons* var. *germari* Wagner.

guttata Matsumura

[*Acocephalus bifasciatus*] *guttatus* Matsumura 1912b: 289 [n. var.]^{1, 2, 3}

Acocephalus guttatus Kato 1933b: pl. 27, fig. 2 [Illustrated]⁴

[*Aphrodes*] *guttatus* Ishihara 1953b: 35 [Catalogued]^{1, 2, 3} Equals

Acocephalus bifasciatus [*guttatus* Mats.]

Aphrodes guttatus Esaki and Ito 1954a: 83 [Catalogued]^{1, 2, 3}

Equals *Acocephalus bifasciatus guttatus* Mats. Equals *Acocephalus guttatus* Kato

LOCALITIES: ¹ Hokkaido. ² Honshu. ³ Kyushu. ⁴ Japan.

h Sahlberg (var.) [*albifrons*]. See *Aphrodes albifrons* var. *h* Sahlberg.

histrionica Fabricius

[*Cercopis*] *histrionica* Fabricius 1794a: 56 [n. sp.]¹

[*Cercopis*] *histrionica* Weber 1795a: 148 [Listed]

[*Cercopis*] *histrionica* Turton 1802a: 588 [Described]¹

[*Cercopis*] *histrionica* Fabricius 1803a: 98 [Described, catalogued]¹ :4 [Listed]

Cerc[opis] histrionica Latreille 1804a: 334 [Described]¹

C[icada] histrionica Fallén 1806a: 19 [Described, catalogued]²
Equals *Cercopis histrionica* Fabr.

J[assus] histrionicus Germar 1821a: 89 [Notes] Equals *Cercopis histrionica* Fabr.

C[icada] histrionica Fallén 1826a: 30 [Described, catalogued]²
Equals *Cercopis [histrionica]* Fabr. Equals *Jassus [histrionicus]*
Germ. :31, 33 [Comparative notes]

Cercopis] histrionica Boitard 1828a: 163 [Described]¹

C[icada] histrionica Zetterstedt 1828a: 523 [Described, catalogued]³ Equals *Cercopis histrionica* Fabr.

Jassus histrionicus Herrich-Schäffer 1834a: 3; pl. 3 [Described, catalogued, illustrated]⁸ Equals *Cerc[opis] histrionica* Fabr.
Equals *Cic[ada histrionica]* Zett.

[*Jassus histrionicus*] Burmeister 1835a: 111 Equals *C[icada] histrionica* Fabr.

[*Jassus] histrionicus* [sic] Herrich-Schäffer 1835a: 113 Equals
Cic[ada histrionica] Fall. Equals *Cerc[opis histrionica]* Fabr. :71
[Key]

[*Cicada] histrionica* Herrich-Schäffer 1835a: 103 To *Jass[us] histrionicus* Zett.]

histrionica Fabricius—Continued

- [*Cercopis*] *histrionica* Herrich-Schäffer 1835a: 108 To *Jassus* [*histrionicus* Fabr.]
- [*Jassus*] *histrionicus* Gistel 1837a: 109 (14) [Listed] ⁵
- [*Jassus* (*Athysanus*)] *histrionicus* Burmeister 1838b: [15] [Key, catalogued] Equals *Cicad[a] histr[ionica]* Fabr.
- Jassus histrionicus* Blanchard 1840a: 198 [Described, catalogued] ^{1, 4} Equals *Cercopis histrionicus* Fabr.
- A[thysanus] histrionicus* Herrich-Schäffer 1840a: 381 [Listed] ⁸
- C[icada] histrionica* Zetterstedt 1840a: 291 [Described, catalogued] ³ Equals *Cercopis histrionica* Fabr. Equals *Jassus* [*histrionicus*] Germ.
- C[cercopis] histrionica* Boitard 1843a: 90 [Described] ¹
- Prodesmia* Amyot 1847a: 222 [non binom., described, catalogued] ⁴ Equals [*Cercopis*] *histrionica* Fabr.
- [*Athysanus histrionicus*] Boheman 1847a: 29 [Comparative note]
- Prodesmia* Amyot 1848a: 418 [non binom., described, catalogued] ⁴ Equals [*Cercopis*] *histrionica* Fabr.
- Jassus histrionicus* Blanchard 1850a: 198 [Described, catalogued] ^{1, 4} Equals *Cercopis histrionicus* Fabr.
- Athysanus histrionicus* Boheman 1850a: 265 [Ecology] ⁵
- Jassus histrionicus* Walker 1851b: 883 [Catalogued] ⁶ Equals *Cercopis histrionica* Fabr. Equals *Cicada histrionica* Fall. Equals *Prodesmia* Amy. [non binom.]
- [*Cicada*] *histrionica* Wallengren 1851a: 254 [Listed] ²
- A[thysanus] histrionicus* Perris 1857a: 172 (92) [Listed] ⁴
- [*Jassus* (*Athysanus*) *histrionicus*] Kirschbaum 1858a: 3 Equals [*Jassus*] *histrionicus* Fabr.
- [*Acocephalus*] *histrionicus* Kirschbaum 1858a: 4 [Comparative note]
- [*Athysanus*] *histrionicus* Kirschbaum 1858b: 355 [Listed]
- [*Jassus*] *histrionicus* Dohrn 1859a: 87 [Listed] ⁷
- [*Acocephalus*] *histrionicus* Walker 1860a: 19 [Listed] ⁶ Equals [*Acocephalus*] *testudo* Curt. [error]
- Acocephalus* (*Acocephalus*) *histrionicus* Flor 1861a: 208 [Described, catalogued] ^{2, 3, 4, 5, 8} Equals *Prodesmia* Amyot [non binom.] Equals *Cercopis* [*histrionica*] Fabr. Equals *Cicada* [*histrionica*] Fall. Equals *Jassus* [*histrionicus*] Herr.-Schäff. :199 [Key]
- [*Jassus*] *histrionicus* de Graaf, Six, and Snellen Van Vollenhoven 1862a: 82 [Catalogued] ⁹
- C[icada] (Pholetaera)* *histrionica* Thomson 1862a: 124 [Key]
- [*Acocephalus*] *histrionicus* Morris 1865a: 111 [Listed] ¹⁰

histrionica Fabricius—Continued

- [*Acocephalus*] *arenicola* Morris 1865a: 111 [nom. nud., listed] ¹⁰
Asthyzanus [sic] *histrionicus* Bellevoye 1866a: 146 (34) [Listed] ⁴
Acocephalus histrionicus Marshall 1866a: 179 [Described] ¹⁰
 Equals *Cicada histrionica* Fall. Equals *Cercopis histrionica* Fabr.
Acocephalus arenicola Marshall 1866a: 180 [n. sp.] ^{6, 11}
Acocephalus arenicola Dallas 1867a: 574 [Catalogued] ^{6, 11}
A[cocephalus] (*An[oscopus]*) *histrionicus* Kirschbaum 1868b: 77
 [Key, catalogued, comparative note] ¹³
Athysanus histrionicus Sahlberg 1868a: 216 [Listed]
A[thysanus] histrionicus Lethierry 1869a: 358 [Ecology] ⁴
[Acocephalus] arenicola Oshanin 1870a: 58 [Listed] ¹²
A[cucephalus] histrionicus Brischke 1871a: 14 [Listed] ¹⁵
A[cocephalus] histrionicus Sahlberg 1871a: 364 [Described, catalogued] ^{1, 2, 3, 4, 5, 16, 17, 18} Equals *Prodesmia* Amyot [non binom.] Equals *Cercopis [histrionica]* Fabr. Equals *Cicada [histrionica]* Fall. Equals *Jassus [histrionicus]* Herr.-Schäff. Equals [*Acocephalus*] (*Anoscopus*) [*histrionicus*] Kirschb. :36 [Ecology] :54 [Listed] ^{2, 16}
[Acocephalus] histrionicus Fieber 1872a: 10 [Listed] ⁷
A[cocephalus] histrionicus Scott 1873b: 264 [Taxonomy] ¹⁰
A[cocephalus] arenicola Scott 1873b: 264 [Taxonomy] ¹⁰
Acocephalus histrionicus Douglas 1874a: 118 [Ecology] ¹⁹
A[cocephalus] histrionicus Lethierry 1874a: 263 (59) [Ecology] ⁴
A[cocephalus] histrionicus Raddatz 1874a: 87 [Listed] ²⁰
[Anoscopus] histrionicus Kittel 1875a: 5 [Listed] ⁸
[Jassus (Athysanus)] histrionicus Kittel 1875a: 6 [Listed] ⁸
[Acocephalus] histrionicus Puton 1875a: 133 [Listed] ⁷
[Acocephalus] arenicola Puton 1875a: 133 To [*Acocephalus*] *albifrons* Linné [error]
[Acocephalus] histrionicus Douglas and Scott 1876a: 75 [Catalogued] ¹⁰ Equals *Acocephalus arenicola* Marsh. Equals *Acocephalus (Anoscopus) histrionicus* Kirschb. Equals *Acocephalus (Acocephalus) histrionicus* Flor. Equals *Cicada histrionica* Fall. Equals *Cercopis histrionicus* Fabr.
[Acocephalus] histrionicus Lethierry 1878c: xxxviii [Listed] ²²
Acocephalus histrionicus Bolívar and Chicote 1879a: 181 (35) [Listed] ²³
A[cocephalus (Anoscopus)] histrionicus Signoret 1879a: 84 (38); pl. 2, fig. 16 [Described, illustrated, catalogued] ^{2, 4, 7, 13, 16}
 Equals *A[cocephalus] costatus* Walk. [in part]
A[cocephalus] arenicola Signoret 1879a: 82 (36) To [*Acocephalus*] (*Anoscopus*) *brunneobifasciatus* [error]

histrionica Fabricius—Continued

- A[cocephalus] histrionicus* Norman 1880a: 213 [Listed] ¹⁹
[Acocephalus] histrionicus Mayr 1881a: 93 (17) [Listed] ²⁴
Acocephalus histrionicus Chicote 1882a: 90 [Listed] ²⁵
A[cocephalus] histrionicus Ferrari 1882a: 114 (42) [Catalogued] ¹
 Equals *Prodesmia* Amyot [non binom.] Equals *[Acocephalus]*
(Anoscopus) [histrionicus] Kirschb. Equals *Cercopis [histrionica]*
Fabr.] :113 (41) [Key]
A[cocephalus] histrionicus Lomnicki 1884a: 235 [Listed] ²⁶
A[cocephalus] histrionicus Mayr 1884a: 30 [Listed] ^{7, 24}
[Acucephalus] histrionicus Capron 1886a: 264 [Listed] ⁶
Acocephalus histrionicus Douglas 1886a: 44 [Listed] ¹⁹
A[cocephalus] histrionicus Lethierry 1886a: 95 [Ecology] ⁴
Acocephalus histrionicus Löw 1886a: 449 [Ecology] ⁴⁵
[Acocephalus] histrionicus Puton 1886b: 80 [Listed] ⁷ Equals
[Acocephalus] costatus Walk. [in part]
[Acocephalus] arenicola Puton 1886b: 80 To *[Acocephalus]*
albifrons Linné [error]
A[cocephalus] histrionicus Then 1886a: 27 [Listed] ^{7, 13, 24, 26}
A[cocephalus] histrionicus Dubois 1888a: 164 (68) [Ecology] ⁴
Acocephalus histrionicus Edwards 1888d: 23 [Described, cata-
 logued] ¹⁰ Equals *Cercopis histrionicus* Fabr. Equals *A[coce-
 phalus] arenicola* Marsh. :19 [Key]
Acocephalus histrionicus Edwards 1889a: 706 [Ecology] ⁶
A[cocephalus] histrionicus Dominique 1890a: 113 (29) [Listed] ⁴
Acocephalus histrionicus Duda 1890a: 20 [Food plants] ²⁷
A[cocephalus] histrionicus Funk 1890a: 141 [Listed]
[Acocephalus] histrionicus Saunders and Edwards 1890a: 13
 [Listed] ¹⁰
Acocephalus histrionicus Buckton 1891a: 10; pl. XL, fig. 4; pl.
 XLI, figs. 2, 2a–b (Described, illustrated, catalogued] ^{2, 4, 6, 13, 16}
 Equals *Acocephalus costatus* Walk. [in part] Equals
Acocephalus arenicola Marsh. Equals *Cercopis histrionicus*
Fabr.
A[cocephalus] histrionicus Buckton 1891a: 9, 11 [Comparative
 notes]
[Acucephalus] histrionicus Fokker 1891a: 372 [Listed] ⁹
A[cocephalus] histrionicus Carpentier and Dubois 1892a: 436
 [Ecology] ⁴
[Acocephalus] histrionicus Coubeaux 1892a: 35 (2) [Listed] ²²
A[cocephalus] histrionicus Dominique 1892a: 120 [Listed] ⁴
[Acocephalus] histrionicus Duda 1892a: 32 [Listed] ²⁷ Equals
[Acocephalus] costatus Walk. [in part]
Acocephalus histrionicus Ferrari 1892a: 572 (24) [Listed] ¹

histrionica Fabricius—Continued

- [*Acocephalus*] *histrionicus* Lethierry 1892b: 24 [Listed] ²²
A[*cocephalus*] *histrionicus* Spitzner 1892a: 30 [Ecology] ²⁸
A[*cocephalus*] *histrionicus* Bezzi 1893a: 111 (31) [Listed] ¹
A[*cocephalus*] *histrionicus* Luff 1893a: 208 [Notes, ecology] ^{4, 6, 46}
Acocephalus histrionicus Horváth 1894a: 178 [Listed] ⁴⁷
Acocephalus histrionicus Moraques y de Manzanos 1894a: 85 (13) [Listed] ⁴⁸
A[*cocephalus*] *histrionicus* Edwards 1895a: 124; pl. 14, fig. 10 [Described, illustrated, ecology] ^{6, 29} :119 [Key] :123 [Comparative note]
Acocephalus histrionicus Melichar 1896a: 197 [Described, catalogued, ecology] ^{7, 13, 24, 26} Equals *Cercopis* [*histrionica*] Fabr. Equals *Cicada* [*histrionica*] Fall. Equals *Jassus* [*histrionicus*] Herr.-Schäff. Equals *Anoscopus* [*histrionicus*] Kirschb. :191 [Key]
[*Acocephalus*] *histrionicus* Horváth 1897c: 51 [Listed] ³⁴
[*Acocephalus*] *histrionicus* Schneider 1898a: 143 [Listed] ³⁰
[*Acocephalus*] *histrionicus* Melichar 1899d: 187 (10) [Ecology] ⁷
[*Acocephalus*] *histrionicus* Puton 1899a: 94 [Listed] ⁷ Equals [*Acocephalus*] *costatus* Walk. [in part]
[*Acocephalus*] *arenicola* Puton 1899a: 94 To [*Acocephalus*] *albifrons* Linné [error]
Acocephalus histrionicus Montandon 1900a: 749 [Listed] ³⁵
[*Acocephalus*] *histrionicus* Strobl 1900a: 212 [Listed] ³¹
[*Acocephalus*] *histrionicus* Lambertie 1901a: 204 (76) [Listed] ⁴
Acocephalus histrionicus Cobelli 1902a: 18 [Listed] ²⁴
A[*cocephalus*] *histrionicus* Dominique 1902a: 216 [Listed] ⁴
Cercopis histrionica Sherborn 1902a: 464 [Catalogued]
Acocephalus histrionicus Graeffe 1903a: 52 (12) [Ecology] ⁴⁹
Acocephalus histrionicus Horváth 1903a: 24 [Listed] ³²
[*Acocephalus*] *histrionicus* Hübner 1904a: 263 [Listed] ³³ Equals [*Acocephalus*] *costatus* Walk. [in part]
[*Acocephalus*] *arenicola* Hübner 1904a: 263 To [*Acocephalus*] *albifrons* Linné [error]
[*Acocephalus*] *histrionicus* Hübner 1904b: 263 [Listed] ³³ Equals [*Acocephalus*] *costatus* Walk. [in part]
[*Acocephalus*] *arenicola* Hübner 1904b: 263 To [*Acocephalus*] *albifrons* Linné [error]
[*Acocephalus*] *histrionicus* Morley 1905b: 28 [Ecology] ⁶
Acocephalus histrionicus Lambertie 1906a: xx (4) [Ecology] ⁴
[*Acocephalus*] *histrionicus* Matsumura 1906a: 72 [Listed] ¹⁵

histrionica Fabricius—Continued

- [*Acocephalus*] *histrionicus* Oshanin 1906a: 94 [Catalogued] ^{1, 2, 4, 10, 13, 16, 18, 23, 33, 34, 35, 36, 37} Equals *Cercopis histrionica* Fabr.
 Equals *Jassus* [*histrionicus*] Herr.-Schäff. Equals *Acocephalus arenicola* Marsh.
Acocephalus histrionicus Schuguirow 1906a: 714 [Listed] ⁵¹
Acocephalus histrionicus Bierman 1907b: 30 [Listed] ⁹
Acocephalus histrionicus Butler 1907a: 56 [Listed] ⁶
Ac[occephalus] *histrionicus* Oshanin 1907b: 229 (17) [Listed] ³⁹
A[cocephalus] *histrionicus* Edwards 1908a: 57 [Comparative note]
Acocephalus histrionicus Lambertie 1908b: xcvi (3) [Ecology] ⁴
Acoc[ephalus] *histrionicus* Oshanin 1908b: 422 [Listed] ^{22, 39, 50, 51}
Aphrodes histrionicus Reuter 1908a: 69, 100, 108, 116 [Ecology] ^{7, 27}
 [*Acocephalus*] *histrionicus* Saunders and Edwards 1908a: 12 [Listed] ¹⁰
Acocephalus histrionicus Lambertie 1909b: cxlviii [Ecology] ⁴
 [*Acocephalus*] *histrionicus* Lambertie 1910a: 78 [Listed] ⁴ Equals [*Acocephalus*] *costatus* Walk. [in part]
 [*Acocephalus*] *arenicola* Lambertie 1910a: 78 To [*Acocephalus*] *albifrons* Linné [error]
A[ucephalus] *histrionicus* Butler 1912b: 189 [Listed] ¹¹
 [*Aucephalus*] *histrionicus* Oshanin 1912a: 104 [Listed] ^{7, 36} Equals [*Aucephalus*] *arenicola* Marsh.
 [*Acocephalus*] *histrionicus* Schmidt 1912g: 156 [Listed] ⁴⁰
Acocephalus histrionicus Schumacher 1912d: 106 [Listed] ⁴¹
A[cocephalus] *histrionicus* von Dalla Torre 1913a: 151 [Listed] ²⁴
 [*Acocephalus*] *histrionicus* Jacobsen 1915a: 323 [Listed] ⁴²
Acocephalus histrionicus Haupt 1917a: 154 [Taxonomy]
 [*Acocephalus*] *histrionicus* Jensen-Haarup 1918a: 40; fig. 41 [Described, illustrated, key] ⁴²
A[noscopus] *histrionicus* Edwards 1920a: 56 [Comparative note]
Acocephalus histrionicus de la Fuente 1920a: 319 [Listed] ²³
A[cocephalus] *histrionicus* Jensen-Haarup 1920a: 108; fig. 52 [Described, illustrated] ⁴² :107 [Key] :109 [Comparative note]
Acocephalus histrionicus Stichel 1922a: 132 [Listed]
A[coccephalus] *histrionicus* Prohaska 1923a: 85 [Ecology] ⁵²
 [*Acocephalus*] *histrionicus* Lindberg 1924a: 42 [Listed] ¹⁶ Equals [*Acocephalus*] *nigropunctatus* Zett. [error] :16 [Notes] ¹⁶
Acocephalus histrionicus Benick 1926a: 100 [Listed] ⁵⁸
A[phrodes] *histrionicus* Blöte 1927b: 73 [Described] ⁹ :67, 68 [Key]
Aphrodes histrionicus Blöte 1927c: 57 [Taxonomy] ⁹

histrionica Fabricius—Continued

- Aphrodes histrionicus* Blöte 1927d: 222 [Listed]⁹ Equals *Acocephalus* [*histrionicus* Fabr.]
- A[cocephalus] histrionicus* Poisson and Poisson 1927a: 137 [Listed]⁴
- A[cocephalus] histrionicus* Filipieff 1928a: 152 [Key]⁵³
- Acocephalus historionicus* [sic] Ivanov 1928b: 494 [Listed]⁵⁴
- Acocephalus historionicus* [sic] Ivanov 1928c: 190 [Listed]⁵⁴
- A[cocephalus] histrionicus* Britten 1930a: 72 [Listed]⁶
- Aphrodes histrionicus* Reclaire 1930a: 134 [Symbiosis]⁹
- Acocephalus histrionicus* Thornley 1934a: 78 [Listed]⁶
- A[cocephalus] histrionicus* Halbert 1935a: 309 [Listed]⁵⁵
- Acrocephalus* [sic] *histrionicus* Halbert 1935a: 311 [Ecology]⁵⁵
- [*Aphrodes*] *histrionicus* Haupt 1935a: 169; fig. 321 [Key, ecology, illustrated]
- [*Acocephalus*] *histrionicus* Karl 1935a: 137 [Listed]⁴⁰
- A[phrodes] histrionicus* Wagner 1935a: 13 [Listed]^{6, 20, 38, 42, 50, 56, 57, 58}
- Aphrodes histrionicus* Kuntze 1937a: 312, 346, 358 [Ecology]²⁰
- A[phrodes] histrionicus* Kuntze 1937b: 25 [Ecology]²⁰
- [*Aphrodes*] *histrionicus* Wagner 1937b: 67; figs. 11a–b [Key, illustrated]
- Aphrodes histrionicus* Nast 1938d: 227 (3) [Listed]⁵⁹
- Aphrodes histrionicus* Ossiannilsson 1938b: 70 [Catalogued]³
- Equals *Cicada histrionica* Zett.
- Prodesmia* Neave 1940a: 908 [non binom., catalogued]
- A[phrodes] histrionicus* Wagner 1941a: 149 [Listed]^{40, 60}
- Aphrodes histrionicus* Holgersen 1944a: 31 [Ecology]^{7, 17, 36}
- Equals *Pholetaera* [*histrionica*] Schoy. :36 [Listed]¹⁷
- A[phrodes] histrionicus* Reclaire 1944a: 229 [Ecology]⁵⁰
- [*Aphrodes*] *histrionicus* Kloet and Hincks 1945a: 53 [Listed]¹⁰
- Aphrodes histrionicus* Lang 1946a: 152 [Listed]⁶¹
- Aphrodes histrionicus* Moosbrugger 1946a: 70 [Listed]⁴⁴
- Aphrodes histrionicus* Lang 1947a: 24 [Ecology]²⁸
- A[phrodes] histrionicus* Lindberg 1947a: 29 [Catalogued]¹⁶ Equals *Cercopis histrionica* Fabr. Equals *Acocephalus nigropunctatus* Sahlb. [error] :72 [Listed]¹⁶
- A[phrodes] histrionicus* Ossiannilsson 1947b: 164; figs. 339, 364 [Described, ecology, illustrated]^{2, 16, 17, 42} :159 [Key] :163 [Comparative note]
- Aphrodes histrionicus* Villiers 1947a: 54; pl. IV, fig. 66 [Described, illustrated, ecology]⁴
- A[phrodes] histrionicus* Lindberg 1948b: 134 [Listed]^{7, 36, 62}
- Aphrodes histrionicus* Ossiannilsson 1948a: 16 [Listed]^{2, 5, 16, 17, 42, 43, 57, 63}

histrionica Fabricius—Continued

- A[phrodes] histrionicus* Fagel 1949a: 146 [Listed] ²²
[Aphrodes] histrionicus China 1950a: 245 [Listed] ¹⁰
A[phrodes] histrionicus Kontkanen 1950c: 86 [Listed] ¹⁶
Aphrodes histrionicus Ribaut 1952a: 341; figs. 901–903 [Described, illustrated] ^{4, 14, 21, 36} Equals *[Aphrodes] arenicola* Marsh. :332, 333 [Key] :333 [Notes]
A[phrodes] histrionicus Dlabola 1954a: 152 [Notes, catalogued] ^{27, 28} :150 [Key] :68 [Ecology] ^{27, 28}
A[phrodes] histrionicus Smreczynski 1954a: 121 [Notes] ⁵⁹
Aphrodes histrionicus Servadei 1955a: 242 [Listed] ^{1, 21}

LOCALITIES: ¹ Italy. ² Sweden. ³ Lapland. ⁴ France. ⁵ Gotland. ⁶ England. ⁷ Europe. ⁸ Bavaria. ⁹ Netherlands. ¹⁰ Great Britain. ¹¹ Wales. ¹² Moscow. ¹³ Austria. ¹⁴ Northern Europe. ¹⁵ Prussia. ¹⁶ Finland. ¹⁷ Norway. ¹⁸ Livonia. ¹⁹ Scotland. ²⁰ Mecklenburg. ²¹ Central Europe. ²² Belgium. ²³ Spain. ²⁴ Tyrol. ²⁵ Greece. ²⁶ Galicia. ²⁷ Bohemia. ²⁸ Moravia. ²⁹ Hayling Island. ³⁰ Borkum. ³¹ Styria. ³² Serbia. ³³ Germany. ³⁴ Hungary. ³⁵ Rumania. ³⁶ Caucasus. ³⁷ Tiflis. ³⁸ Hanover. ³⁹ Saint Petersburg. ⁴⁰ Pomerania. ⁴¹ Baltrum. ⁴² Denmark. ⁴³ Oland. ⁴⁴ Vorarlberg. ⁴⁵ Southern Austria. ⁴⁶ Guernsey. ⁴⁷ Georgia. ⁴⁸ Majorca Island. ⁴⁹ Kustenland. ⁵⁰ Holland. ⁵¹ Crimea. ⁵² Carinthia. ⁵³ Russia. ⁵⁴ Kiev. ⁵⁵ Ireland. ⁵⁶ East Frisian Islands. ⁵⁷ Northern Germany. ⁵⁸ Schleswig-Holstein. ⁵⁹ Poland. ⁶⁰ Mecklenburg region. ⁶¹ Czechoslovakia. ⁶² Cyprus. ⁶³ Eastern Baltic States.

immaculata Fieber [nom. nud.]

- [Aphrodes] immaculata* Fieber 1872a: 12 [nom. nud., listed] ¹

LOCALITIES: ¹ England.

insularis Curtis

- [Aphrodes] insularis* Curtis 1837b: pl. 633 [n. sp.] ¹
[Aphrodes] insularis Curtis 1837a: 222 [Listed] ¹
Iassus insularis Walker 1851b: 888 [Catalogued] ² Equals *Aphrodes insularis* Curt.
[Iassus] insularis Dohrn 1859a: 87 [Listed] ²
[Iassus] insularis Walker 1860a: 20 [Catalogued] ²
[Aphrodes] insularis Curtis 1862a: pl. 633 [n. sp., reprinted] ¹
[Aphrodes] insularis Fieber 1872a: 12 [Listed] ²
Aphrodes insularis Sherborn 1927b: 3210 [Catalogued]

LOCALITIES: ¹ Great Britain. ² England.

integra Wagner (var.). See *Aphrodes tricineta* var. *integra* Wagner.

interrupta Scott. See *Aphrodes albifrons* var. *dispar* Zetterstedt.

irritans Wagner. See *Aphrodes albifrons* var. *arcuata* Kirschbaum.

juvenca Hardy. See *Verdanus abdominalis* Fabricius. Family EUSCELIDAE.

kirschbaumi Edwards. See *Aphrodes albiger* var. *kirschbaumi* Edwards.

laeva Rey (var.). See *Aphrodes trifasciata* var. *laeva* Rey.

***lata* Curtis**

[*Aphrodes*] *lata* Curtis 1837b: pl. 633 [n. sp.] ¹

[*Aphrodes*] *lata* Curtis 1837a: 222 [Listed] ¹

A[*phrodes*] *lata* Hardy 1850a: 426 [Comparative note]

Iassus latus Walker 1851b: 889 [Catalogued] ² Equals *Aphrodes lata* Curt.

[*Jassus*] *latus* Dohrn 1859a: 87 [Listed] ²

[*Aphrodes*] *lata* Curtis 1862a: pl. 633 [n. sp., reprinted] ¹

[*Aphrodes*] *lata* Fieber 1872a: 12 [Listed] ²

Aphrodes lata Sherborn 1927c: 3454 [Catalogued]

LOCALITIES: ¹ Great Britain. ² England.

limicola Edwards. See *Aphrodes albifrons* var. *arcuata* Kirschbaum.

lineata Fabricius. See *Stictocoris hybneri* Gmelin. Family EUSCELIDAE.

livens Zetterstedt. See *Stroggylocephalus livens* Zetterstedt.

lurida Eversmann [nom. nud.]

[*Acocephalus*] *luridus* Eversmann 1837a: 33 [nom. nud., listed] ¹

LOCALITIES: ¹ Russia.

M Signoret (var.) [*albifrons*]. See *Aphrodes albifrons* var. *M* Signoret.

***maculipennis* Curtis**

[*Aphrodes*] *maculipennis* Curtis 1837b: pl. 633 [n. sp.] ¹

[*Aphrodes*] *maculipennis* Curtis 1837a: 222 [Listed] ¹

Iassus maculipennis Walker 1851b: 889 [Catalogued] ² Equals

Aphrodes maculipennis Curt.

[*Jassus*] *maculipennis* Dohrn 1859a: 87 [Listed] ²

[*Iassus*] *maculipennis* Walker 1860a: 20 [Catalogued] ²

[*Aphrodes*] *maculipennis* Curtis 1862a: pl. 633 [n. sp., reprinted] ¹

[*Aphrodes*] *maculipennis* Fieber 1872a: 12 [Listed] ²

Aphrodes maculipennis Sherborn 1928a: 3801 [Catalogued]

LOCALITIES: ¹ Great Britain. ² England.

***maculipes* Curtis**

[*Aphrodes*] *maculipes* Curtis 1837b: pl. 633 [n. sp.] ¹

[*Aphrodes*] *maculipes* Curtis 1837a: 222 [Listed] ¹

[*Aphrodes*] *maculipes* Hardy 1850a: 426 [Comparative note]

Iassus maculipes Walker 1851b: 889 [Catalogued] ² Equals

Aphrodes maculipes Curt.

[*Jassus*] *maculipes* Dohrn 1859a: 87 [Listed] ²

[*Aphrodes*] *maculipes* Curtis 1862a: pl. 633 [n. sp., reprinted] ¹

[*Aphrodes*] *maculipes* Fieber 1872a: 12 [Listed] ²

Aphrodes maculipes Sherborn 1928a: 3803 [Catalogued]

LOCALITIES: ¹ Great Britain. ² England.

marmorata Hardy. See *Allygus mixtus* Fabricius. Family EUSCELIDAE.

malanopsis Hardy. See *Hardya* (*Hardya*) *melanopsis* Hardy. Family EUSCELIDAE.

meratii Guérin-Ménéville [nom. nud.]. See *Aphrodes bicincta* von Schrank.
mixta Say. See *Stroggylocephalus agrestis* Fallén.
nervosa von Schrank. See *Aphrodes bicincta* von Schrank.
nigra Kusnezov (var.). See *Aphrodes trifasciata* var. *nigra* Kusnezov.

nigricans Matsumura

[*Acocephalus bifasciatus*] *nigricans* Matsumura 1912b: 289 [n. var.]^{1, 2}

Acocephalus nigricans Kato 1933b: pl. 27, fig. 1 [Illustrated]³

[*Aphrodes*] *nigricans* Ishihara 1953b: 35; pl. 15, fig. 3 [Catalogued, illustrated]^{1, 2, 4} Equals *Acocephalus bifasciatus* [*nigricans* Mats.]

Aphrodes nigricans Esaki and Ito 1954a: 83 [Catalogued]^{1, 2, 5}
 Equals *Acocephalus bifasciatus nigricans* Mats. Equals *Acocephalus nigricans* Kato

LOCALITIES: ¹ Honshu. ² Kyushu. ³ Japan. ⁴ Shikoku. ⁵ Sado Island.

nigritus Kirschbaum. See *Aphrodes tricincta* Curtis.

nigropunctata Zetterstedt. See *Stroggylocephalus livens* Zetterstedt.

nitida Curtis. See *Euscelis lineolata* Brullé. Family EUSCELIDAE.

nitidula Donovan. See *Aphrodes albifrons* var. *dispar* Zetterstedt.

nudus Wagner (var.). See *Aphrodes albiger* var. *nudus* Wagner.

O Signoret (var.) [*albifrons*]. See *Aphrodes albifrons* var. *O* Signoret.

obliqua Germar. See *Aphrodes bifasciata* Linné.

obscura Curtis. See *Aphrodes bicincta* von Schrank.

obtusifrons Kirschbaum. See *Aphrodes bicincta* var. *obtusifrons* Kirschbaum.

olivacea Walker

Acocephalus olivaceus Walker 1851b: 846 [n. sp.]¹

Acocephalus olivaceus Walker 1857a: 98 [Catalogued]^{1, 2}

Acocephalus olivaceus Walker 1857b: 172 [Listed]³

[*Acocephalus*] *olivaceus* Dohrn 1859a: 84 [Listed]¹

Acocephalus olivaceus Signoret 1879a: 87 (41) [Described, catalogued]¹

Acocephalus olivaceus Atkinson 1886b: 198 (58) [Catalogued]^{1, 2}

Acocephalus olivaceous [sic] Merino 1936a: 396 [Catalogued]¹

LOCALITIES: ¹ Philippine Islands. ² Malacca. ³ Sarawak.

P Signoret (var.) [*albifrons*]. See *Aphrodes albifrons* var. *P* Signoret.

pallida Curtis. See *Aphrodes bicincta* von Schrank.

pallidipennis Curtis

[*Aphrodes*] *pallidipennis* Curtis 1837a: 222 [Listed]¹

[*Aphrodes*] *pallidipennis* Curtis 1837b: pl. 633 [n. sp.]¹

Iassus pallidipennis Walker 1851b: 888 [Catalogued]² Equals

Aphrodes pallidipennis Curt.

[*Jassus*] *pallidipennis* Dohrn 1859a: 87 [Listed]²

[*Iassus*] *pallidipennis* Walker 1860a: 20 [Catalogued]²

[*Aphrodes*] *pallidipennis* Curtis 1862a: pl. 633 [n. sp., reprinted]¹

pallidipennis Curtis—Continued

Aphrodes pallidipennis Marshall 1866c: 265 To *Iassus* (*D[eltocephalus]*) *abdominalis* Fabr. (?) [error]

[*Aphrodes*] *pallidipennis* Fieber 1872a: 12 [Listed] ²

Aphrodes pallidipennis Sherborn 1919b: 4697 [Catalogued]

LOCALITIES: ¹ Great Britain. ² England.

pelas Signoret. See *Aphrodes albifrons* var. *arcuata* Kirschbaum.

peltastes Burmeister

E[upelix] peltastes Burmeister 1835a: 112 [n. sp.] ¹

Acocephalus peltastes Walker 1851b: 847 [Catalogued] ¹ Equals

Eupelix peltastes Burm.

[*Acocephalus*] *peltastes* Dohrn. 1859a: 84 [Listed] ¹

LOCALITIES: ¹ South Africa.

petrophilus Lindberg

Acocephalus albifrons [nec Linné] Horváth 1909a: 297 [Listed] ^{1, 2}

A[phrodes] albifrons [nec Linné] Lindberg 1936a: 2, 5 [Listed] ^{1, 2, 3, 4, 5, 6, 7}

A[phrodes] petrophilus Lindberg 1954a: 205; figs. 51a–d nom. nov. pro *Acocephalus albifrons* Horváth [1909] [nec *Cicada albifrons* Linné 1758] [Described, ecology, illustrated, catalogued] ^{1, 2, 7, 8} Equals *Aphrodes a[lbifrons]* Lindb. [nec Linné] :272, 273 [Ecology] :288, 299 [Listed] ^{1, 2, 7, 8}

LOCALITIES: ¹ Canary Islands. ² Tenerife Island. ³ Palearctic Region.

⁴ Europe. ⁵ Northern Africa. ⁶ Nearctic Region. ⁷ La Palma Island. ⁸ Hierro.

placida Provancher. See *Aphrodes flavostriata* Donovan.

polystola Scott. See *Aphrodes albifrons* var. *dispar* Zetterstedt.

prominens Walker

Acocephalus prominens Walker 1858b: 261 [n. sp.] ¹

LOCALITIES: ¹ Senegal.

puella Curtis

Aphrodes *puella* Curtis 1829a: 193 [nom. nud., listed] ¹

[*Aphrodes*] *puella* Curtis 1837b: pl. 633 [n. sp.] ¹

[*Aphrodes*] *puella* Curtis 1837b: 222 [Listed] ¹

Iassus puella Walker 1851b: 888 [Catalogued] ² Equals *Aphrodes puella* Curt.

[*Jassus*] *puella* Dohrn 1859a: 87 [Listed] ²

[*Iassus*] *puella* Walker 1860a: 20 [Catalogued] ²

[*Aphrodes*] *puella* Curtis 1862a: pl. 633 [n. sp., reprinted] ¹

Aphrodes puella Marshall 1866c: 224 [Notes, catalogued] ¹

Aphrodes puella Dallas 1867a: 574 To *J[assus]* (*D[eltocephalus]*) *argus* Marsh. (?) [error]

puella Curtis—Continued

[*Aphrodes*] *puella* Fieber 1872a: 12 [Listed] ²

Aphrodes puella Sherborn 1929d: 5220 [nom. nud., catalogued]

LOCALITIES: ¹ Great Britain. ² England.

pulverulenta Curtis. See *Aphrodes bicincta* von Schrank.

punctulata Eversmann [nom. nud.]

[*Acocephalus*] *punctulatus* Eversmann 1837a: 33 [nom. nud., listed] ¹

LOCALITIES: ¹ Russia.

Q Signoret (var.) [*albifrons*]. See *Aphrodes albifrons* var. *Q* Signoret.

quadrinotata Fabricius. See *Cicadula quadrinotata* Fabricius. Family EUSCELIDAE.

rivularis Germar. See *Aphrodes flavostriata* Donovan.

rugosa Curtis. See *Aphrodes bicincta* von Schrank.

rustica Fabricius. See *Aphrodes bicincta* von Schrank.

sabulicola Curtis. See *Psammotettix sabulicola* Curtis. Family EUSCELIDAE.

sahlbergii Signoret

[*Acocephalus*] *sahlbergii* Signoret 1879a: 72 (26); pl. 2, fig. 11 [n. sp., illustrated] ¹

[*Acocephalus*] *sahlbergi* Puton 1886b: 80 [Listed] ¹

[*Acocephalus*] *sahlbergi* Puton 1899a: 94 [Listed] ¹

[[*Acocephalus*] *sahlbergi* Oshanin 1906a: 91 [Catalogued] ^{1, 2}

[*Acocephalus*] *sahlbergi* Oshanin 1912a: 103 [Listed] ²

Aphrodes sahlbergi Jacobi 1943a: 31 [Listed] ³

LOCALITIES: ¹ Dauria. ² Siberia. ³ Manchuria.

salinus Wagner (var.). See *Aphrodes albiger* var. *salinus* Wagner.

sanguinea Rathvon [nom. nud.]

[*Acocephalus*] *sanguineus* (?) Rathvon 1869a: 551 [nom. nud., listed] ¹

LOCALITIES: ¹ Pennsylvania.

serratulae Fabricius

[*Cicada*] *serratulae* Fabricius 1775a: 686 [n. sp.] ²

[*Cicada*] *serratulae* Goeze 1778a: 158 [Described, catalogued] ²

[*Cicada*] *fuscifasciata* Goeze 1778a: 161 [n. sp.]

[*Cicada*] *serratulae* Fabricius 1781a: 327 [Described, catalogued] ²

[*Cicada*] *transversalis* de Fourcroy 1785a: 190 [n. sp.] ¹

Cicada serratulae Fabricius 1787a: 272 [Described]

[*Cicada*] *serratulae* De Villers 1789a: 470 [Described] ²

[*Cicada*] *transversalis* De Villers 1789a: 468 [n. sp.] ¹

[*Cicada*] *serratulae* Gmelin 1789a: 2108 [Described, catalogued] ²

[*Cicada*] *bistriata* Gmelin 1789a: 2116 [n. sp.] ¹

serratulae Fabricius—Continued

- Cicada serratulae* Fabricius 1794a: 41 [Described] ²
 [*Cicada*] *serratulae* Weber 1795a: 147 [Listed]
 [*Cicada*] *serratula* Turton 1802a: 596 [Described] ²
 [*Flata*] *serratulae* Fabricius 1803a: 54 [Described] ² Equals *Cicada serratulae* Fabr. :11 [Listed]
Cixius serratulae Latreille 1804a: 311 [Described] ² Equals *Flata serratulae* Fabr.
Cercopis [*serratulae*] Germar 1818a: 200 Equals *F*[*lata*] *serratulae* Fabr.
 [*Cicada*] *serratulae* Donovan 1820a: [5] [Described, food plants] ²
Flata serratulae Duméril 1820a: 127 [Notes]
Jassus [*serratulae*] Germar 1821a: 87 Equals *Flata serratulae* Fabr.
Cixius [*serratulae*] Boitard 1828a: 155 [Described] ² Equals *Flata serratulae* Fabr.
 [*Aphrodes*] *serratulae* Curtis 1829a: 193 [Listed] ³
Tettigonia [*serratulae*] Eichwald 1830a: 229 [Described] ⁴
Jassus [*serratulae*] Herrich-Schäffer 1835a: 114 Equals *Cic*[*ada serratulae*] Fabr. :102 Equals [*Cicada*] *albiger* Germ. [error] :113, 114 Equals *J*[*assus*] *albiger* Germ. [error] :71 [Key]
 [*Cicada*] *serratulae* Herrich-Schäffer 1835a: 104 To *J*[*assus serratulae* Fabr.]
 [*Flata*] *serratulae* Herrich-Schäffer 1835a: 105 To *Jassus* [*serratulae* Fabr.]
Jassus serratulae Herrich-Schäffer 1835d: 5; pl. 5 [Described, illustrated, catalogued] ²⁰ Equals *Flat*[*a serratulae*] Fabr. Equals *Cic*[*ada serratulae*] Fabr. Equals *J*[*assus*] *albiger* Germ. [error]
 [*Aphrodes*] *serratulae* Curtis 1837a; 222 [Listed] ³
 [*Cixius* (?) *serratulae*] Curtis 1837f: pl. 673 Equals *Flata serratulae* Fabr.
Jassus [*serratulae*] Gistel 1837a: 109 (14) [Listed] ²⁸
 [*Acucephalus*] *seratulae* [sic] Gistel 1837a: 110 (15) To [*Acucephalus*] *spurius* Fabr. [error]
Jassus (*Athysanus*) [*serratulae*] Burmeister 1838b: [15] [Key, catalogued]
Cixius serratulae Comte 1840a: pl. 68 [Listed]
A[*thysanus*] *serratulae* Herrich-Schäffer 1840a: 381 [Listed] ²⁸ Equals [*Athysanus*] *albiger* Germ. [error]
Cixius [*serratulae*] Boitard 1843a: 83 [Described] ² Equals *Flata serratulae* Fabr.
 [*Cicada*] *serratulae* Amyot 1847a: 205 To *Albiger* Amy. [non binom.] [error]

serratulae Fabricius—Continued

- [*Flata*] *serratulae* Amyot 1847a: 166 To *Entaeniothes* [non binom.] (?) [error]
- [*Cicada*] *serratulae* Amyot 1848a: 401 To *Albiger* Amy. [non binom.] [error]
- [*Flata*] *serratulae* Amyot 1848a: 362 To *Entaeniothes* [non binom.] (?) [error]
- [*Cixius serratulae*] Hardy 1850a: 431 [Food plants]² Equals *Flata serratula* Fabr.
- [*Flata*] *serratulae* Schaum 1850a: 73 [Taxonomy]
- Iassus serratulae* Walker 1851b: 884 [Catalogued]² Equals *Cicada serratulae* Fabr. Equals *Flata serratulae* Fabr. Equals *Iassus albiger* Germ. [error] Equals *Aphrodes concinna* Curt. [error] Equals *Aphrodes testudo* Curt. [error] Equals *Albiger* Amy. [non binom.] [error]
- Cicada bistriata* Walker 1851b: 850 To *Acocephalus bifasciatus* (?) [error]
- Cixius* (?) *serratulae* Walker 1852a: 1136 [Catalogued] Equals *Entaeniothes serratulae* Fabr.
- [*Cixius*] *serratulae* Perris 1857a: 169 (89) [Ecology]¹
- [*Deltiocephalus* (*Athysanus*)] *serratulae* Kirschbaum 1858a: 3 [Listed]⁴ Equals [*Jassus*] *serratulae* Fabr.
- Anoscopus*] *serratulae* Kirschbaum 1858b: 357 [Listed]
- [*Jassus*] *serratulae* Dohrn 1859a: 87 [Listed]⁴ Equals [*Jassus*] *testudo* Curt. [error] Equals [*Jassus*] *albiger* Germ. [error] Equals [*Jassus*] *concinnus* Curt. [error]
- F[ata]* *serratulae* Duméril 1860a: 1048 [Described]
- F[ata]* *serratulae* Duméril 1860b: 1048 [Described]
- [*Acocephalus*] *serratulae* Walker 1860a: 19 [Listed]² Equals [*Acocephalus*] *concinnus* Curt. [error]
- Jassus serratulae* Flor 1861a: 203 To *Acocephalus* (*Acocephalus*) *albifrons* Linné [error]
- [*Cixius* (?) *serratulae*] Curtis 1862a: pl. 673 Equals *Flata serratulae* Fabr.
- [*Jassus*] *serratulae* de Graaf, Six, and Snellen van Vollenhoven 1862a: 82 [Catalogued]⁵
- Flata serratulae* Marshall 1866a: 177 To *Acocephalus albifrons* Linné [error]
- A[cocephalus]* (*An[oscopus]*) *serratulae* Kirschbaum 1868b: 78 [Key, catalogued]^{6, 7}
- A[cocephalus]* *serratulae* Sahlberg 1871a: 362 [Described, catalogued]^{2, 8} Equals *Cicada* [*serratulae*] Fabr. Equals *Flata* [*serratulae*] Fabr. Equals *Jassus* [*serratulae*] Herr.-Schäff. Equals

serratulae Fabricius—Continued

- Jassus albiger* Germ. [error] Equals [*Acocephalus*] (*Anoscopus*) [*serratula*] Kirschb. :36 [Ecology] :31, 54 [Listed] ^{8, 9, 29}
- [*Acocephalus*] *serratulae* Fieber 1872a: 10 To [*Acocephalus*] *albifrons* Linné [error]
- Acocephalus serratulae* Fieber 1872b: 30 To *Acocephalus albifrons* Linné [error]
- Jassus serratulae* Fieber 1872b: 34 To *Acocephalus albifrons* Linné [error]
- [*Jassus* (*Athysanus*)] *serratulae* Kittel 1875a: 6 [Listed] ²⁸
- [*Acocephalus*] *serratulae* Puton 1875a: 133 [Listed] ⁹
- [*Acocephalus*] (*Anoscopus*) *brunneobifasciatus* Signoret 1879a: 82 (36); pl. 2, fig. 15 [n. sp., illustrated]⁴ Equals *A*[*cocephalus*] *bistriata* Gmel. Equals *A*[*cocephalus*] *transversalis* de Fourcr. Equals *J*[*assus*] *albiger* Germ. (?) [error] Equals *A*[*cocephalus*] *arenicola* Marsh. [error] Equals *A*[*cocephalus*] *albifrons* Fieb. [error] Equals *A*[*cocephalus*] *serratulae* Fabr.
- Acocephalus serratulae* Chicote 1880b: 4 [Listed] ¹⁰
- A*[*cocephalus*] *serratulae* Reiber and Puton 1880a: 62 [Listed] ¹¹
- Equals [*Acocephalus*] *albifrons* Scott [error]
- Acocephalus serratulae* Cuni y Martorell 1881a: 377 (11) [Listed] ¹⁰
- A*[*cocephalus*] *serratulae* Reuter 1881b: 234 Equals [*Acocephalus*] *brunneobifasciatus* de Fourcr.
- A*[*cocephalus*] *serratulae* Ferrari 1882a: 114 (42) [Catalogued] ¹²
- Equals *A*[*cocephalus*] *brunneofasciatus* Geoffr. :113 (41) [Key]
- [*Acocephalus*] *brunneobifasciatus* Puton 1882a: 120 [Listed]
- [*Acocephalus*] *serratulae* Kieffer 1884a: 80 [Ecology] ³⁰
- A*[*cocephalus*] *serratulae* Mayr 1884a: 30 [Listed]⁴ Equals [*Acocephalus*] *albifrons* Scott [error]
- A*[*cocephalus*] *serratulae* Lethierry 1886a: 95 [Listed] ¹
- [*Acocephalus*] *serratulae* Puton 1886b: 80 [Listed]⁴ Equals [*Acocephalus*] *brunneobifasciatus* Sign. Equals [*Acocephalus*] *bistriatus* Gmel. Equals [*Acocephalus*] *transversalis* de Fourcr. Equals [*Acocephalus*] *albifrons* Scott [error]
- [*Acocephalus*] *brunneofasciatus* [sic] Montandon 1887a: 63 [Listed]²²
- A*[*cocephalus*] *serratulae* Dubois 1888a: 164 (68) [Ecology] ¹
- Acocephalus brunneobifasciatus* Edwards 1888d: 22 [Described, catalogued] ³ Equals *C*[*icada*] *serratulae* Fabr. Equals *Jassus serratulae* Herr.-Schäff. Equals *Acocephalus serratulae* Kirschb. :19 [Key]
- Acocephalus brunneobifasciatus* Edwards 1889a: 706 [Listed] ²
- [*Acocephalus*] *serratulae* Provancher 1889a: 283 [Comparative note] ⁴

serratulae Fabricius—Continued

- Acocephalus fuscofasciatus* Bergroth 1890a: lxvi Equals *Acocephalus serratulae* Fabr.
- A[cocephalus] serratulae* Dominique 1890a: 113 (29) [Listed] ¹
- [Acocephalus] serratulae* Provancher 1890d: 283 [Comparative note] ⁴
- [Acocephalus] brunneobifasciatus* Saunders and Edwards 1890a: 13 [Listed] ³
- Acocephalus brunneobifasciatus* Buckton 1891a: 12; pl. XL, figs. 2, 2a–b [Described, illustrated, catalogued] ²
- Acocephalus brunneobifasciatus* Buckton 1891a: 12 Equals *Cicada brunneobifasciata* Geoffr. Equals *C[icada] serratulae* Fabr. Equals *Jassus serratulae* Herr.-Schäff. Equals *Acocephalus serratulae* Kirschb. Equals *Anoscopus brunneobifasciatus* Sign. :13 [Listed]
- Acocephalus serratulae* Fauvel 1891a: 58 [Listed] ¹
- [Acocephalus] serratulae* Fokker 1891a: 372 [Listed] ⁵
- [Acocephalus] serratulae* Coubeaux 1892a: 35 (2) [Listed] ¹³
- A[cocephalus] serratulae* Dominique 1892a: 120 [Listed] ¹
- [Acocephalus] serratulae* Duda 1892a: 32 [Listed] ⁴¹ Equals *[Acocephalus] albifrons* Scott [error]
- Acocephalus serratulae* Ferrari 1892a: 572 (24) [Listed] ¹²
- [Acocephalus] serratulae* Lethierry 1892b: 24 [Listed] ¹³
- Acocephalus serratulae* Fokker 1894a: 84 [Listed] ³¹
- Acocephalus serratulae* Rey 1894b: 30 [Notes] ¹
- A[cocephalus] brunneobifasciatus* Edwards 1895a: 123; pl. 14, fig. 9 [Described, illustrated, ecology, comparative note] ² :119 [Key]
- Acocephalus serratulae* Melichar 1896a: 196 [Described, food plants, catalogued] ^{6, 7, 20} Equals *Cicada brunneobifasciata* [sic] Geoffr. Equals *C[icada] serratulae* Fabr. Equals *Jassus [serratulae]* Herr.-Schäff. :191 [Key]
- Jassus serratulae* Melichar 1896a: 195 To *Acocephalus albifrons* Linné [error]
- [Acocephalus] fuscofasciatus* Horváth 1897c: 50 [Listed] ²¹ Equals *[Acocephalus] serratulae* Fabr.
- [Acocephalus] serratulae* Schneider 1898a: 143 [Listed] ¹⁵
- Acoceph[alus] serratulae* Melichar 1899b: 184 [Listed] ¹⁶
- [Acocephalus] fuscofasciatus* Puton 1899a: 94 [Listed] ⁴ Equals *[Acocephalus] serratulae* Fabr. Equals *[Acocephalus] brunneobifasciatus* Sign. Equals *[Acocephalus] bistriatus* Gmel. Equals *[Acocephalus] transversalis* de Fourcr. Equals *[Acocephalus] albifrons* Scott [error]

serratulae Fabricius—Continued

- A[cucephalus] brunneobifasciatus* Ball 1900a: 65 [Described, key] ¹⁷
 Equals *A[cucephalus] serratulae* Fabr.
- Acocephalus serratulae* Fokker 1900e: 15 [Listed] ¹⁸
- Acocephalus fuscofasciatus* Montandon 1900a: 749 [Listed] ²²
- A[phrodes] fuscofasciata* Kirkaldy 1901f: 338 [Listed] ¹⁷ Equals
[Aphrodes] brunneobifasciata Equals *[Aphrodes] serratulae*
- A[cocephalus] fuscofasciatus* Dominique 1902a: 215 [Listed] ¹
 Equals *[Acocephalus] serratulae* Fabr.
- Acocephalus fuscofasciatus* Lambertie 1902a: xviii [Listed] ¹
- [Acucephalus] fuscofasciatus* Lambertie 1902b: 325 [Listed] ¹
- Acocephalus fuscofasciatus* Lambertie 1902c: lxxix, lxxx [2]
- Cicada bistrata* Sherborn 1902a: 132 [Catalogued]
- Cicada serrulatae* [sic] Sherborn 1902a: 894 [Catalogued]
- Cicada transversalis* Sherborn 1902a: 985 [Catalogued]
- Acocephalus fuscofasciatus* Horváth 1903a: 24 [Listed] ¹⁹
- Acocephalus fuscofasciatus* Lambertie 1903c: 1x [2] [Listed] ¹
- [Acocephalus] fuscofasciatus* Hübner 1904a: 263 [Listed] ²⁰ Equals
[Acocephalus] bistratus Gmel. Equals *[Acocephalus] brunneobifasciatus* Sign. Equals *[Acocephalus] serratulae* Fabr.
 Equals *[Acocephalus] bistratus* Gmel. Equals *[Acocephalus] transversalis* de Fourcr. Equals *[Acocephalus] albifrons* Scott
 [error]
- [Acocephalus] fuscofasciatus* Hübner 1904b: 263 [Listed] ²⁰ Equals
[Acocephalus] brunneobifasciatus Sign. Equals *[Acocephalus] serratulae* Fabr. Equals *[Acocephalus] bistratus* Gmel. Equals
[Acocephalus] transversalis Fourcr. Equals *[Acocephalus] albifrons* Scott [error]
- [Acocephalus] fuscofasciatus* Lambertie 1904a: 29 (13) [Listed] ¹
- [Acocephalus] brunneobifasciatus* Morley 1905a: 27 [Ecology] ²
- [Acocephalus] fuscofasciatus* Oshanin 1906a: 93 [Catalogued]
 1, 3, 8, 12, 16, 17, 20, 21, 22, 23 Equals *Cicada fuscofasciata* Goeze
 Equals *Cicada brunneobifasciata* Geoffr. Equals *Cicada bistrata* Gmel. Equals *Cicada transversalis* de Fourcr. Equals
Flata serratulae Fabr. Equals *Jassus serratulae* Herr.-Schäff.
 Equals *Acocephalus serratulae* Kirschb. Equals *Acocephalus brunneobifasciatus* Sign.
- Acocephalus brunneobifasciatus* Butler 1907a: 56 [Listed] ²
- A[cocephalus] fuscofasciatus* Paganetti-Hummler 1907a: 95
 [Listed] ²⁴
- Aphrodes fuscofasciatus* Horváth 1908b: 6 [Listed] ^{4, 25}
- Acocephalus fuscofasciatus* Lambertie 1908c: cii (1) [Ecology] ¹
- Acoc[ephalus] fuscofasciatus* Oshanin 1908b: 422 [Listed] ⁵

serratulae Fabricius—Continued

- [*Acocephalus*] *fuscofasciatus* Saunders and Edwards 1908a: 12
 [Listed] ³ Equals [*Acocephalus*] *brunneobifasciatus* Geoffr.
A[cocephalus] fuscofasciatus Butler 1909a: 468 [Notes] ³²
Acocephalus fuscofasciatus Lambertia 1909b: cxlvii [Ecology] ¹
Acocephalus fuscofasciatus Lambertia 1909e: clx [Ecology] ¹
 [*Acocephalus*] *fuscofasciatus* Lambertia 1910a: 78 [Listed] ¹
 Equals [*Acocephalus*] *serratulae* Fabr. Equals [*Acocephalus*]
brunneobifasciatus Sign. Equals [*Acocephalus*] *bistriatus* Gmel.
 Equals [*Acocephalus*] *transversalis* de Fourcr.. Equals
 [*Acocephalus*] *albifrons* Scott [error]
Acocephalus fuscofasciatus Lambertia 1910b: 40 (2) [Ecology] ¹
A[cocephalus] brunneobifasciatus Smith 1910a: 103 [Listed] ¹⁷
Aphrodes fuscofasciatus Horváth 1912e: 564 [Listed] ^{4, 25}
 [*Acocephalus*] *fuscofasciatus* Oshnanin 1912a: 104 [Listed] ^{4, 16, 23}
 Equals [*Acocephalus*] *brunneobifasciatus* Geoffr. (?) Equals
 [*Acocephalus*] *transversalis* Geoffr. Equals [*Acocephalus*]
bistriatus Gmel. Equals [*Acocephalus*] *serratulae* Fabr. (?)
 [*Acocephalus*] *fuscofasciatus* Van Duzee 1916a: 68 [Listed] ²⁶
 Equals [*Acocephalus*] *transversalis* de Fourcr. Equals
 [*Acocephalus*] *bistriata* Gmel. Equals [*Acocephalus*] *serratulae*
 Fabr. Equals [*Acocephalus*] *brunneobifasciatus* Sign.
Acocephalus fuscofasciatus Van Duzee 1917b: 619 [Catalogued] ^{4, 17}
 Equals *Cicada* [*fuscofasciata*] Goeze Equals *Cicada serratulae*
 Fabr. Equals *Cicada bistrata* Gmel. Equals *Cicada brun-*
neobifasciatus Geoffr. Equals *Cicada transversalis* Geoffr.
 Equals *Aphrodes* [*fuscofasciata*] Horv. Equals *Flata* [*serratulae*]
 Fabr. Equals *Jassus* [*serratulae*] Herr.-Schäff.
A[cocephalus] fuscofasciatus Tullgren and Wahlgren 1920a: 147
 [Notes] ⁸
Acocephalus fuscofasciatus Benick 1926a: 100 [Listed] ³⁵ Equals
 [*Acocephalus*] *serratulae* Fabr.
A[phrodes] fuscofasciatus Blöte 1927b: 73 [Described] ⁵ :67, 68
 [Key]
Aphrodes fuscofasciatus Blöte 1927d: 222 [Listed] ⁵ Equals
Acocephalus serratulae Fabr.
A[cocephalus] brunneobifasciatus Poisson and Poisson 1927a: 137
 [Listed] ¹ Equals [*Acocephalus*] *serratulae* Fabr. (?) Equals
 [*Acocephalus*] *fuscofasciatus* Goeze
Acocephalus fuscofasciatus Ivanov 1928b: 494, 503, 504 [Listed] ³³
Acocephalus fuscofasciatus Ivanov 1928c: 190, 199, 200 [Listed] ³³
 [*Acocephalus*] *fuscofasciatus* Luigioni 1929a: 219 (21) [Listed] ¹²
A[cocephalus] fuscofasciatus Britten 1930a: 72 [Listed] ²

serratulae Fabricius—Continued

- [*Aphrodes*] *fuscofasciatus* Haupt 1935a: 169; fig. 320 [Key, ecology, illustrated] Equals [*Aphrodes*] *serratulae* Fabr.
- A[*phrodes*] *fuscofasciatus* Wagner 1935a: 13 [Listed] ^{34, 35, 36, 44}
- [*Acucephalus*] *fuscofasciatus* De Long and Caldwell 1937c: 16 [Catalogued] ¹⁷
- Aphrodes fuscofasciatus* Kuntze 1937a: 318, 319, 338, 358 [Ecology] ³⁷
- A[*phrodes*] *fuscofasciatus* Kuntze 1937b: 25 [Ecology] ³⁷
- [*Aphrodes*] *fuscofasciatus* Wagner 1937b: 66; figs. 8a–b [Key, illustrated]
- Aphrodes fuscofasciatus* Nast 1938d: 227 (3) [Listed] ³⁸
- A[*phrodes*] *fuscofasciatus* Wagner 1939a: 137 [Listed] ^{6, 7} Equals [*Acucephalus*] *serratulae* Kirschb.
- A[*phrodes*] *fuscofasciatus* Ossiannilsson 1942a: 36 [Listed] ⁸
- [*Acucephalus*] *fuscofasciatus* Moore 1944a: 43 [Listed] ³⁹
- A[*phrodes*] *fuscofasciatus* Reclaire 1944a: 229 [Ecology] ⁴⁰ Equals A[*phrodes*] *serratulae* Fabr.
- A[*phrodes*] *brunneobifasciatus* Reclaire 1944a: 229 [Listed] ^{2, 40} Equals A[*phrodes*] *fuscofasciatus* Goeze
- A[*phrodes*] *fuscofasciatus* Roche 1944a: 83 [Listed] ²
- Aphrodes fuscofasciatus* Dlabola 1945a: 36, 39 [Listed] ^{41, 42}
- [*Aphrodes*] *fuscofasciatus* Kloet and Hincks 1945a: 53 [Listed] ³
- [*Aphrodes*] *fuscofasciata* De Long and Knoll 1946a: 28 [Catalogued] ¹⁷ Equals *Cicada* [*fuscofasciata* Goeze]
- Aphrodes fuscofasciatus* Lang 1946a: 152 [Listed] ⁴³
- Anoscopus serratulae* Evans 1947a: 148 [Listed] ⁴
- Aphrodes fuscofasciatus* Lang 1947a: 23 [Ecology] ⁴²
- A[*phrodes*] *fuscofasciatus* Ossiannilsson 1947b: 163; figs. 337, 366 [Described, ecology, illustrated] ⁸ Equals [*Aphrodes*] *serratulae* Sahlb. :159 [Key]
- Aphrodes fuscofasciatus* Ossiannilsson 1948a: 16 [Listed] ^{8, 44} Equals [*Aphrodes*] *serratulae* Sahlb.
- A[*phrodes*] *fuscofasciatus* Fagel 1949a: 146 [Listed] ¹³ Equals [*Aphrodes*] *serratulae* Fabr.
- [*Aphrodes*] *serratulae* Oman 1949a: 58 [Catalogued] Equals *Cicada serratulae* Fabr. To [*Aphrodes*] *fuscofasciata*
- [*Aphrodes*] *bistriata* Oman 1949a: 58 Equals *Cicada bistriata* Gmel. To [*Aphrodes*] *fuscofasciata*
- [*Aphrodes*] *brunneobifasciata* Oman 1949a: 58 [Catalogued] Equals *Acucephalus brunneobifasciata* Sign. To [*Aphrodes*] *fuscofasciata*
- [*Aphrodes*] *fuscofasciata* Oman 1949a: 58 [Catalogued] ^{45, 46} Equals *Cicada fuscofasciata* Goeze Equals [*Aphrodes*] *transversalis*

serratulae Fabricius—Continued

- Geoffr. Equals [*Aphrodes*] *bistriata* Gmel. Equals [*Aphrodes*] *serratulae* Fabr. Equals [*Aphrodes*] *brunneobifasciata* Sign.
 [*Aphrodes*] *transversalis* Oman 1949a: 58 [Catalogued] Equals *Cicada transversalis* Geoffr. To [*Aphrodes*] *fuscifasciata*
Aphrodes fuscifasciatus Ossiannilsson 1949a: 87; pl. 13, fig. 39 [Stridulation, illustrated]⁸
 [*Aphrodes*] *fuscifasciatus* China 1950a: 245 [Listed]³
Aphrodes fuscifasciatus Moore 1950a: 259 [Listed]³⁹
Aphrodes fuscifasciatus Moore 1950b: 34 [Listed]³⁹
A[phrodes] fuscifasciatus Wagner 1951b: 27 [Listed]²⁸
Aphrodes fuscifasciatus Rabeler 1952a: 135, 138 [Ecology]⁶
Aphrodes fuscifasciatus Ribaut 1952a: 336; figs. 888–889 [Described, illustrated]^{1, 4, 16, 23} Equals [*Aphrodes*] *serratulae* Fabr. (?) Equals [*Aphrodes*] *brunneobifasciatus* Geoffr. (?) Equals [*Aphrodes*] *bistriatus* Gmel. Equals [*Aphrodes*] *transversalis* Geoffr. :331, 333 [Key] :333 [Notes]
Aphrodes fuscifasciatus Marchand 1953a: 144, 146; fig. 2 [Ecology, illustrated]⁶
Aphrodes fuscifasciatus Rabeler 1953a: 168 [Ecology]⁶
A[phrodes] fuscifasciata Beirne 1954f: 199; fig. 5 [Notes, illustrated]^{17, 27, 47}
A[phrodes] fuscifasciatus Dlabola 1954a: 151; pl. XXVII, figs. 519–521 [Notes, illustrated, catalogued]^{14, 41, 42} Equals [*Aphrodes*] *serratulae* Fabr. :150 [Key] :67 [Ecology]^{14, 41, 42}
A[phrodes] fuscifasciatus Smreczynski 1954a: 120 [Notes]³⁸ Equals *A[phrodes] serratulae* Sahlb.

LOCALITIES: ¹ France. ² England. ³ Great Britain. ⁴ Europe. ⁵ Netherlands. ⁶ Prussia. ⁷ Hesse. ⁸ Sweden. ⁹ Scandinavia. ¹⁰ Spain. ¹¹ Alsace-Lorraine. ¹² Italy. ¹³ Belgium. ¹⁴ Slovakia. ¹⁵ Borkum. ¹⁶ Tunisia. ¹⁷ New Jersey. ¹⁸ Thuringia. ¹⁹ Serbia. ²⁰ Germany. ²¹ Hungary. ²² Rumania. ²³ Nearetic Region. ²⁴ Corfu. ²⁵ North America. ²⁶ Eastern United States. ²⁷ British Columbia. ²⁸ Bavaria. ²⁹ Finland. ³⁰ Lorraine. ³¹ Tyrol. ³² Isle of Wight. ³³ Kiev. ³⁴ East Frisian Islands. ³⁵ Schleswig-Holstein. ³⁶ Hanover. ³⁷ Mecklenburg. ³⁸ Poland. ³⁹ Quebec. ⁴⁰ Holland. ⁴¹ Bohemia. ⁴² Moravia. ⁴³ Czechoslovakia. ⁴⁴ Northern Germany. ⁴⁵ Northeastern States. ⁴⁶ Southeastern States. ⁴⁷ Ontario.

serratulae var. **a** Signoret

- [*Acocephalus* (*Anoscopus*) *brunneobifasciatus*] var. *a* Signoret 1879a: 83 (37) [n. var.]

serratulae var. **b** Sahlberg

- [*Acocephalus serratulae*] var. *b* Sahlberg 1871a: 363 [n. var.]¹

LOCALITIES: ¹ Sweden.

serratulae var. **b** Signoret

[*Acocephalus* (*Anoscopus*) *brunneobifasciatus*] var. *b* Signoret
1879a: 84 (38) [n. var.]¹

LOCALITIES: ¹ Kharkov.

serratulae var. **vicaria** Horváth

Acocephalus fuscofasciatus vicarius Horváth 1897b: 627 [n. var.]¹

[*Acocephalus fuscofasciatus*] *vicarius* Horváth 1897c: 50 [Listed]¹

[*Acocephalus fuscofasciatus*] *vicarius* Puton 1899a: 94 [Listed]²

[*Acocephalus*] *fuscofasciatus vicarius* Hübner 1904a: 263 [Listed]³

[*Acocephalus*] *fuscofasciatus vicarius* Hübner 1904b: 263 [Listed]³

[*Acocephalus fuscofasciatus*] *vicarius* Oshanin 1906a: 94 [Catalogued]¹

[*Acocephalus fuscofasciatus*] *vicarius* Oshanin 1912a: 104 [Listed]¹

LOCALITIES: ¹ Hungary. ² Europe. ³ Germany.

signifrons Rey (var.). See *Aphrodes bicincta* var. *signifrons* Rey.

simulans Ribaut (var.). See *Aphrodes bifasciata* var. *simulans* Ribaut.

siracusae Matsumura

Acocephalus siracusae Matsumura 1908a: 41 [n. sp.]¹

[*Acocephalus*] *syracusae* [sic] Oshanin 1910a: 159 [Catalogued]¹

Equals *Acocephalus siracusae* Mats.

[*Acocephalus*] *syracusae* [sic] Oshanin 1912a: 103 [Listed]¹

Acocephalus siracusae Haupt 1924c: 229 [Listed]¹

LOCALITIES: ¹ Sicily.

sparsa Curtis. See *Aphrodes bicincta* von Schrank.

spilotocephala Hardy. See *Cicadula quadrinotata* Fabricius. Family EUSCELIDAE.

spilotocephalus. Typographical error for *Aphrodes spilotocephala* Hardy. See *Cicadula quadrinotata* Fabricius. Family EUSCELIDAE.

spuria Fallén. See *Aphrodes bifasciata* Linné.

striata Fabricius. See *Aphrodes bicincta* von Schrank.

striata Linne [1861]. See *Aphrodes bicincta* von Schrank.

striatella Fabricius. See *Aphrodes bicincta* von Schrank.

subrustica Fallén. See *Aphrodes albifrons* var. *subrustica* Fallén.

sudeticus. Typographical error for *Aphrodes sudetica* Kolenati. See *Diplocolenus* (*Erdianus*) *sudeticus* Kolenati. Family EUSCELIDAE.

sudetica Kolenati. See *Diplocolenus* (*Erdianus*) *sudeticus* Kolenati. Family EUSCELIDAE.

sulphurea Curtis. See *Thamnotettix sulphureus* Curtis. Family EUSCELIDAE.

taeniola Curtis

[*Aphrodes*] *taeniola* Curtis 1837b: pl. 633 [n. sp.]¹

[*Aphrodes*] *taeniola* Curtis 1837a: 222 [Listed]¹

[*Aphrodes*] *taeniola* Hardy 1850a: 426 [Comparative note]

Iassus taeniola Walker 1851b: 889 [Catalogued]² Equals *Aphrodes taeniola* Curt.

taeniola Curtis—Continued

[*Jassus*] *taeniola* Dohrn 1859a: 87 [Listed] ²

[*Iassus*] *taeniola* Walker 1860a: 20 [Listed] ²

[*Aphrodes*] *taeniola* Curtis 1862a: pl. 633 [n. sp., reprinted] ¹

[*Aphrodes*] *taeniola* Fieber 1872a: 12 [Listed] ²

LOCALITIES: ¹ Great Britain. ² England.

testudo Curtis. See *Aphrodes albifrons* var. *dispar* Zetterstedt.

transversa Fabricius. See *Aphrodes bicincta* von Schrank.

transversalis de Foureroy. See *Aphrodes serratulae* Fabricius.

tricincta Curtis

[*Acucephalus*] *tricinctus* Curtis 1836a: pl. 620 [n. sp., illustrated] ¹

[*Acucephalus*] *tricinctus* Curtis 1837a: 222 [Listed] ²

[*Aphrodes*] *tricincta* Amyot 1847a: 206 To *Penthotaenia* Amy.
[non binom.] [error]

[*Aphrodes*] *tricincta* Amyot 1848a: 402 To *Penthotaenia* Amy.
[non binom.] [error]

Acucephalus tricinctus Walker 1851b: 850 To *Acocephalus bifasciatus* [error]

[*Acucephalus*] *tricinctus* Dohrn 1859a: 84 To [*Acucephalus*] *bifasciatus* Linné [error]

[*Acocephalus*] *tricinctus* Walker 1860a: 19 To [*Acocephalus*] *bifasciatus* Linné [error]

[*Acucephalus*] *tricinctus* Curtis 1862a: pl. 620 [n. sp., reprinted] ¹

[*Acocephalus*] *tricinctus* Marshall 1865j: 146 To *Acocephalus bifasciatus* Linné [error]

A[cocephalus (Acocephalus)] nigrinus Kirschbaum 1868b: 76 [n. sp.] ^{3, 4}

A[cocephalus] nigrinus Kirschbaum 1868b: 76 [Comparative note]

[*Acocephalus interruptus*] *nigrinus* Fieber 1872a: 10 [Listed]

Acocephalus interruptus nigrinus Fieber 1872b: 30 Equals *Acocephalus nigrinus* Kirschb.

[*Acocephalus*] *tricinctus* Fieber 1872a: 10 To [*Acocephalus*] *bifasciatus* Linné [error]

[*Acocephalus*] *nigrinus* Scott 1873b: 264 To *Acocephalus interruptus* Scott [error]

[*Acocephalus*] *tricinctus* Puton 1875a: 133 To [*Acocephalus*] *bifasciatus* Linné [error]

[*Acocephalus interruptus*] *nigrinus* Puton 1875a: 133 [Listed]

Acocephalus tricinctus Douglas and Scott 1876a: 74 To [*Acocephalus*] *bifasciatus* [error]

A[cocephalus] tricinctus Signoret 1879a: 68 (22); pl. 2, fig. 9 [Described, illustrated, catalogued] ^{1, 3, 5, 22} Equals *A[cocephalus] nigrinus* Kirschb.

tricincta Curtis—Continued

- Acocephalus tricinctus* Horváth 1880a: 189 [Listed]
A[cocephalus] tricinctus Lomnicki 1884a: 235 [Listed] ¹⁴
[Acocephalus interruptus] nigrinus Mayr 1884a: 30 [Listed] ^{4, 6}
Acocephalus tricinctus Ferrari 1885a: 286 [Catalogued] ⁷
[Acocephalus] tricinctus Puton 1886b: 80 [Listed] ^{2, 5, 6, 7, 8} Equals
[Acocephalus] nigrinus Kirschb. Equals *[Acocephalus] interruptus*
 Scott [error]
A[cocephalus] nigrinus Then 1886a: 26 To *A[cocephalus] interruptus*
 Scott [error]
A[cocephalus] tricinctus Dubois 1888a: 163 (67) [Listed] ⁵
[Acocephalus] nigrinus Edwards 1888d: 20 To *Acocephalus bi-*
fasciatus Linné [error]
A[cocephalus] tricinctus Edwards 1888d: 20 To *Acocephalus*
bifasciatus Linné [error]
Acocephalus tricinctus Buckton 1891a: 13 To *Acocephalus bifasci-*
atus Curt. [error]
[Acocephalus] nigrilis [sic] Buckton 1891a: 13 To *Acocephalus*
bifasciatus Curt. [error]
[Acucephalus] tricinctus Fokker 1891a: 372 [Listed] ¹⁸
Acocephalus tricinctus Fokker 1891b: ccxli [Listed] ⁹
[Acocephalus] tricinctus Coubeaux 1892a: 35 (2) [Listed] ⁹
[Acocephalus] tricinctus Duda 1892a: 32 [Listed] ¹⁰ Equals *[Acoce-*
phalus] nigrinus Kirschb.
[Acocephalus] tricinctus Lethierry 1892b: 24 [Listed] ⁹
A[cucephalus] tricinctus Bezzi 1893a: 111 (31) [Listed] ⁷ Equals
[Acucephalus] interruptus Fieb. [error]
[Acocephalus] tricinctus Olivi 1893a: 142 To *A[cocephalus] bifasci-*
atus Curt. [error]
Acocephalus tricinctus Fokker 1894a: 84 [Listed] ⁴
Acocephalus tricinctus Melichar 1896a: 194 [Described, cata-
logued] ^{4, 14, 22} Equals *Acocephalus nigrinus* Kirschb.
A[cucephalus] tricinctus Melichar 1896a: 191 [Key]
[Acucephalus] tricinctus Lange 1898a: 102 [Listed] ²³
[Acocephalus] tricinctus Horváth 1899b: 469 [Listed] ¹⁶
[Acocephalus] tricinctus Puton 1899a: 94 [Listed] ^{2, 5, 6, 7, 8} Equals
[Acocephalus] nigrinus Kirschb. Equals *[Acocephalus] interruptus*
 Scott [error]
Acocephalus tricinctus Fokker 1900c: 26 [Listed] ¹¹
Acocephalus tricinctus Fokker 1900e: 15 [Listed] ¹²
[Acocephalus] tricinctus Strobl 1900a: 212 [Listed] ¹³
[Acocephalus] tricinctus Lambertie 1901a: 204 (76) [Listed] ⁵
Acocephalus tricinctus Cobelli 1902a: 18 [Listed] ⁴
A[cocephalus] tricinctus Dominique 1902a: 215 [Listed] ⁵

tricincta Curtis—Continued

- Acocephalus tricinctus* Graeffe 1903a: 52 (12) [Ecology] ²⁴
Acocephalus tricinctus Horváth 1903a: 5, 24 [Listed] ¹⁵
 [Acocephalus] *tricinctus* Hübner 1904a: 263 [Listed] ⁶ Equals
 [Acocephalus] *nigritus* Kirschb. Equals [Acocephalus] *interruptus*
 Scott [error]
 [Acocephalus] *tricinctus* Hübner 1904b: 263 [Listed] ⁶ Equals
 [Acocephalus] *nigritus* Kirschb. Equals [Acocephalus] *interruptus*
 Scott [error]
 [Acocephalus] *tricinctus* Oshanin 1906a: 91 [Catalogued] ^{2, 3, 5, 6, 7,}
^{8, 11, 16} Equals *Acocephalus nigritus* Kirschb. Equals *Acocephalus*
bifasciatus Edw. (in part)
Acocephalus tricinctus Schuguirow 1906a: 714 [Listed] ²⁵
Acocephalus trincitus [sic] Bierman 1907d: 115 [Notes] ¹⁸
Acocephalus tricinctus Bierman 1907e: 164 [Listed] ¹⁸
A[cocephalus] tricinctus Matsumura 1908a: 42 [Comparative note]
Acoc[ephalus] tricinctus Oshanin 1908b: 421 [Listed] ^{9, 25, 26}
 [Acocephalus] *tricinctus* Saunders and Edwards 1908a: 12 [Listed] ²
Acocephalus tricinctus Edwards 1909c: 201 [Described] ¹
 [Acocephalus] *tricinctus* Lambertie 1910a: 78 [Listed] ⁵ Equals
 [Acocephalus] *nigritus* Kirschb. Equals [Acocephalus] *interruptus*
 Scott [error]
Acoceph[alus] tricinctus Oshanin 1910a: 159 [Catalogued]
A[cocephalus] tricinctus Haupt 1912b: 451 (6) [Listed] ¹²
 [Acocephalus] *tricinctus* Oshanin 1912a: 103 Equals [Acocephalus]
nigrita Kirschb. Equals [Acocephalus] *bifasciatus* Edw. (in part)
 [Acucephalus] *tricinctus* Oshanin 1912a: 103 [Listed] ^{11, 16, 22}
A[cocephalus] tricinctus von Dalla Torre 1913a: 151 [Listed] ⁴
Acocephalus tricinctus Melichar 1913a: 328 (10) [Listed] ¹⁶
Acucephalus tricinctus Haupt 1914a: 167 (9); fig. 2 [Illustrated]
A[cocephalus] tricinctus Melichar 1914a: 130 (4) [Listed] ¹⁶
A[cocephalus] tricinctus Edwards 1915a: 206 [Comparative note]
A[cocephalus] tricinctus Prohaska 1923a: 85 [Ecology] ²⁷
A[cocephalus] tritinctus [sic] Hofmänner 1924a: 53, 69 [Listed] ^{3, 17}
A[cocephalus] tricinctus Haupt 1925a: 14 [Listed] ²⁸
A[phrodes] tricinctus Blöte 1927b: 70 [Described, comparative
 note] ¹⁸ :66, 68 [Key]
Aphrodes tricinctus Blöte 1927d: 222 [Listed] ¹⁵ Equals *Aco-*
cephalus [*tricinctus* Curt.] To *Aphrodes trifasciatus* Geoffr.
 [error]
Acocephalus tricinctus Lallemand 1928d: 4 [Listed] ²⁹
Aphrodes tricinctus Blöte 1929a: 17 [Notes] ¹⁸
A[phrodes] tricinctus Haupt 1931b: 227 [Food plants] ¹⁹
A[phrodes] tricinctus Rabeler 1931a: 227, 270, 282 [Ecology] ¹⁹

tricincta Curtis—Continued

- Acucephalus tricinctus* Sherborn 1931c: 6583 [Catalogued]
A[cocephalus] tricinctus Halbert 1935a: 309 [Listed] ³⁰
Acrocephalus [sic] *tricinctus* Halbert 1935a: 311 [Ecology] ³⁰
[Aphrodes] tricinctus Haupt 1935a: 168, 169; fig. 317 [Key, ecology, illustrated]
Aphrodes tricinctus Ossiannilsson 1936d: 48 To *A[phrodes] trifasciatus* Geoffr. [error]
Acocephalus [*tricinctus*] Ossiannilsson 1936d: 48 To *A[phrodes] trifasciatus* Geoffr. [error]
A[phrodes] bifasciatus [*tricinctus*] Ossiannilsson 1936d: 48 To *A[phrodes] trifasciatus* Geoffr. [error]
[Aphrodes] tricinctus Kuntze 1937a: 358 To *A[phrodes] bifasciatus* Linné [error]
A[phrodes] tricinctus Wagner 1937b: 67; figs. 3a–b [Notes, illustrated] ^{4, 27, 31, 32, 33} :66 [Key] :68 [Comparative note] :65 [Listed]
Aphrodes tricinctus Ossiannilsson 1938b: 68, 69 [Listed]
Acocephalus tricinctus de Seabra 1939b: 33 [Listed] ²⁹
Acocephalus tricinctus de Seabra 1939c: 171 [Listed] ²⁹
A[phrodes] tricinctus Wagner 1939a: 136 [Listed] ²⁰ Equals *[Acucephalus] nigritus* Kirschb.
[Acocephalus] tricinctus de Seabra 1942a: 9 [Listed] ²⁹
[Aphrodes] tricinctus Franz 1943a: 377, 475 [Ecology] ⁸
A[phrodes] tricinctus Holgersen 1944a: 29 [Listed]
A[phrodes] tricinctus Reclaire 1944a: 229 [Ecology] ²⁶
[Aphrodes] tricinctus Kloet and Hincks 1945a: 53 [Listed] ²
Aphrodes tricinctus Lang 1946a: 152 [Listed] ³⁵
Aphrodes tricinctus Moosbrugger 1946a: 70 [Listed] ²¹ Equals *A[phrodes] bifasciatus* Haupt (nec Sign.) [in part]
Aphrodes tricinctus Lang 1947b: 94 [Listed] ¹⁰
A[phrodes] tricinctus Ossiannilsson 1947b: 162; figs. 332, 333 [Described, ecology, illustrated] ³⁶ :159 [Key]
Aphrodes tricinctus Ossiannilsson 1948a: 16 [Listed] ^{34, 37}
Aphrodes tricinctus Servadei 1948a: 244 [Listed] ⁷
A[phrodes] tricinctus Fagel 1949a: 146 [Listed] ⁹
[Aphrodes] tricinctus China 1950a: 245 [Listed] ²
Aphrodes tricinctus Fischer 1952a: 112 [Listed] ³⁸
Aphrodes tricinctus Ribaut 1952a: 342; figs. 906–907 [Described, illustrated] ^{1, 3, 6, 7, 8, 9, 11, 26, 29, 34, 39, 40, 41, 42, 43} Equals *[Aphrodes] nigritus* Kirschb. :330, 332 [Key] :344 [Comparative note]
[Aphrodes] tricinctus Kontkanen 1953a: 102 [Ecology]

tricincta Curtis—Continued

A[phrodes] tricinctus Dlabola 1954a: 150; pl. XXVI, fig. 510; pl. XXVII, figs. 511–512 [Notes, key, catalogued, illustrated]^{10, 35, 44}:67 [Ecology]^{10, 35, 44}

A[phrodes] tricinctus Smreczynski 1954a: 120 [Notes]⁴⁵

LOCALITIES: ¹ England. ² Great Britain. ³ Switzerland. ⁴ Tyrol. ⁵ France. ⁶ Germany. ⁷ Italy. ⁸ Austria. ⁹ Belgium. ¹⁰ Bohemia. ¹¹ Algeria. ¹² Thuringia. ¹³ Styria. ¹⁴ Galicia. ¹⁵ Serbia. ¹⁶ Caucasus. ¹⁷ Southern Tyrol. ¹⁸ Netherlands. ¹⁹ Mecklenburg. ²⁰ Prussia. ²¹ Vorarlberg. ²² Europe. ²³ Saxony. ²⁴ Kustenland. ²⁵ Crimea. ²⁶ Holland. ²⁷ Carinthia. ²⁸ Bavaria. ²⁹ Portugal. ³⁰ Ireland. ³¹ Hamburg. ³² Central Germany. ³³ Western Germany. ³⁴ Sweden. ³⁵ Moravia. ³⁶ Lapland. ³⁷ Northern Germany. ³⁸ Swabia. ³⁹ Picardy. ⁴⁰ Ile de France. ⁴¹ Franche-Comté. ⁴² Brittany. ⁴³ Czechoslovakia. ⁴⁴ Slovakia. ⁴⁵ Poland.

tricincta var. **integra** Wagner

[Aphrodes trincincta] integer Wagner 1937b: 68 [n. var.]^{1, 2}:65 [Listed]

[Aphrodes tricincta] integra Ribaut 1952a: 343 [Notes]

LOCALITIES: ¹ Northern Italy. ² Tyrol.

trifasciata De Geer. See *Aphrodes bifasciata* Linné.

trifasciata de Fourcroy

C[icada] trifasciata de Fourcroy 1785a: 190 [n. sp.]¹

[Cercopis] 3-fasciata Fabricius 1794a: 56 [n. sp.]¹

[Cercopis] 3-fasciata Weber 1795a: 148 [Listed]

Cercopis trifasciata Coquebert 1799a: 34; pl. VIII, figs. 10A–C [Described, catalogued, illustrated]¹

Cercopis 3-fasciata Turton 1802a: 588 [Described]¹

C[ercopis] trifasciata Walckenaer 1802a: 331 [Described, catalogued]¹

[Cercopis] trifasciata Fabricius 1803a: 4 [Listed]

[Cercopis] 3-fasciata Fabricius 1803a: 98 [Described, catalogued]¹

T[ettigonia] trifasciata Latreille 1804a: 329 [Described, catalogued]¹ Equals *Cercopis trifasciata* Fabr.

C[ercopis] trifasciata Gravenhorst 1807a: 343 [Notes]

Cercop[is] trifasciata Rossi 1807a: 351 [Comparative note] Equals *Cicada trifasciata* Latr.

Cercopis trifasciata Duméril 1817b: 444 [Described]¹

J[assus] trifasciatus Germar 1821a: 87 [Described]² Equals *Cercopis trifasciata* Fabr. (?)

Cerc[opis] 3-fasciata Fallén 1826a: 26 To *C[icada] 2-fasciata* [error]

J[assus] trifasciatus Boitard 1828a: 161 [Described]¹ Equals *Cercopis trifasciata* Fabr.

trifasciata de Fourcroy—Continued

- Cercopis* 3-fasciata Zetterstedt 1828a: 519 To *C[icada]* *bifasciata* [error]
 [*Aphrodes*] *trifasciata* Curtis 1829a: 193 [Listed] ³
 [*Jassus*] *trifasciatus* Costa 1834b: 89 [Listed] ⁴
Cerc[opis] 3-fasciata Herrich-Schäffer 1834c: 3 To *Acucephalus* *dispar* Zett. [error]
 [*Cercopis*] *trifasciata* Herrich-Schäffer 1835a: 108 To *Acuc[ephalus]* *bifasc[iatus]* [sic] [error]
 [*Jassus*] *trifasciatus* Herrich-Schäffer 1835a: 115 To *Acuc[ephalus]* *bifasc[iatus]* [error]
 [*Acucephalus*] *trifasciatus* Curtis 1836a: pl. 620 [Catalogued] ⁵
 [*Acucephalus*] *trifasciatus* Curtis 1837a: 222 [Listed] ³
 [*Acocephalus*] *trifasciatus* Eversmann 1837a: 33 [Listed] ⁶ Equals *Ciada* [*trifasciata*] Fabr.
Acocephalus trifasciatus Blanchard 1840a: 197 [Described, catalogued] ¹ Equals *Cercopis trifasciata* Fabr.
C[ercopis] *trifasciata* Rambur 1840a: 206 To *Aphrophora bifasciata* Fabr. [error]
 [*Acucephalus trifasciatus*] Westwood 1840b: 116 Equals *C[ercopis]* *trifasciatus* Fabr.
Cercopis 3-fasciata Zetterstedt 1840a: 289 To *Ph[oletaera]* *bifasciata* [error]
 [*Jassus*] *trifasciatus* Boitard 1843a: 88 [Described] ¹ Equals *Cercopis trifasciata* Fabr.
Diadestia Amyot 1847a: 221 [non binom., described, catalogued] ¹ Equals [*Cercopis*] *trifasciata* Fabr.
Diadestia Amyot 1848a: 417 [non binom., described, catalogued] ¹ Equals [*Cercopis*] *trifasciata* Fabr.
Acocephalus trifasciatus Blanchard 1850a: 197 [Described, catalogued] ¹ Equals *Cercopis trifasciata* Fabr.
Cercopis trifasciata Walker 1851b: 850 To *Acocephalus bifasciatus* [error]
Jassus trifasciatus Walker 1851b: 850 To *Acocephalus bifasciatus* [error]
Athybanus trifasciatus Yersin 1856a: 748 [Listed] ²⁹
C[ercopis] *trifasciata* Duméril 1860a: 1060 [Described]
C[ercopis] *trifasciata* Duméril 1860b: 1060 [Described]
Jassus trifasciatus Flor 1861a: 201 To *Acocephalus* (*Acocephalus*) *bifasciatus* Linné [error]
Cercopis trifasciata Flor 1861a: 201 To *Acocephalus* (*Acocephalus*) *bifasciatus* Linné [error]
Acuc[ephalus] *trifasciatus* Flor 1861a: 201 To *Acocephalus* (*Acocephalus*) *bifasciatus* Linné [error]

trifasciata de Fourcroy—Continued

Diadestia Flor 1861a: 201 [non binom.] To *Acocephalus* (*Acocephalus*) *bifasciatus* Linné [error]

[*Acucephalus*] *trifasciatus* Curtis 1862a: pl. 620 [Listed]

A[cocephalus] (*Acocephalus*) *dispar* [nec Zetterstedt] Kirschbaum 1868b: 76 [Key, catalogued] ²

A[cocephalus] *dispar* [nec Zetterstedt] Kirschbaum 1868b: 78 [Comparative note]

A[thysanus] *trifasciatus* Lethierry 1869a: 358 [Ecology] ¹

A[cocephalus] *trifasciatus* Sahlberg 1871a: 358 [Described, catalogued] ⁸ Equals *Jassus* [*trifasciatus*] Germ. Equals *Acocephalus* *dispar* Kirschb. [nec Zett.] Equals *Pholetaera* [*dispar*] Zett. [error] :28, 31, 54, [Listed] ^{8, 10, 30, 31, 32}

Cercopis [*trifasciata*] Sahlberg 1871a: 357 To *A[cocephalus]* *bifasciatus* Linné [error]

[*Acocephalus*] *trifasciatus* Puton 1875a: 133 To [*Acocephalus*] *albifrons* Linné [error]

A[cocephalus] *trifasciatus* Signoret 1879a: 70 (24); pl. 2, fig. 10 [Described, catalogued, illustrated] ^{1, 8, 9, 10} Equals *A[cocephalus]* *bifasciatus* Fieb. [error] Equals *A[cocephalus]* *dispar* Zett. [error]

A[cocephalus] 3-*fasciatus* Signoret 1879a: 79 (33) [Comparative note]

A[cocephalus] *trifasciatus* Reuter 1880a: 206 [Notes] ^{11, 12}

A[cocephalus] *trifasciatus* Reuter 1881b: 234 [Listed]

[*Acocephalus*] *trifasciatus* Puton 1886b: 80 [Listed] ⁹ Equals [*Acocephalus*] *dispar* Zett. [error]

Acocephalus *trifasciatus* Fauvel 1887a: 17 [Listed] ¹

A[cocephalus] *trifasciatus* Dubois 1888a: 164 (68) [Ecology] ¹

A[cocephalus] *dispar* [nec Zetterstedt] Edwards 1888d: 20 To *Acocephalus* *bifasciatus* Linné [error]

Acocephalus *trifasciatus* Edwards 1888b: 20 To *Acocephalus* *bifasciatus* Linné [error]

Jassus *trifasciatus* Edwards 1888d: 20 To *Acocephalus* *bifasciatus* Linné [error]

Acocephalus *dispar* [nec Zetterstedt] Buckton 1891a: 13 To *Acocephalus* *bifasciatus* Curt. [error]

Acocephalus *trifasciatus* Buckton 1891a: 13 To *Acocephalus* *bifasciatus* Curt. [error]

[*Acucephalus*] *trifasciatus* Fokker 1891a: 372 [Listed] ⁷

Acocephalus *trifasciatus* Horváth 1891b: 46 [Listed] ³³

[*Acocephalus*] *trifasciatus* Rey 1891a: 245 [Comparative note]

[*Acocephalus*] *trifasciatus* Coubeaux 1892a: 35 (2) [Listed] ¹³

Acocephalus *trifasciatus* Ferrari 1892a: 572 (24) [Listed] ⁴

trifasciata de Fourcroy—Continued

- A[cucocephalus] trifasciatus* Melichar 1896a: 193 To *Acocephalus bifasciatus* Linné [error] :191 [Key]
- Cercopis trifasciata* Melichar 1896a: 193 To *Acocephalus bifasciatus* Linné [error]
- J[assus] trifasciatus* ♀ Melichar 1896a: 193 To *Acocephalus bifasciatus* Linné [error]
- Acocephalus trifasciatus* Melichar 1896a: 194 [Described, catalogued, food plants] ^{2, 16, 28} :194, 195 [Comparative notes]
- [*Acocephalus*] *trifasciatus* Horváth 1897c: 50 [Listed] ^{4, 18}
- [*Acocephalus*] *trifasciatus* Puton 1899a: 94 [Listed] ^{1, 9} Equals [*Acocephalus*] *dispar* Zett. [error]
- Acocephalus trifasciatus* Montandon 1900a: 749 [Listed] ¹⁹
- [*Acocephalus*] *trifasciatus* Horváth 1901a: 255 [Listed] ^{22, 23}
- Cercopis trifasciata* Sherborn 1902a: 992 [Catalogued]
- Acocephalus trifasciatus* Horváth 1903a: 24 [Listed] ¹⁴
- Acocephalus trifasciatus* Cobelli 1904a: 558 [Listed] ¹⁵
- [*Acocephalus*] *trifasciatus* Hüeber 1904a: 263 [Listed] ¹⁶ Equals [*Acocephalus*] *dispar* Zett. [error]
- [*Acocephalus*] *trifasciatus* Hüeber 1904b: 263 [Listed] ¹⁶ Equals [*Acocephalus*] *dispar* Zett. [error]
- [*Acocephalus*] *trifasciatus* Matsumura 1906a: 72 [Listed] ²
- [*Acocephalus*] *trifasciatus* Oshanin 1906a: 91 [Catalogued] ^{1, 3, 8, 10, 11, 16, 17, 18, 19} Equals *Cicada trifasciata* de Fourcr. Equals *Acocephalus bifasciatus* Edw. (in part) Equals *Pholetaera dispar* Zett. [error]
- Acocephalus trifasciatus* Schuguirow 1906a: 714 [Listed] ³⁴
- Acocephalus* *trifasciatus* Oshanin 1907b: 228 (16) [Listed] ²¹
- Acocephalus trifasciatus* Oshanin 1908b: 422 [Listed] ^{21, 22, 23, 34}
- Acocephalus trifasciatus* Cobelli 1909a: 13 [Listed] ⁴
- [*Acocephalus*] *trifasciatus* Edwards 1909c: 202 [Described] ⁵
- [*Acocephalus*] *trifasciatus* Oshanin 1912a: 103 [Listed] ⁹ Equals [*Acocephalus*] *bifasciatus* Edw. (in part) Equals [*Acocephalus*] *dispar* Zett. [error]
- Acocephalus* *trifasciatus* von Dalla Torre 1913a: 151 [Listed] ²⁴
- Acocephalus trifasciatus* Edwards 1915a: 206; figs. 1a–b [Described, illustrated] ⁵
- [*Acocephalus*] *trifasciatus* Jacobsen 1915a: 323 [Listed] ²⁵
- Acocephalus* *trifasciatus* Jensen-Haarup 1918b: 97; fig. 42 [Described, illustrated] ²⁵ :40 [Key]
- Acocephalus* *trifasciatus* Jensen-Haarup 1920a: 110, fig. 54 [Described, illustrated] ²⁵ :107 [Key]
- Acocephalus trifasciatus* Hofmänner 1924a: 52, 77 [Ecology] ³⁵ :69 [Listed] ^{20, 27, 35}

trifasciata de Fourcroy—Continued

- A[cocephalus] trifasciatus* Lindberg 1924a: 16 [Notes] ¹⁰ :42 [Listed] ¹⁰
- Acocephalus trifasciatus* Lindberg 1924b: 40 [Ecology] ⁸
- Acocephalus trifasciatus* Buchner 1925a: 91 [Listed]
- [*Acocephalus*] *trifasciatus* Della Beffa 1925a: 144 [Listed] ⁴
- A[cocephalus] trifasciatus* Haupt 1925a: 14, 16 To *A[cocephalus] bifasciatus* Linné [error]
- Acocephalus trifasciatus* Hofmänner 1925a: 192, 193 [Ecology] ³⁵
- A[phrodes] trifasciatus* Blöte 1927b: 71 [Described] ⁷ :66, 68 [Key] :70 [Comparative note]
- Aphrodes trifasciatus* Blöte 1927d: 222 [Listed] ⁷ Equals *Tettigonia trifasciata* Latr. Equals *Acocephalus [trifasciatus* Geoffr.] Equals *Acocephalus tricinctus* Curt. [error]
- A[cocephalus] trifasciatus* Filipieff 1928a: 152 [Key] ⁶
- Acocephalus trifasciatus* Ivanov 1928b: 493 [Listed] ³⁶
- Acocephalus trifasciatus* Ivanov 1928c: 189 [Listed] ³⁶
- Diadestia* Schulze, Kükenthal, and Heider 1928b: 966 [non binom., catalogued]
- Acocephalus trifasciatus* Kusnezov 1929b: 176 [Listed] ³⁷
- [*Acocephalus*] *trifasciatus* Ossiannilsson 1934a: 134 [Listed] ⁸
- [*Aphrodes*] *trifasciatus* Haupt 1935a: 168 To [*Aphrodes*] *bifasciatus* Linné [error]
- Acocephalus trifasciatus* Rapp 1935a: [Listed] ³⁸
- A[phrodes] trifasciatus* Wagner 1935a: 13 [Ecology] ^{5, 25, 39, 40, 41, 42, 43, 44}
- A[phrodes] trifasciatus* Lindberg and Zachvatkin 1936a: 11 [Catalogued] ⁴⁶ :2 [Listed] ⁴⁵
- A[phrodes] trifasciatus* Ossiannilsson 1936d: 48 [Notes] ⁸ Equals *Aphrodes tricinctus* Curt. [error] Equals *Acocephalus [tricinctus* Curt.] [error] Equals *A[phrodes] bifasciatus [tricinctus* Curt.] [error]
- Aphrodes trifasciatus* Kuntze 1937a: 322, 326, 327, 358 [Ecology] ⁴⁷
- A[phrodes] trifasciatus* Kuntze 1937b: 25 [Ecology] ⁴⁷
- A[phrodes] trifasciatus* Wagner 1937b: 67; figs. 1a–b [Notes, illustrated] ^{41, 48} :65 [Key]
- [*Aphrodes*] *trifasciatus* China 1938b: 194 [Listed] ³
- Aphrodes trifasciatus* Nast 1938d: 227 (3) [Listed] ⁴⁹
- Aphrodes trifasciatus* Ossiannilsson 1938b: 68 Equals [*Aphrodes trifasciata*] var. *b* :69 [Listed]
- Diadestia* Neave 1939b: 57 [non binom., catalogued]
- A[phrodes] trifasciatus* Wagner 1939a: 136 [Listed] ^{2, 28} Equals [*Acocephalus*] *dispar* Kirschb. [nec Zett.]

trifasciata de Fourcroy—Continued

- Aphrodes trifasciatus* Lindberg 1941a: 5 [Ecology] ¹⁰
A[phodes] trifasciatus Wagner 1941a: 149 [Listed] ⁵⁰
Aphrodes trifasciatus Dlabola 1944b: 95, 99, 100 [Listed] ^{51, 52}
Aphrodes trifasciatus Holgersen 1944a: 30 [Ecology] ^{9, 22, 25, 53}
:33, 36 [Listed] ⁵³
A[phrodes] trifasciatus Reclaire 1944a: 229 [Ecology] ⁴⁴
[Aphrodes] trifasciatus Kloet and Hincks 1945a: 53 [Listed] ³
Aphrodes trifasciatus Lang 1945b: 132, 134 [Ecology] ⁵¹
Aphrodes trifasciatus Lang 1945c: 98 [Listed] ⁵¹
Aphrodes trifasciatus Lang 1945d: 274, 276 [Ecology] ^{51, 52}
Aphrodes trifasciatus Holgersen 1946a: 137 [Listed] ⁵³
A[phrodes] trifasciatus Lindberg 1947a: 28 [Catalogued] ¹⁰
Equals *Cicada trifasciata* de Fourcr. Equals *Acocephalus*
t[rifasciatus] Sahlb. :72 [Listed] ¹⁰
A[phrodes] trifasciatus Ossiannilsson 1947b: 162; figs. 334, 368
[Described, ecology, illustrated] ^{8, 10, 25, 53} :159 [Key] :163
[Comparative note]
Aphrodes trifasciatus Ossiannilsson 1948a 16 [Listed] ^{8, 10, 25, 40,}
^{53, 54, 55}
A[phrodes] trifasciatus Zachvatkin 1948a: 174 [Key]
A[phrodes] trifasciatus Müller 1949a: 356 [Symbionts]
Aphrodes trifasciatus Ossiannilsson 1949a: 85; pl. 13, fig. 35
[Stridulation, illustrated] ⁸ :41 [Morphology of stridulating
organs] ⁸
[Aphrodes] trifasciatus China 1950a: 245 [Listed] ³
A[phrodes] trifasciatus Kontkanen 1950c: 86 [Listed] ¹⁰
Aphrodes trifasciatus Rabeler 1951a: 594 [Ecology] ²
A[phrodes] trifasciatus Wagner 1951b: 26 [Listed] ⁵⁶
Aphrodes trifasciatus Fischer 1952a: 112 [Listed] ⁵⁷
A[phrodes] trifasciatus Linnavuori 1952e: 71 [Listed] ¹⁰
Aphrodes trifasciatus Ribaut 1952a: 342; figs. 904–905 [Described,
illustrated] ^{5, 6, 8, 10, 16, 17, 18, 19, 29, 44, 49, 53, 58, 59, 60, 61, 62, 63, 64, 65,}
:330, 333 [Key] :342, 343, 344 [Comparative notes]
A[phrodes] trifasciatus Dlabola 1954a: 151; pl. VII, figs. 79–80;
pl. XXVII, figs. 513–515 [Notes, illustrated, catalogued] ^{26, 51, 52}
:150 [Key] :45, 67 [Ecology] ^{26, 51, 52}
A[phrodes] trifasciatus Smreczynski 1954a: 120 [Notes] ⁴⁹

LOCALITIES: ¹ France. ² Prussia. ³ Great Britain. ⁴ Italy. ⁵ England.
⁶ Russia. ⁷ Netherlands. ⁸ Sweden. ⁹ Europe. ¹⁰ Finland. ¹¹ Åland
Islands. ¹² Åbo Archipelago. ¹³ Belgium. ¹⁴ Serbia. ¹⁵ Northern
Italy. ¹⁶ Germany. ¹⁷ Austria. ¹⁸ Hungary. ¹⁹ Rumania. ²⁰ Northern
Tyrol. ²¹ Saint Petersburg. ²² Siberia. ²³ Krasnoyarsk. ²⁴ Tyrol.
²⁵ Denmark. ²⁶ Slovakia. ²⁷ Southern Tyrol. ²⁸ Hesse. ²⁹ Provence.
³⁰ Rhine Province. ³¹ Livonia. ³² Scandinavia. ³³ Croatia. ³⁴ Crimea.

trifasciata de Fourcroy—Continued

³⁵ Switzerland. ³⁶ Kiev. ³⁷ Transbaikalia. ³⁸ Thuringia. ³⁹ Schleswig-Holstein. ⁴⁰ Northern Germany. ⁴¹ Hanover. ⁴² Hamburg. ⁴³ North Frisian Islands. ⁴⁴ Holland. ⁴⁵ Mongolia. ⁴⁶ Southern Mongolia. ⁴⁷ Mecklenburg. ⁴⁸ Central Germany. ⁴⁹ Poland. ⁵⁰ Mecklenburg region. ⁵¹ Moravia. ⁵² Bohemia. ⁵³ Norway. ⁵⁴ Oland. ⁵⁵ Gotland. ⁵⁶ Bavaria. ⁵⁷ Swabia. ⁵⁸ Picardy. ⁵⁹ Lorraine. ⁶⁰ Alsace. ⁶¹ Ile de France. ⁶² Auvergne. ⁶³ Languedoc. ⁶⁴ Roussillon. ⁶⁵ Czechoslovakia.

trifasciata var. **a** de Fourcroy

[*Cicada trifasciata*] var. *a* de Fourcroy 1785a: 190 [n. var.] ¹

LOCALITIES: ¹ France.

trifasciata var. *b* Ossiannilsson. See *Aphrodes trifasciata* de Fourcroy.

trifasciata var. **laeva** Rey

Acocephalus trifasciatus laevis Rey 1891a: 245 [n. var.] ¹

[*Acocephalus trifasciatus*] *laevis* Rey 1894b: 30 [Notes] ⁴ Equals

Acocephalus laevis Rey

[*Acocephalus trifasciatus*] *laevis* Puton 1899a: 94 [Listed] ²

[*Acocephalus trifasciatus*] *laevis* Hübner 1904a: 263 [Listed] ³

[*Acocephalus trifasciatus*] *laevis* Hübner 1904b: 263 [Listed] ³

[*Acocephalus trifasciatus*] *laevis* Oshanin 1906a: 91 [Catalogued] ¹

[*Acocephalus*] *trifasciatus*] *laevis* Oshanin 1912a: 103 [Listed]

[*Aphrodes trifasciata*] *laevis* Blöte 1927d: 222 [Listed] ⁵

LOCALITIES: ¹ Switzerland. ² Greece. ³ Germany. ⁴ France. ⁵ Netherlands.

trifasciata var. **nigra** Kusnezov

Acocephalus trifasciatus niger Kusnezov 1929b: 176 [n. var.] ¹

LOCALITIES: ¹ Transbaikalia.

tristriata Gmelin. See *Aphrodes bifasciata* Linné.

unicolor Curtis. See *Aphrodes bicincta* von Schrank.

unicolor var. *pulverulenta* Curtis. See *Aphrodes bicincta* von Schrank.

unimacula. Typographical error for *Aphrodes unimaculata* Curtis.

unimaculata Curtis

[*Aphrodes*] *unimaculata* Curtis 1837b: pl. 633 [n. sp.] ¹

[*Aphrodes*] *unimaculata* Curtis 1837a: 222 [Listed] ¹

[*Aphrodes*] *unimaculata* Hardy 1850a: 426 [Comparative note]

Iassus unimaculatus Walker 1851b: 889 [Catalogued] ² Equals

Aphrodes unimaculata Curt.

[*Jassus*] *unimaculatus* Dohrn 1859a: 87 [Listed] ²

[*Aphrodes*] *unimaculata* Curtis 1862a: pl. 633 [n. sp., reprinted] ¹

Aphrodes unimacula [sic] Sherborn 1931c: 6757 [Catalogued]

LOCALITIES: ¹ Great Britain. ² England.

variegata Fabricius. See *Aphrodes bicincta* von Schrank.

vicaria Horváth (var.). See *Aphrodes serratulae* var. *vicaria* Horváth.

viridis Rathvon [nom. nud.]

[*Acocephalus*] *viridis* (?) Rathvon 1869a: 551 [nom. nud., listed] ¹

LOCALITIES: ¹ Pennsylvania.

vittata Perris [nom. nud.]

P[holetaera] *vittata* Perris 1857a: 172 (92) [nom. nud., ecology] ¹

LOCALITIES: ¹ France.

Genus **Kosmiopelex** Kirkaldy

HAPLOTYPE *Kosmiopelex varicolor* [n. sp.] Kirkaldy 1906c: 334

TYPE *Kosmiopelix* [sic] *varicolor* Evans 1947a: 150

Kosmiopelex Kirkaldy 1906c: 334 [gen. n., comparative note]
:310 [Listed]

Waterhouse 1912a: 146 [Listed]

Schulze, Kükenthal, and Heider 1930b: 1734 [Catalogued]

Neave 1939b: 835 [Catalogued]

Kosmiopelix Evans 1947a: 150 [Catalogued]
[sic]

rieki Evans

Kosmiopelix [sic] *rieki* Evans 1947a: 253; fig. 12K [n. sp., illustrated] ¹

LOCALITIES: ¹ Queensland.

varicolor Kirkaldy

Kosmiopelex varicolor Kirkaldy 1906c: 335; pl. XXIII, figs. 7, 8
[n. sp., illustrated] ¹ :310 [Listed] ²

Kosmiopelix [sic] *varicolor* Evans 1947a: 150 [Listed] ¹

LOCALITIES: ¹ Queensland. ² Australia.

Genus **Chiasmus** Mulsant and Rey

HAPLOTYPE *Chiasmus translucidus* [n. sp.] Mulsant and Rey
1855a: 215

TYPE *C[hiasmus]* *translucidus* Distant 1908g: 391

TYPE *Ch[hiasmus]* *translucidus* Oshanin 1912a: 104

TYPE *Ch[hiasmus]* *translucidus* Haupt 1929c: 250

TYPE *Ch[hiasmus]* *translucidus* Haupt 1935a: 166

TYPE *Chiasmus translucidus* Evans 1947a: 149

[*Atractotypus* Fieber]

[HAPLOTYPE *A[tractotypus]* *bifasciatus* [n. sp.] Fieber 1866a: 501]

[TYPE *Atractotypus bifasciatus* Evans 1947a: 149]

[*Kartwa* Distant][ORTHOTYPE *Kartwa mustelina* [n. sp.] Distant 1908g: 394][TYPE *Kartwa mustelina* Evans 1947a: 149]

- Chiasmus Mulsant and Rey 1855a: 215; fig. 13 [gen. n., illustrated]
Mulsant and Rey 1855b: 115; fig. 13 [gen. n., illustrated]
Walker 1858c: 360 [Catalogued]
Fieber 1865a: 44 [Listed]
- Atractotypus* Fieber 1865a: 44 [nom. nud., listed]
Fieber 1866a: 501 [gen. n., key] :514 [Listed]
Dallas 1867a: 572 [Key]
Fieber 1872a: 9 [List of species from the European Region] Equals *Athysanus* Perr. [in part] Equals *Acocephalus* Kirschb. [in part]
- Chiasmus Fieber 1872a: 16 [Listed]
- Atractotypus* Fieber 1872b: 30 Equals *Acocephalus* Burm. [in part]
Marschall 1873a: 354 [Catalogued]
- Chiasmus Marschall 1873a: 358 [Catalogued]
- Atractotypus* Fieber 1875a: 392 (105) [Key]
Puton 1875a: 132 [Listed]
- Chiasmus Puton 1875a: 133 [Listed]
Signoret 1877a: xxii [Notes] Equals *Atractotypus* Fieb.
- Atractotypus* Ferrari 1882a: 110 (38) [Key]
Scudder 1882b: 33 [Listed]
- Chiasmus Scudder 1882b: 64 [Listed]
Puton 1886b: 79 Equals *Atractotypus* Fieb.
- Atractotypus* Then 1886a: 25 [Listed]
- Chiasmus Oshanin 1891a: 45 [Zoogeography]
Bezzi 1893a: 110 (30) Equals *Atractotypus*
Dominique 1895a: 25 [Listed]
- Atractotypus* Melichar 1896a: 184 [Described, catalogued] :182 [Key]
- Chiasmus Puton 1899a: 95 Equals *Atractotypus* Fieb.
- Chiasmus* [sic] Lambertie 1901a: 204 (76) [Listed]
- Atractotypus* Cobelli 1902a: 17 [Listed]
- Chiasmus Dominique 1902a: 216 [Listed]
Graeffe 1903a: 52 (12) [Ecology of species from Kustenland] Equals *Atractotypus* Fieb.
Melichar 1903b: 163 [Described, catalogued] Equals *Atractotypus* Fieb.
Hüeber 1904a: 263 Equals *Atractotypus* Fieb.

- Chiasmus** Ribaut 1952a: 303 [Described, review of species from France] Equals *Atractotypus* Fieb. :16, 18, 74 [Key] :38, 70 [Notes] :10 [Morphology] :298 [Comparative note]
 Mathur 1953a: 158 [Listed] :163 [List of species from India]
 Lindberg 1954a: 210 [Review of species from the Canary Islands]

alata Singh-Pruthi

Chiasmus alata Singh-Pruthi 1930a: 23; pl. II, figs. 6, 6a; text figs. 32–34 [n. sp., illustrated] ^{1, 2, 3, 4, 5, 6, 7} :25 [Comparative note]

LOCALITIES: ¹ Northwestern Himalayas. ² Calcutta. ³ Central Provinces. ⁴ Rewa. ⁵ Central India. ⁶ South India. ⁷ Madras.

bicolor Signoret [nom. nud.]. See *Chiasmus translucidus* Mulsant and Rey.

bifasciatus Fieber. See *Chiasmus translucidus* var. *cinctus* Perris.

cinctus Perris. See *Chiasmus translucidus* var. *cinctus* Perris.

conspurcatus Perris

A[thysanus] conspurcatus Perris 1857a: 174 (94) [n. sp.] ¹ :175 (95) [Comparative note]

A[thysanus] laboulbenii [sic] Perris 1857a: 175 (95) [n. sp.] ¹

[Jassus] conspurcatus Dohrn 1859a: 88 [Listed] ²

[Jassus] laboulbeni Dohrn 1859a: 88 [Listed] ²

[Athysanus] conspurcatus Fieber 1872a: 12 [Listed] ¹

[Athysanus] labulbeni [sic] Fieber 1872a: 12 [Listed] ²

[Atractotypus cinctus] conspurcatus Puton 1875a: 132 [Listed]

[Chiasmus] laboulbeni [sic] Puton 1875a: 133 To *[Chiasmus] translucidus* Muls. and Rey [error]

[Chiasmus] conspurcatus Signoret 1877a: xxiii To *[Chiasmus] translucidus* Muls. and Rey [error]

[Chiasmus] laboulbeni Signoret 1877a: xxiii To *[Chiasmus] translucidus* Muls. and Rey [error]

Atractotypus cinctus conspurcatus Bolívar and Chicote 1879a: 181 (35) [Listed] ³

[Chiasmus translucidus] conspurcatus Puton 1886b: 79 [Listed]

[Chiasmus] gautschii Puton 1886b: 79 [Listed] ¹¹

[Chiasmus] laboulbeni [sic] Puton 1886b: 79 To *[Chiasmus] translucidus* Muls. and Rey [error]

Atractotypus gautschii Then 1886a: 48 [n. sp.] ⁴ :25 [Listed] ⁴

[Chiasmus] gautschii Bezzi 1893a: 110 (30) [Listed] ¹²

Atractotypus gautschii Melichar 1896a: 184; pl. IX, figs. 9–12 [Described, food plants, illustrated, catalogued] ¹²

[Chiasmus translucidus] conspurcatus Puton 1899a: 95 [Listed]

conspurcatus Perris—Continued

- [*Chiasmus*] *laboulbeni* [sic] Puton 1899a: 95 To [*Chiasmus*] *translucidus* Muls. and Rey [error]
- [*Chiasmus*] *gautschii* Puton 1899a: 95 [Listed] ^{1, 11}
- Atractotypus gautschii* Cobelli 1902a: 17 [Listed] ¹³ Equals *Chiasmus* [*gautschii* Then]
- Chiasmus gautschii* Graeffe 1903a: 52 (12) [Ecology] ¹⁴
- Chiasmus gautschii* Horváth 1903a: 5, 7, 24 [Listed] ⁶
- Atractotypus gautschii* Melichar 1903c: 101 (11) [Ecology] ^{15, 16}
- [*Chiasmus*] *gautschii* Hübner 1904a: 263 [Listed] ¹⁷
- [*Chiasmus*] *gautschii* Hübner 1904b: 263 [Listed] ¹⁷
- Athysanus laboulbeni* [sic] Oshanin 1906a: 97 To [*Chiasmus*] *translucidus* Muls. and Rey [error]
- [*Chiasmus translucidus*] *conspurcatus* Oshanin 1906a: 97 [Catalogued] ² Equals *Athysanus conspurcatus* Perr.
- [*Chiasmus*] *gautschii* Oshanin 1906a: 97 [Catalogued] ^{2, 11} Equals *Atractotypus gautschii* [sic] Then
- Chiasmus translucidus conspurcatus* Lambertie 1909b: cxlvii [Ecology] ¹
- Chiasmus translucidus conspurcatus* Lambertie 1909c: xlv [Ecology] ¹
- Chiasmus translucidus conspurcatus* Lambertie 1909d: 47 [Ecology] ¹
- [*Chiasmus*] *laboulbeni* [sic] Lambertie 1910a: 79 To [*Chiasmus*] *translucidus* Muls. and Rey [error]
- [*Chiasmus translucidus*] *conspurcatus* Lambertie 1910a: 79 [Listed] ¹
- Chiasmus gautschii* Oshanin 1910a: 160 [Listed] ⁷
- Chiasmus conspurcatus* Horváth 1911d: 598 [Catalogued] ^{2, 3, 4, 5, 6, 7, 8} Equals *Athysanus conspurcatus* Perr. Equals *Atractotypus gautschii* Then Equals *Athysanus laboulbenii* [sic] Perr.
- [*Chiasmus*] *conspurcatus* Oshanin 1912a: 104 [Listed] ^{1, 4, 8, 9} Equals [*Chiasmus*] *gautschii* Then
- A[tractotypus] gautschii* von Dalla Torre 1913a: 151 [Listed] ¹¹
- Chiasmus conspurcatus* Melichar 1913a: 328 (10) [Listed] ¹⁰
- [*Chiasmus*] *gautschii* Haupt 1935a: 167; fig. 314 [Described, illustrated] ^{2, 18, 19}
- Chiasmus conspurcatus* Dlabola 1952b: 37 [Listed] ²⁰
- Chiasmus conspurcatus* Ribaut 1952a: 305; figs. 5, 808–815 [Described, ecology, illustrated] ^{3, 4, 7, 8, 12, 21, 22, 23, 24, 25, 26} Equals [*Chiasmus*] *laboulbenei* Perr. Equals [*Chiasmus*] *gautschii* Then :304 [Key]
- Chiasmus conspurcatus* Servadei 1952a: 473 [Listed] ²⁷

conspurcatus Perris—Continued

LOCALITIES: ¹ France. ² Southern France. ³ Spain. ⁴ Austria. ⁵ Dalmatia. ⁶ Serbia. ⁷ Bulgaria. ⁸ Egypt. ⁹ Portugal. ¹⁰ Caucasus. ¹¹ Tyrol. ¹² Italy. ¹³ Northern Italy. ¹⁴ Kustenland. ¹⁵ Bosnia. ¹⁶ Herzegovina. ¹⁷ Germany. ¹⁸ Southern Tyrol. ¹⁹ Istria. ²⁰ Iraq. ²¹ Guienne. ²² Gascony. ²³ Languedoc. ²⁴ Provence. ²⁵ Yugoslavia. ²⁶ Canary Islands. ²⁷ Sardinia.

curtipennis Oshanin

Atractotypus curtipennis Oshanin 1871a: 211 [n. sp.] ³

[*Chiasmus*] *curtipennis* Puton 1886b: 79 [Listed] ²

Chiasmus curtipennis Oshanin 1891a: 45 [Zoogeography]

[*Chiasmus*] *curtipennis* Puton 1899a: 95 [Listed] ²

[*Chiasmus*] *curtipennis* Oshanin 1906a: 97 [Catalogued] ^{1, 3} Equals

Atractotypus curtipennis Osh.

[*Chiasmus*] *curtipennis* Oshanin 1912a: 104 [Listed] ⁴

LOCALITIES: ¹ Uzbek. ² Samarkand. ³ Turkestan. ⁴ Turkey.

gautschii Then. See *Chiasmus conspurcatus* Perris.

heydenii Kirschbaum. See *Chiasmus translucidus* var. *heydenii* Kirschbaum.

jagdishi Singh-Pruthi

Chiasmus jagdishi Singh-Pruthi 1936a: 109; pl. VIII, fig. 9; text fig. 123 [n. sp., illustrated] ¹

LOCALITIES: ¹ India.

laboulbenei Perris. See *Chiasmus conspurcatus* Perris.

laboulbeni. Typographical error for *Chiasmus laboulbenei* Perris. See *Chiasmus conspurcatus* Perris.

mustelinus Distant

Kartwa mustelina Distant 1908g: 394; fig. 245 [n. sp., illustrated] ¹

Chiasmus mustelina Singh-Pruthi 1930a: 25; pl. II, figs. 7, 7a; text fig. 35 [Described, illustrated] ^{2, 3, 4, 5, 6} Equals *Kartwa* [*mustelina* Dist.]

Kartwa mustelina Evans 1947a: 149 [Listed] ⁶

LOCALITIES: ¹ Bombay. ² Northwestern Himalayas. ³ Rewa. ⁴ Central India. ⁵ Central Provinces. ⁶ Calcutta.

niger Singh-Pruthi

Chiasmus niger Singh-Pruthi 1936a: 108; pl. VIII, fig. 8; text fig. 122 [n. sp., illustrated] ^{1, 2} :109 [Comparative note]

LOCALITIES: ¹ Punjab. ² Bengal.

nigricans Matsumura

Chiasmus nigricans Matsumura 1908a: 44 [n. sp.] ¹

[*Chiasmus*] *nigricans* Oshanin 1910a: 159 [Catalogued] ¹

[*Chiasmus*] *nigricans* Oshanin 1912a: 104 [Listed] ¹

LOCALITIES: ¹ Morocco.

transludicus. Typographical error for *Chiasmus translucidus* Mulsant and Rey.

translucidus Mulsant and Rey

- Chiasmus translucidus* Mulsant and Rey 1855a: 216 [n. sp.] ¹
Chiasmus translucidus Walker 1858c: 360 [Catalogued] ¹⁸
 [*Chiasmus*] *translucidus* Fieber 1872a: 16 [Listed] ⁷
 [*Atractotypus*] *bicolor* Fieber 1872a: 9 [nom. nud., listed] ¹
 [*Chiasmus*] *translucidus* Puton 1875a: 133 [Listed] ^{1, 2} Equals
 [*Chiasmus*] *laboulbeni* [sic] Perris [error]
 [*Atractotypus*] *bicolor* Puton 1875a: 132 [nom. nud., listed] ¹
 [*Chiasmus*] *translucidus* Signoret 1877a: xxiii Equals [*Chiasmus*]
 laboulbenei Perr. [error] Equals [*Chiasmus*] *conspurcatus* Perr.
 [error] Equals [*Chiasmus*] *bicolor* Sign. [nom. nud.]
Atractotypus translucidus Bolívar and Chicote 1879a: 181 (35)
 [Listed] ³
Chiasmus translucidus Puton 1883b: 286 [Listed] ¹
Chiasmus translucidus Puton 1886a: 9 [Listed] ⁸
 [*Chiasmus*] *translucidus* Puton 1886b: 79 [Listed] ^{1, 2, 3, 4, 5, 6}
 Equals [*Chiasmus*] *heydeni* Kirschb. Equals [*Chiasmus*] *la-*
 boulbeni [sic] Perris [error] Equals [*Chiasmus*] *cinctus* Perris
 Equals [*Chiasmus*] *bifasciatus* Fieb.
Chiasmus translucidus Costa 1888e: 23 [Listed] ¹⁴
Chiasmus translucidus Dominique 1890a: 112 (28) [Listed] ¹
 Equals *Attractotypus* [sic] *cinctus* Perr.
Chiasmus translucidus Ferrari 1892a: 571 (23) [Listed]
Chiasmus translucidus Rey 1894b: 30 [Notes] ¹
 [*Chiasmus*] *translucidus* Dominique 1895a: 25 [Listed] ¹
Chiasmus translucidus Melichar 1899b: 184 [Listed] ⁸
 [*Chiasmus*] *translucidus* Puton 1899a: 95 [Listed] ^{1, 2, 3, 4, 5, 6}
 Equals [*Chiasmus*] *cinctus* Perris Equals [*Chiasmus*] *laboulbeni*
 [sic] Perris [error] Equals [*Chiasmus*] *bifasciatus* Fieb. Equals
 [*Chiasmus*] *heydeni* Kirschb.
 [*Chiasmus*] *translucidus* Lambertie 1901a: 204 (76) [Listed] ¹
 [*Chiasmus*] *translucidus* Dominique 1902a: 216 [Listed] ¹
Chiasmus translucidus Lambertie 1902b: 325 [Listed] ¹
Chiasmus translucidus Lambertie 1902c: lxxix [2], lxxxi [4] [Listed] ¹
 [*Chiasmus*] *translucidus* Lambertie 1904a: 29 (13) [Listed] ¹
 [*Chiasmus*] *translucidus* Oshanin 1906a: 97 [Catalogued] ^{2, 3, 4, 6, 7, 8}
 Equals *Athysanus cinctus* Perr. Equals *Athysanus laboulbeni*
 [sic] Perr. [error] Equals *Atractotypus bifasciatus* Fieb. Equals
 Acoccephalus heydeni Kirschb.
 [*Chiasmus*] *translucidus* Matsumura 1908a: 44 [Comparative note]
Chiasmus translucidus Lambertie 1909b: cxlvii [Ecology] ¹
Chiasmus translucidus Lambertie 1909c: xlv [Listed] ¹

translucidus Mulsant and Rey—Continued

[*Chiasmus*] *translucidus* Lambertie 1910a: 79 [Listed] ¹ Equals
[*Chiasmus*] *laboulbeni* [sic] Perr. [error] Equals [*Chiasmus*] *cinctus*
Perr. Equals [*Chiasmus*] *bifasciatus* Fieb. Equals [*Chiasmus*]
heydeni Kirschb.

Chiasmus translucidus Horváth 1911d: 597 [Described] ^{2, 7, 9, 10}

[*Chiasmus*] *translucidus* Oshanin 1912a: 104 [Listed] ¹¹

Chiasmus translucidus de Bergevin 1916b: 314 [Listed] ¹⁰

Chiasmus translucidus Lallemand 1928d: 5 [Listed] ⁵

[*Chiasmus*] *translucidus* Haupt 1935a: 167 [Described] ^{12, 13}

[*Chiasmus*] *translucidus* [sic] Lindberg 1936a: 5 [Notes] ^{10, 12, 13, 15,}
¹⁷ 2: [Listed] ^{15, 16}

Chiasmus translucidus de Seabra 1939b: 33, 66 [Listed] ⁵

Chiasmus translucidus de Seabra 1939c: 171 [Listed] ⁵

[*Chiasmus*] *translucidus* de Seabra 1942a: 9 [Listed] ⁵

Chiasmus translucidus Evans 1947a: 149 [Listed] ⁷

Chiasmus translucidus Villiers 1947a: 55; pl. V, fig. 70 [Described,
illustrated, ecology] ¹

Chiasmus translucidus Ribaut 1952a: 304; fig. 805 [Described,
key, key to varieties, ecology, illustrated] ^{3, 5, 6, 12, 14, 18, 19, 20, 21}
:306 [Comparative note]

Chiasmus translucidus Servadei 1952a: 473 [Listed] ¹⁴

Chiasmus transcludicus [sic] Lindberg 1954a: 210 [Ecology, cata-
logued] ^{15, 17, 22, 23} :269, 274 [Ecology] :299 [Listed] ^{11, 15, 17, 22, 23}

LOCALITIES: ¹ France. ² Algeria. ³ Spain. ⁴ Italy. ⁵ Portugal. ⁶ Russia.
⁷ Southern France. ⁸ Tunisia. ⁹ Mauritania. ¹⁰ Morocco. ¹¹ Mediter-
ranean Subregion. ¹² Northern Africa. ¹³ Southern Europe. ¹⁴ Sardinia.
¹⁵ Canary Islands. ¹⁶ Mediterranean Region. ¹⁷ Tenerife. ¹⁸ Provence.
¹⁹ Gascony. ²⁰ Guienne. ²¹ Brittany. ²² Grand Canary Island. ²³ Fuerte-
ventura.

translucidus var. **cinctus** Perris

A[thysanus] cinctus Perris 1857a: 173 (93) [n. sp.] ¹

[*Jassus*] *cinctus* Dohrn 1859a: 88 [Listed] ²

Atractotypus bifasciatus Fieber 1866a: 513; pl. VII, figs. 10a–c
[n. sp., illustrated] ¹ :501, 514 [Listed]

Atractotypus bifasciatus Dallas 1867a: 574 [Catalogued] ²

Athysanus cinctus Puton 1871a: 425 Equals *Atractotypus bi-*
fasciatus Fieb.

[*Atractotypus*] *cinctus* Fieber 1872a: 9 [Listed] ^{1, 3} Equals [*Atrac-*
totypus] *trifasciatus* Sign. [nom. nud.] Equals [*Atractotypus*]
bifasciatus Mink

Atractotypus cinctus Fieber 1872b: 30 Equals [*Acocephalus*]
heydeni Kirschb. [error] Equals *Athys[anus] cinctus* Perr.

translucidus var. **cinctus** Perris—Continued

- Equals [*Acocephalus*] 2-fasciatus Mink Equals [*Acocephalus*] 3-fasciatus Sign. [nom. nud.]
- [*Atractotypus*] *cinctus* Puton 1875a: 132 [Listed] ^{1, 3, 4} Equals [*Atractotypus*] *heydeni* Kirschb. [error] Equals [*Atractotypus*] *bifasciatus* Fieb.
- [*Chiasmus*] *cinctus* Signoret 1877a: xxii Equals [*Chiasmus*] *heydenii* Kirschb. [error] Equals [*Chiasmus*] *bifasciatus* Fieb.
- Atractotypus cinctus* Bolívar and Chicote 1879a: 181 (35) [Listed] ³
- [*Chiasmus*] *cinctus* Puton 1886b: 79 To [*Chiasmus*] *translucidus* Muls. and Rey
- [*Chiasmus*] *bifasciatus* Puton 1886b: 79 To [*Chiasmus translucidus*] Muls. and Rey
- Atractotypus* [sic] *cinctus* Dominique 1890a: 112 (28) To *Chiasmus translucidus* Muls. and Rey
- [*Chiasmus translucidus*] *cinctus* Rey 1894b: 30 [Notes] ¹
- [*Chiasmus*] *cinctus* Puton 1899a: 95 To [*Chiasmus*] *translucidus* Muls. and Rey
- [*Chiasmus*] *bifasciatus* Puton 1899a: 95 To [*Chiasmus*] *translucidus* Muls. and Rey
- Athysanus cinctus* Oshanin 1906a: 97 To [*Chiasmus*] *translucidus* Muls. and Rey
- Atractotypus bifasciatus* Oshanin 1906a: 97 To [*Chiasmus*] *translucidus* Muls. and Rey
- [*Chiasmus*] *cinctus* Lambertie 1910a: 79 To [*Chiasmus*] *translucidus* Muls. and Rey
- [*Chiasmus*] *bifasciatus* Lambertie 1910a: 79 To [*Chiasmus*] *translucidus* Muls. and Rey
- [*Chiasmus translucidus*] *cinctus* Horváth 1911d: 598 [Described, catalogued] ^{2, 3, 5, 6, 7, 8, 9} Equals *Athysanus cinctus* Perr. Equals *Acocephalus heydenii* Kirschb. [error] Equals *Atractotypus bifasciatus* Fieb.
- [*Chiasmus translucidus*] *cinctus* Oshanin 1912a: 104 [Listed] ¹⁰ Equals [*Chiasmus*] *bifasciatus* Fieb. Equals [*Chiasmus*] *heydeni* Kirschb. [error]
- Atractotypus bifasciatus* Evans 1947a: 149 [Listed] ²
- [*Chiasmus translucidus*] *cincta* Ribaut 1952a: 304 [Key, ecology] ^{3, 4, 11, 12, 13, 14, 15, 16, 17} Equals [*Chiasmus*] *bifasciatus* Fieb.

LOCALITIES: ¹ France. ² Southern France. ³ Spain. ⁴ Portugal. ⁵ Mauritania. ⁶ Morocco. ⁷ Algeria. ⁸ Tunisia. ⁹ Constantine. ¹⁰ Mediterranean Subregion. ¹¹ Provence. ¹² Gascony. ¹³ Guienne. ¹⁴ Brittany. ¹⁵ Sardinia. ¹⁶ Northern Africa. ¹⁷ Russia.

translucidus var. *conspurcatus* Perris. See *Chiasmus conspurcatus* Perris.

translucidus var. **heydenii** Kirschbaum

A[cocephalus (Acocephalus)] heydenii Kirschbaum 1868b: 77 [n. sp.] ¹

Acocephalus heydenii von Heyden 1870a: 22 [Listed] ¹

[*Acocephalus*] *heydeni* Fieber 1872b: 30 To *Atractotypus cinctus* Perr. [error]

[*Atractotypus*] *heydeni* Puton 1875a: 132 To [*Atractotypus*] *cinctus* Perr. [error]

[*Chiasmus*] *heydenii* Signoret 1877a: xxii To [*Chiasmus*] *cinctus* Perr. [error]

[*Chiasmus*] *heydeni* Puton 1886b: 79 To [*Chiasmus*] *translucidus* Muls. and Rey

[*Chiasmus*] *heydeni* Puton 1899a: 95 To [*Chiasmus*] *translucidus* Muls. and Rey

Acocephalus heydeni Oshanin 1906a: 97 To [*Chiasmus*] *translucidus* Muls. and Rey

[*Chiasmus*] *heydeni* Lambertie 1910a: 79 To [*Chiasmus*] *translucidus* Muls. and Rey

Acocephalus heydenii Horváth 1911d: 598 To [*Chiasmus translucidus*] *cinctus* Perr. [error]

[*Chiasmus*] *heydeni* Oshanin 1912a: 104 To [*Chiasmus translucidus*] *cinctus* Perr. [error]

[*Chiasmus translucidus*] *heydeni* Ribaut 1952a: 305; figs. 806–807 [Ecology, illustrated] ^{1, 2, 3} :304 [Key]

LOCALITIES: ¹ Spain. ² Languedoc. ³ Roussillon.

uzelii Melichar

Chiasmus uzelii Melichar 1903b: 164; pl. IV, figs. 7, 7a [n. sp., illustrated] ¹

Chiasmus uzelii Distant 1908g: 391; fig. 243 [Described, catalogued, illustrated] ¹

LOCALITIES: ¹ Ceylon.

Genus **Gurawa** Distant

ORTHOTYPE *G[urawa] vexillum* [n. sp.] Distant 1908g: 263

TYPE *G[urawa] vexillum* Singh-Pruthi 1930a: 29

TYPE *Gurawa vexillum* Singh-Pruthi 1934b: 77

TYPE *Gurawa vexillum* Evans 1947a: 149

Gurawa Distant 1908g: 263 [gen. n.] :252 [Key]

Waterhouse 1912a: 119 [Listed]

Distant 1918b: 28 [Listed]

Schulze, Kükenthal, and Heider 1929b: 1424 [Catalogued]

- Gurawa Singh-Pruthi 1930a: 29 [Notes, taxonomy, catalogued, a new species from India.] :31 [Comparative note]
 Singh-Pruthi 1934b: 76 [Notes, taxonomy, catalogued]
 Neave 1939b: 526 [Catalogued]
 Evans 1947a: 149 [Catalogued]
 Mathur 1953a: 158 [Listed] :162 [List of species from India]

albofasciata Jacobi

Gurawa albofasciata Jacobi 1941a: 306 [n. sp.] ¹

LOCALITIES: ¹ Flores.

intermediatus Singh-Pruthi

Gurawa intermediatus Singh-Pruthi 1936a: 107; pl. VIII, figs. 7-7a [n. sp., illustrated] ^{1, 2}

LOCALITIES: ¹ Sikkim. ² Eastern Himalayas.

minorcephala Singh-Pruthi

Gurawa minorcephala Singh-Pruthi 1930a: 29; pl. II, figs. 10, 10a-b; text figs. 41, 42 [n. sp., illustrated] ¹

LOCALITIES: ¹ Northwestern Himalayas.

vexillum Distant

Gurawa vexillum Distant 1908g: 263; fig. 169 [n. sp., illustrated] ¹

Gurawa vexillum Distant 1918b: 28 [Listed] ²

G[urawa] vexillum Singh-Pruthi 1930a: 29 [Notes, comparative note] ¹

Gurawa vexillum Singh-Pruthi 1934b: 77; text fig. 96 [Described, catalogued, illustrated] ^{1, 3, 4}

Gurawa vexillum Evans 1947a: 149 [Listed] ¹

LOCALITIES: ¹ Sikkim. ² Madras. ³ Eastern Himalayas. ⁴ South India.

Genus **Gcaleka** Naudé

ORTHOTYPE *G[caleka] laticephala* [n. sp.] Naudé 1926a: 39

TYPE *Gcaleka laticephala* Evans 1947a: 149

- Gcaleka Naudé 1926a: 29, 39 [gen. n., key]
 Naudé 1929c: 10 [gen. n.]
 Evans 1936a: 45 [Comparative note]
 Neave 1939b: 449 [Catalogued]
 Evans 1947a: 149 [Catalogued]
 Evans 1951a: 6 [Taxonomy]
 Evans 1955a: 4 [Zoogeography]

acuta Naudé

G[caleka] acuta Naudé 1926a: 40; pl. II, figs. 8a-c [n. sp., illustrated] ¹

Gcaleka acutus Naudé 1929c: 11 [n. sp.] ¹

G[caleka] acuta Evans 1955a: 15 [Listed] ²

LOCALITIES: ¹ Cape of Good Hope. ² Africa.

laticephala Naudé

G[caleka] laticephala Naudé 1926a: 39; pl. II, figs. 7a-c [n. sp., illustrated] ¹

Gcaleka laticephalus Naudé 1929c: 11 [n. sp.] ¹

Gcalaka laticephala Evans 1947a: 149 [Listed] ²

Gcaleka laticephala Evans 1955a: 15 [Listed] ³

LOCALITIES: ¹ Cape of Good Hope. ² South Africa. ³ Africa.

Genus **Titiella** Bergroth

[ORTHOTYPE *Acocephalus punctiger*] Bergroth 1920a: 29

[*Titia* Stål]

[HAPLOTYPE *Acocephalus punctiger* Stål 1866a: 105]

[TYPE *Acocephalus punctiger* Evans 1947a: 131]

[TYPE *Acocephalus punctigera* Evans 1955a: 15]

- | | |
|--------------|---|
| <i>Titia</i> | Stål 1866a: 105 [gen. n.] |
| | Dallas 1867a: 574 [Notes, catalogued] |
| | Stål 1870c: 732 [Notes] |
| | Marschall 1873a: 384 [Catalogued] |
| | Scudder 1882b: 321 [Listed] |
| | Hansen 1890a: 68 [Taxonomy] |
| | Hansen 1903b: 65 [Morphology of head, taxonomy] |
| | Kirkaldy 1907d: 25 [Key] |
| Titiella | Bergroth 1920a: 29 Nom. nov. pro <i>Titia</i> Stål [1866]
[nec <i>Titia</i> Meigen 1800] |
| <i>Titia</i> | Naudé 1926a: 23 [Described, catalogued] |
| | Schulze, Kükenthal, and Heider 1938a: 3491 [Catalogued] |
| Titiella | Schulze, Kükenthal, and Heider 1938a: 3491 [Catalogued] Equals <i>Titia</i> Stål |
| <i>Titia</i> | Neave 1940b: 501 [Catalogued] To <i>Titiella</i> Bergr. |
| Titiella | Neave 1940b: 501 [Catalogued] Equals <i>Titia</i> Stål |
| | Evans 1947a: 131 [Catalogued] Equals <i>Titia</i> Stål |
| <i>Titia</i> | Evans 1947a: 131 [Catalogued] |
| | Evans 1951a: 6 [Taxonomy] |
| | Evans 1955a: 15 [Listed] |

punctigera Stål

Acocephalus punctiger Stål 1855a: 98 [n. sp.] ¹

Acocephalus punctiger Walker 1858b: 261 [Catalogued] ²

[*Acocephalus*] *punctiger* Dohrn 1859a: 84 [Listed] ²

T[itia] punctigera Stål 1866a: 105 [Described, catalogued] ¹

Equals *Acocephalus punctiger* Stål

[*Titia punctigera*] Dallas 1867a: 574 Equals *Acocephalus punctiger* Stål

T[itia] punctigera Naudé 1926a: 23 [Described, catalogued] ¹

Equals *Acocephalus punctiger* Stål

T[itia] punctigera Naudé 1929c: 7 [Notes] ¹

[*Titiella punctigera*] Evans 1947a: 131 [Listed] ³ Equals *Acocephalus punctiger* Stål

[*Titia punctigera*] Evans 1955a: 15 [Listed] ⁴ Equals *Acocephalus punctigera*

LOCALITIES: ¹ Cape of Good Hope. ² Caffraria. ³ South Africa. ⁴ Africa.

Genus Argaterma White

ORTHOTYPE *A[rgaterma] alticola* [n. sp.] White 1878a: 473

TYPE *Argaterma alticola* Evans 1947a: 149

Argaterma

White 1878a: 473 [gen. n.]

Scudder 1882a: 31 [Catalogued]

Scudder 1882b: 27 [Listed]

Schulze, Kükenthal, and Heider 1926b: 268 [Catalogued]

Neave 1939a: 289 [Catalogued]

Evans 1947a: 149 [Catalogued]

alticola White

Argaterma alticola White 1878a: 474; pl. XXXI, fig. 7 [n. sp., illustrated] ¹ :462 [Listed]

Argaterma alticola Evans 1947a: 149 [Listed] ¹

LOCALITIES: ¹ St. Helena.

multisignata White

Argaterma multisignata White 1878a: 474 [n. sp.] ¹ :462 [Listed]

LOCALITIES: ¹ St. Helena.

Genus Arrugada Oman

ORTHOTYPE *Huleria rugosa* Oman 1938b: 362

TYPE *Huleria rugosa* Evans 1947a: 149

Arrugada

Oman 1938b: 362 [gen. n.] :355 [Key]

Evans 1947a: 149 [Catalogued]

Neave 1950a: 23 [Catalogued]

affinis Osborn

Huleria affinis Osborn 1924c: 405 [n. sp.] ¹

[*Arrugada affinis*] Oman 1938b: 363 [Taxonomy] ¹ Equals *Huleria affinis* Osb.

LOCALITIES: ¹ Bolivia.

rugosa Osborn

Huleria rugosa Osborn 1924c: 404 [n. sp.] ¹ :405, 406 [Comparative notes]

[*Arrugada rugosa*] Oman 1938b: 363; pl. XXVIII, fig. 5; pl. XXXI, fig. 7 [Notes, illustrated] ¹ Equals *Huleria rugosa* Osb.

Huleria rugosa Evans 1947a: 149 [Listed] ¹

LOCALITIES: ¹ Bolivia.

Tribe **ANOTEROSTEMMINI** Haupt

Anoterostemminae Haupt 1929c: 243, 251 *Subfamily* [Key]

Anoterostemmini Haupt 1935a: 170 *Tribe* [Described] :163 [Key]

Anoterostemminae Evans 1947a: 150 [Taxonomy]

Genus **Anoterostemma** Löw

HAPLOTYPE *Anoterostemma henschii* [n. sp.] Löw 1885a: 353

TYPE *A[noterostemma] ivanoffi* Oshanin 1912a: 104

TYPE *A[noterostemma] ivanoffi* Haupt 1929c: 251

TYPE *A[noterostemma] ivanoffi* Haupt 1935a: 170

TYPE *Anoterostemma henschii* Evans 1947a: 149

Anoterostemma Löw 1885a: 353 [gen. n.]

*Anostero-
stemma* Puton 1886b: 80 [Listed]

Anoterostemma Then 1886a: 27 [Listed]
Van Duzee 1890d: 35 [Comparative note]
Van Duzee 1890g: 92 [Comparative note]

*Anostero-
stemma* [sic] Melichar 1896a: 183 [Key]

*Anostero-
stemma* Melichar 1896a: 198 [Described, catalogued]

Anoterostemma Horváth 1897c: 51 [List of species from Hungary]
*Anostero-
stemma* Puton 1899a: 94 [List of species from the Palearctic
Region]

Waterhouse 1902a: 23 [Listed]

Graeffe 1903a: 52 (12) [Ecology of species from
Kustenland]

- Anosterostemma* Hüeber 1904a: 263 [Listed]
 Hüeber 1904b: 263 [Listed]
 Oshanin 1906a: 96 [Catalogued]
- Anoterostemma* Horváth 1908c: 568 [Listed]
- Anosterostemma* Lambertie 1910a: 78 [Listed]
- Anoterostemma* Horváth 1911d: 596 [Catalogued]
 Haupt 1912a: 196 [Taxonomy] Equals *Anostero-*
stemma
 Oshanin 1912a: 104 [List of species from the Pale-
 arctic Region]
- Anosterostemma* Baker 1923a: 349 [Notes]
- Anoterostemma* China 1925c: 483 [Comparative note]
- Anosterostemma* Schulze, Kükenthal and Heider 1926b: 201 [Cata-
 logued] Equals *Anoterostemma* Löw
- Anoterostemma* Schulze, Kükenthal, and Heider 1926b: 202 [Cata-
 logued]
 Haupt 1929b: 1074 [Listed]
 Haupt 1929c: 251 [Key] Equals *Driotura* Osb. and
 Ball [error]
 Haupt 1935a: 170 [Described] :163; fig. 304 [Illus-
 trated]
- Anosterostemma* Neave 1939a: 219 [Catalogued] Equals *Anotero-*
stemma Löw
- Anoterostemma* Neave 1939a: 219 [Catalogued]
 Ribaut 1942a: 260 (2) [Comparative note]
- Anosterostemma* Evans 1947a: 148 [Catalogued] To *Anoterostemma*
 Löw
- Anoterostemma* Evans 1947a: 149 [Catalogued]
- Anosterostemma* Zachvatkin 1948a: 173 [Key]
- corvinum* Horváth. See *Bobacella corvina* Horváth. Family ULOPIDAE.
- gammaroides* Van Duzee. See *Driotura gammaroides* Van Duzee. Family
 EUSCELIDAE.
- henschii* Löw. See *Anoterostemma ivanhofi* Lethierry.

ivanhofi Lethierry

- Doratura ivanhofi* Lethierry 1876b: 26 [n. sp.] ¹
- Doratura fusca* Ivanoff 1885a: 144 (62); pl. III, figs. V-VIII [n.
 sp., key, illustrated] ¹ :92 (10) [Listed] ¹
- Anoterostemma henschii* Löw 1885a: 354 [n. sp.] ²
- [*Anoterostemma*] *ivanoffi* [sic] Puton 1886b: 80 [Listed] ^{2, 3} Equals
 [*Anoterostemma*] *henschii* Löw
- A[noterostemma] henschii* Then 1886a: 27 [Food plants] ⁴

ivanhoffi Lethierry—Continued

- Anoterostemma ivanoffi* [sic] Horváth 1889a: 331 [Listed] ⁵
Anoterostemma henschii Melichar 1896a: 199; pl. IX, figs. 30–33 [Described, ecology, catalogued, illustrated] ^{9, 11}
 [*Anoterostemma*] *ivanoffi* [sic] Horváth 1897c: 51 [Listed] ⁵
Anoterostemma ivanoffi [sic] Horváth 1898c: 7 [Notes] ⁵
Anoterostemma henschii Melichar 1899c: 139 (2) [Ecology] ^{4, 11}
 [*Anoterostemma*] *ivanoffi* [sic] Puton 1899a: 94 [Listed] ^{2, 3}
 Equals [*Anoterostemma*] *henschii* Löw
Anoterostemma ivanoffi [sic] Melichar 1900d: 238 [Notes] ⁴
 Equals [*Anoterostemma*] *henschii* Löw
Anoterostemma henschii Melichar 1901e: 43 (10) [Ecology] ¹²
Anoterostemma ivanoffi [sic] Graeffe 1903a: 52 (12) [Ecology] ¹³
 Equals *A[noterostemma] henschii* Löw
A[noterostemma] ivanoffi [sic] Horváth 1903c: 475 [Comparative note]
Anoterostemma ivanoffi [sic] Horváth 1903d: 557 [Catalogued] ⁶
 Equals *Doratura ivanhofi* Leth.
Anoterostemma ivanoffi [sic] Horváth 1903e: 209 [Listed]
 [*Anoterostemma*] *ivanoffi* [sic] Hüeber 1904a: 263 [Listed] ⁷
 Equals [*Anoterostemma*] *henschii* Löw
 [*Anoterostemma*] *ivanoffi* [sic] Hüeber 1904b: 263 [Listed] ⁷
 Equals [*Anoterostemma*] *henschii* Löw
 [*Anoterostemma*] *ivanoffi* [sic] Oshanin 1906a: 96 [Catalogued] ^{3, 5, 8, 9} Equals *Doratura ivanoffi* [sic] Leth. Equals *Anoterostemma henschii* Löw Equals *Doratura fusca*
 [*Anoterostemma*] *ivanoffi* [sic] Oshanin 1912a: 104 [Listed] ¹⁰
 Equals [*Anoterostemma*] *henschii* Löw Equals [*Anoterostemma*] *fusca* Ivan.
Anoterostemma ivanoffi [sic] Haupt 1929c: 243; fig. 56 [Illustrated]
 [*Anoterostemma*] *ivanoffi* [sic] Haupt 1935a: 170; fig. 304 [Described, ecology, illustrated] ⁵ Equals [*Anoterostemma*] *henschii* Löw
Anoterostemma henschii Evans 1947a: 149 [Listed] ^{3, 5} Equals [*Anoterostemma*] *ivanoffi* [sic] Leth.
Anoterostemma ivanoffi [sic] Evans 1947a: 147; figs. 121–J [Illustrated]
Anoterostemma ivanoffi [sic] Kusnezov N.D. a: 47 [Ecology] ¹⁴

LOCALITIES: ¹ Russia. ² Carniola. ³ Southern Russia. ⁴ Dalmatia.
⁵ Hungary. ⁶ Palearctic Region. ⁷ Germany. ⁸ Istria. ⁹ Ukraine.
¹⁰ Austria. ¹¹ Italy. ¹² Europe. ¹³ Kustenland. ¹⁴ Crimea.

ivanoffi. Typographical error for *Anoterostemma ivanhofi* Lethierry.
noualhieri Melichar. See *Bilusius noualhieri* Melichar. Family EUSCELIDAE.
theni Löw. See *Sotanus theni* Löw. Family EUSCELIDAE.

Genus *Agrica* Strand

LOGOTYPE *Horvathiella arisana* Matsumura

[*Horvathiella* Matsumura]

[ORTHOTYPE *Horvathiella arisana* [n. sp.] Matsumura 1914a: 234]

[TYPE *Horvathiella arisana* Evans 1947a: 149]

[TYPE *Horvathiella arisana* Esaki and Ito 1954a: 83]

- Horvathiella* Matsumura 1914a: 234 [gen. n.]
 Neave 1939b: 699 [Catalogued]
- Agrica* Strand 1942a: 393 nom. nov. pro *Horvathiella*
 Matsumura [1914] [nec *Horvathiella* Poppius
 1912] [Catalogued]
- Horvathiella* Evans 1947a: 149 [Catalogued]
- Agrica* Neave 1950a: 7 [Catalogued] Equals *Horvathiella*
 Mats.
- Horvathiella* Esaki and Ito 1954a: 83 [Catalogued, catalogue of
 species from Japan]

arisana Matsumura

Horvathiella arisana Matsumura 1914a: 235; fig. 11 [n. sp.,
 illustrated] ¹

Horvathiella arisana Esaki and Ito 1954a: 84 [Catalogued] ¹

LOCALITIES: ¹ Formosa.

Genus *Postumus* Distant

ORTHOTYPE *Postumus facialis* [n. sp.] Distant 1918b: 84

TYPE *Postumus facialis* Evans 1947a: 150

- Postumus* Distant 1918b: 84 [gen. n.]
 Schulze, Kükenthal, and Heider 1935a: 2807 [Cata-
 logued]
 Neave 1940a: 879 [Catalogued]
 Evans 1947a: 150 [Catalogued]

facialis Distant

Postumus facialis Distant 1918b: 84; fig. 48 [n. sp., illustrated] ¹

Postumus facialis Evans 1947a: 150 [Listed] ¹

LOCALITIES: ¹ South India.

hyalinus Evans

Postumus hyalinus Evans 1947a: 253; figs. 12A-B, Q [n. sp., illustrated] ¹

Postumus hyalinus Evans 1951a: 7 [Taxonomy]

Postumus hyalinus Evans 1955a: 15 [Listed] ²

LOCALITIES: ¹ South Africa. ² Africa.

Genus **Oniroxis** China

ORTHOTYPE *Oniroxis kariana* [n. sp.] China 1925c: 483

TYPE *Oniroxis kariana* Evans 1947a: 150

Oniroxis China 1925c: 483 [gen. n.]
Wu 1935a: 77 [Catalogued, catalogue of species
from China]
Neave 1940a: 421 [Catalogued]
Evans 1947a: 150 [Catalogued]

kariana China.

Oniroxis kariana China 1925c: 484; figs. 5A–B [n. sp., illustrated]¹

O[niroxis] kariana Wu 1935a: 77 [Catalogued] ¹

Oniroxis kariana Evans 1947a: 150 [Listed] ¹

LOCALITIES: ¹ Yunnan.

Genus **Leofa** Distant

ORTHOTYPE *Leofa mysorensis* [n. sp.] Distant 1918b: 86

TYPE *Leofa mysorensis* Singh-Pruthi 1934b: 96

TYPE *Leofa mysorensis* Evans 1947a: 150

Leofa

Distant 1918b: 86 [gen. n.]
Singh-Pruthi 1930a: 26 [Taxonomy, a new species from India] :29 [Comparative note]
Schulze, Kükenthal, and Heider 1931a: 1794 [Catalogued]
Singh-Pruthi 1934b: 96 [Catalogued] :98 [Comparative note]
Neave 1939b: 895 [Catalogued]
Evans 1947a: 150 [Catalogued]

affinis Distant

Leofa affinis Distant 1918b: 87; fig. 51 [n. sp., illustrated] ¹

LOCALITIES: ¹ South India.

mysorensis Distant*Leofa mysorensis* Distant 1918b: 86; fig. 50 [n. sp., illustrated] ¹*Leofa mysorensis* Singh-Pruthi 1934b: 96; text fig. 113 [Described, catalogued, illustrated] ^{1, 2}*Leofa mysorensis* Evans 1947a: 150 [Listed] ³LOCALITIES: ¹ Mysore. ² Madras. ³ South India.**parwala** Singh-Pruthi*Leofa parwala* Singh-Pruthi 1930a: 26; pl. II, figs. 8, 9, 9a; text figs. 36-40 [n. sp., illustrated] ^{1, 2, 3} :29 [Comparative note]LOCALITIES: ¹ Rewa. ² Central India. ³ Central Provinces.**pedestris** Distant*Leofa pedestris* Distant 1918b: 88 [n. sp.] ¹LOCALITIES: ¹ Madras.**sanguinalis** Distant*Leofa sanguinalis* Distant 1918b: 87 [n. sp.] ¹LOCALITIES: ¹ South India.**unicolor** Distant*Leofa unicolor* Distant 1918b: 88 [n. sp.] ¹LOCALITIES: ¹ South India.Genus **Luheria** OsbornORTHOTYPE *Luheria constricta* [n. sp.] Osborn 1923c: 31TYPE *Luheria constricta* Oman 1938b: 363TYPE *Luheria constricta* Evans 1947a: 150

Luheria Osborn 1923c: 31 [gen. n.]
 Oman 1938b: 363 [Described, catalogued] :355 [Key]
 Neave 1939b: 1007 [Catalogued]
 Evans 1947a: 150 [Catalogued]

constricta Osborn*Luheria constricta* Osborn 1923c: 31 [n. sp.] ¹*Luheria constricta* Oman 1938b: 363; pl. XXVIII, fig. 9; pl. XXXI, fig. 8 [Illustrated] ^{3, 4}*Luheria constricta* Christensen 1942b: 338 [Listed] ²*Luheria constricta* Evans 1947a: 150 [Listed] ³LOCALITIES: ¹ Bahia. ² Salta. ³ Brazil. ⁴ Argentina.

Tribe **DORATURINI** Ribaut

Doraturini Ribaut 1952a: 68 [Comparative note]

Genus **Doratura** SahlbergLOGOTYPE *D[oratura] stylata* Oshanin 1912a: 105TYPE *D[oratura] stylata* Haupt 1929c: 261TYPE *D[oratura] stylata* Haupt 1935a: 185TYPE *D[oratura] stylata* Ball and Beamer 1940a: 69TYPE *Athysanus stylatus* Medler 1943a: 77TYPE *Athysanus stylatus* De Long and Knull 1946a: 45TYPE *Athysanus stylata* Evans 1947a: 149LOGOTYPE *Athysanus stylatus* Oman 1949a: 156TYPE [*Doratura*] *stylata* China 1950a: 245TYPE *Athysanus stylatus* Ribaut 1952a: 298TYPE *D[oratura] stylata* Dlabola 1954a: 152LOGOTYPE *Athysanus stylatus* Ishihara 1954e: 378

Doratura Sahlberg 1871a: 291 [gen. n.] :71 [Key] :50 [Listed]
 Fieber 1872a: 11 Equals *Jassus* [in part] Equals
Athysanus [in part] Equals *Allochus* Fieb. [nom.
 nud.]
 Fieber 1872b: 31 [Listed]
 Lethierry 1874a: 264 (60) [Ecology of species from
 France]
 Scott 1874h: 147 [Notes]
 Siebke 1874a: 36 Equals *Athysanus* Boh. [in part]
 Fieber 1875a: 408 (121) [Key]
 Puton 1875a: 136 [List of species from Europe]
 Reuter 1875a: 233 [Polymorphism]
 Douglas and Scott 1876a: 88 [Catalogued, catalogue
 of species from Great Britain]
 Rieber and Puton 1880a: 63 [Listed]
 Mayr 1881a: 94 (18) [List of species from Tyrol]
 Ferrari 1882a: 48 [Catalogued, catalogue of species
 from Italy] :116 (44) [Key]
 Scudder 1882b: 103 [Listed]
 Edwards 1883b: 148 [Taxonomy] :149 [Key]
 Kieffer 1884a: 80 [Ecology of species from Lorraine]
 Mayr 1884a: 32 [Key] Equals *Jassus* [in part]
 Ivanoff 1885a: 92 (10) [List of species from Russia]

Doratura

- Puton 1886b: 81 [List of species from the Palearctic Region]
 Then 1886a: 28 [List of species from Austria]
 Dubois 1888a: 165 (69) [Listed]
 Edwards 1888d: 28; pl. III, figs. 8, 8a-b [Described, illustrated, catalogued] :17 [Key]
 Saunders and Edwards 1890a: 13 [Listed]
 Buckton 1891a: 35 [Key] :2 [Notes] :19 [Listed]
 Fokker 1891a: 373 [Listed]
 Oshanin 1891a: 46 [Zoogeography]
 Coubeaux 1892a: 35 (2) [Listed]
 Dominique 1892a: 120 [Listed]
 Duda 1892a: 32 [Listed]
 Spitzner 1892a: 31 [Ecology of species from Moravia]
 Bezzi 1893a: 111 (31) [Listed]
 Edwards 1895a: 117 [Key]
 Edwards 1895b: 129; pl. 2, fig. 7 [Described, illustrated]
 Wüstnei 1895a: 274 [List of species from Schleswig-Holstein]
 Melichar 1896a: 209 [Described, key to species from Central Europe, catalogued] :183 [Key]
 Horváth 1897c: 47 [List of species from Hungary]
 Osborn and Ball 1897a: 220 [Comparative note]
 Baker 1898a: 185 [Comparative note]
 Gillette 1898b: 29 [Comparative note]
 Puton 1899a: 91 [List of species from the Palearctic Region]
 Lameere 1900a: 134 [Key]
 Strobl 1900a: 212 [Listed]
 Horváth 1901a: 254 [Listed]
 Lambertie 1901a: 202 (74) [Listed]
 Cobelli 1902a: 18 [Listed]
 Graeffe 1903a: 50 (10) [Ecology of species from Kustenland]
 Melichar 1903b: 198 [Comparative note]
 Hübner 1904a: 261 [Listed]
 Hübner 1904b: 261 [Listed]
 Morley 1905b: 28 [List of species from England]
 Matsumura 1906a: 70 [List of species from Prussia]
 Oshanin 1906a: 103 [Catalogued, catalogue of species from the Palearctic Region]
 Distant 1908g: 392 [Comparative note]

Doratura

- Horváth 1908c: 567 [Comparative note]
 Melichar 1908b: 13 [Comparative note]
 Saunders and Edwards 1908a: 12 [List of species from Great Britain]
 Cobelli 1909a: 12 [List of species from Italy]
 Lambertie 1910a: 76 [List of species from France]
 Haupt 1912b: 451 (6) [List of species from Thuringia]
 Oshanin 1912a: 105 [List of species from the Palearctic Region]
 Schmidt 1912g: 156 [List of species from Pomerania]
 von Dalla Torre 1913a: 151 [List of species from Tyrol]
 Melichar 1914b: 137 [Comparative note]
 Jacobsen 1915a: 323 [List of species from Denmark]
 Oshanin 1916a: 82 [Bibliography]
 Jansen-Haarup 1918a: 37 [Described, key to species from Denmark] :36 [Key]
 Jensen-Haarup 1920a: 104 [Described, key to species from Denmark] :102 [Key]
 Tullgren and Wahlgren 1920a: 143 [Key] :147 [Listed]
 Buchner 1921a: 276 [Symbionts]
 Edwards 1922a: 207 [List of species from Great Britain] :205 [Key]
 Buchner 1924a: 51 [Symbionts]
 Hofmänner 1924a: 53 [List of species from Switzerland]
 Lindberg 1924a: 43 [List of species from Finland]
 Buchner 1925a: 155, 205, 221 [Symbionts]
 Handlirsch 1925a: 1119 [Listed]
 Haupt 1925a: 14 [A list of species from Bavaria]
 Kupka 1925a: 107 [Listed]
 Rémy-Perrier 1926a: 83 [Key to species from France] :78 [Key]
Allochus Schulze, Kükenenthal, and Heider 1926a: 107 [nom. nud., catalogued] Equals *Doratura* Sahlb.
Doratura Blöte 1927b: 7, 64 [Key] :59 [Listed]
 Poisson and Poisson 1927a: 137 [Listed]
 Filipieff 1928a: 152 [Key to species from Russia] :150 [Key]
 Schulze, Kükenenthal, and Heider 1928b: 1055 [Catalogued]
 Haupt 1929b: 1074 [Listed]

- Doratura Haupt 1929c: 261 [Key]
 Osborn 1930a: 698 [Comparative note]
 Enderlein 1932a: 195 [Key]
 Haupt 1935a: 187 [Described, key to species from
 Central Europe] :185 [Key]
 Karl 1935a: 137 [Listed]
 Lindberg 1935c: 423 [Comparative note]
 Rémy-Perrier 1935a: 78 [Key] :83 [Key to species
 from France]
 Wagner 1935a: 20 [Notes, food plants, list of species
 from Germany]
 Kuntze 1937a: 361 [Ecology of species from
 Mecklenburg]
 Kuntze 1937b: 30 [Ecology of species from
 Mecklenburg]
 China 1938b: 194 [List of species from Great
 Britain]
 Kontkanen 1938a: 31 [Ecology of species from
 Finland]
 Kusnezov 1938a: 221 [Described] :220 [Compara-
 tive note]

 Allochus Neave 1939a: 116 [nom. nud., catalogued] Equals
 Doratura Sahlb.

 Doratura Neave 1939b: 145 [Catalogued]
 Wagner 1939a: 155 [Review of species from Hesse]
 Equals *Athysanus* (in part)
 Ball and Beamer 1940a: 69 [Described] :9 [Key]
 Lang 1941b: 54 [Notes]
 Wagner 1941a: 156 [List of species from Pomerania]
 Müller 1942a: 575 [Morphology of ovipositors]
 Rau 1942a: 516 [Symbionts]
 Medler 1943a: 77 [Described, catalogued] :44 [Key]
 Metcalf 1944b: 160 [Bibliography]
 Reclaire 1944a: 230 [Ecology of species from
 Netherlands]
 Kloet and Hincks 1945a: 53 [List of species from
 Great Britain]
 De Long and Knull 1946a: 45 [List of species from
 the Nearctic Region]
 Lang 1946a: 153 [Listed]
 Ossianilsson 1946a: 83 [Stridulation]
 Evans 1947a: 149 [Catalogued]
 Lindberg 1947a: 39 [Catalogued, catalogue of species
 from Finland] :75 [List of species from Finland]

Doratura

- Metcalf 1947a: 159 [Zoogeography]
 Osborn and Knull 1947a: 332 [List of species from Ohio]
 Ossiannilsson 1947b: 180 [Described, review of species from Sweden] :152 [Key]
 De Long 1948a: 272 [Described, review of species, catalogued] :186 [Key]
 Zachvatkin 1948a: 174 [Key to species] :172 [Key]
 Oman 1949a: 156 [Described, catalogued] :115 [Key] :9 [Food plants] :110; Text fig. 1 [Taxonomy illustrated] :5 [Listed]
 Ossiannilsson 1949a: 39 [Comparative note] :103, 104, 106, 118 [Morphology of stridulating organs] :111, 112, 114, 138, 139 [Stridulation] :137 [Physiology of stridulating organs]
 China 1950a: 245 [List of species from Great Britain]
 Kramer 1950a: 69 [Venation]
 Ossiannilsson 1950a: 130 [Wingcoupling apparatus described]
 Wagner 1951b: 29 [List of species from Bavaria]
 Ribaut 1952a: 298 [Described, review of species from France] :16, 17, 74 [Key] :68, 303, 304 [Comparative notes] :10 [Morphology]
 Buchner 1953a: 701 [Symbionts]
 Ishihara 1953b: 46 [Comparative note]
 Dlabola 1954a: 152 [Described, review of species from Czechoslovakia, catalogued] :149 [Key] :68 [Ecology of species from Czechoslovakia] :46, 53 [Ecology] :43 [Physiology of sense organs]
 Ishihara 1954e: 378 [Comparative note]
 Smreczynski 1954a: 123 [List of species from Poland]

—Thomson (var.) [*homophyla*]. See *Doratura homophyla* var. — Thomson.
argenteola Uhler. See *Athysanella (Gladionura) argenteola* Uhler. Family EUSCELIDAE.

b Sahlberg (var.) [*homophyla*]. See *Doratura homophyla* var. *b* Sahlberg.

b Sahlberg (var.) [*stylata*]. See *Doratura stylata* var. *b* Sahlberg.

c Sahlberg (var.) [*stylata*]. See *Doratura stylata* var. *c* Sahlberg.

caucasica Melichar

Doratura caucasica Melichar 1913a: 329 (11); fig. 5 [n. sp., illustrated] ¹

Doratura caucasica Melichar 1914a: 130 (4) [Listed] ¹

caucasica Melichar—Continued

Doratura caucasica Kusnezov 1925a: 112, 113 [Comparative notes]

Doratura caucasica Kusnezov 1927a: 259 [Listed] ²

Doratura caucasica Kusnezov 1928d: 232 [Comparative note]

LOCALITIES: ¹ Caucasus. ² Armenia.

concors Horváth

Doratura concors Horváth 1903b: 456; pl. XVII, figs. 11, 12, 16 [n. sp., illustrated] ^{1, 2, 3} :452, 453 [Key]

[*Doratura*] *concors* Oshanin 1906a: 104 [Catalogued] ^{1, 2, 3}

Doratura concors Horváth 1907b: 503 [Listed] ¹

[*Doratura*] *concors* Oshanin 1912a: 105 [Listed] ^{1, 2}

[*Doratura*] *concors* Dlabola 1954a: 153; pl. XXVII, fig. 537; pl. XXVIII, figs. 538–539 [Notes, illustrated, catalogued] ⁴ :152 [Key] :68 [Ecology] ⁴

LOCALITIES: ¹ Hungary. ² Austria. ³ Herzegovina. ⁴ Moravia.

exilis Horváth

Doratura exilis Horváth 1903b: 454; pl. XVII, figs. 3, 7 [n. sp., illustrated] ^{1, 2, 3, 4, 5, 6} :452, 453 [Key]

[*Doratura*] *exilis* Oshanin 1906a: 103 [Catalogued] ^{1, 2, 3, 4, 5, 6}

Doratura exilis Horváth 1907b: 503 [Listed] ¹

[*Doratura*] *exilis* Oshanin 1912a: 105 [Listed] ^{1, 2, 4, 5}

Doratura exilis Buchner 1925a: 152 [Symbionts] :91 [Listed]

[*Doratura*] *exilis* Haupt 1925a: 14 [Listed] ⁸

[*Doratura*] *exilis* Haupt 1935a: 187; fig. 358C [Key, illustrated] ¹²

[*Doratura*] *exilis* Wagner 1935a: 20 [Listed] ^{8, 9, 10, 11}

Doratura exilis Nast 1936c: 325 (3) [Listed] ¹³

Doratura exilis Kuntze 1937a: 319, 320, 361 [Ecology] ¹⁴

[*Doratura*] *exilis* Kuntze 1937b: 30 [Ecology] ¹⁴

Doratura exilis Nast 1938d: 229 (5) [Listed] ¹⁵

[*Doratura*] *exilis* Wagner 1939a: 156 [Listed] ¹⁶

[*Doratura*] *exilis* Wagner 1941a: 157 [Food plants] ^{14, 17}

[*Doratura*] *exilis* Reclaire 1944a: 230 [Listed] ^{18, 19, 20}

Doratura exilis Dlabola 1945a: 36 [Notes] ^{21, 22, 23} :39 [Listed] ^{21, 22, 23}

Doratura exilis Lang 1945c: 98 [Listed] ²²

Doratura exilis Lang 1945d: 274, 276 [Ecology] ^{21, 22}

[*Doratura*] *exilis* Ossiannilsson 1947b: 183; fig. 410 [Described, ecology, illustrated] ²⁴ :180, 181 [Key]

[*Doratura*] *exilis* Ossiannilsson 1948a: 25 [Catalogued] ²⁴ :18 [Listed] ^{24, 25, 26}

[*Doratura*] *exilis* Müller 1949a: 357 [Symbionts]

[*Doratura*] *exilis* Wagner 1951b: 29 [Listed] ⁸

exilis Horváth—Continued

Doratura exilis Rabeler 1952a: 135 [Ecology] ¹¹

Doratura exilis Ribaut 1952a: 301; figs. 795–797 [Described, illustrated] ^{1, 4, 5, 7, 13, 24, 27, 28, 29, 30}:300 [Key]:303 [Comparative note]

Doratura exilis Marchand 1953a: 143, 144, 151, 153; fig. 2 [Ecology, illustrated] ¹¹:154; fig. 3 [Genitalia illustrated]

D[oratura] exilis Dlabola 1954a: 153; pl. XXVII, figs. 534–536 [Notes, illustrated, catalogued] ^{21, 22, 23}:152 [Key]:68 [Ecology] ^{21, 22, 23}

D[oratura] exilis Smreczynski 1954a: 123 [Notes] ¹³

Doratura exilis Servadei 1955a: 233, 241 [Listed] ^{5, 31, 32}

LOCALITIES: ¹ Hungary. ² Serbia. ³ Bosnia. ⁴ Austria. ⁵ Siberia. ⁶ Omsk. ⁷ Germany. ⁸ Bavaria. ⁹ Saxony. ¹⁰ Baden. ¹¹ Prussia. ¹² Europe. ¹³ Poland. ¹⁴ Mecklenburg. ¹⁵ Kielce. ¹⁶ Rhenish-Hesse. ¹⁷ Pomerania. ¹⁸ Netherlands. ¹⁹ Northwestern Germany. ²⁰ Hesse. ²¹ Bohemia. ²² Moravia. ²³ Slovakia. ²⁴ Sweden. ²⁵ Oland. ²⁶ Northern Germany. ²⁷ Languedoc. ²⁸ Gascony. ²⁹ Czechoslovakia. ³⁰ Yugoslavia. ³¹ Italy. ³² Central Europe.

fusca Ivanoff. See *Anoterostemma ivanhofi* Lethierry.

griscescens Oshanin [nom. nud.]

Doratura griscescens Oshanin 1891a: 46 [nom. nud., zoogeography]

heros Melichar. See *Doraturopsis heros* Melichar. Family EUSCELIDAE

heterophyla Horváth

Doratura heterophyla Horváth 1903a: 22 [n. sp.] ¹:6 [Listed] ²

Doratura heterophyla Horváth 1903b: 458; pl. XVII, figs. 15, 19 [Notes, illustrated, catalogued] ^{1, 2}:453, 454 [Key]

[*Doratura*] *heterophyla* Oshanin 1906a: 104 [Catalogued] ^{1, 2}

Doratura heterophyla Horváth 1907b: 504 [Listed] ¹

[*Doratura*] *heterophyla* Oshanin 1912a: 105 [Listed] ^{1, 2}

D[oratura] heterophyla Lindberg 1949a: 36 [Listed] ³

Doratura heterophyla Dlabola 1954d: 154 [Listed] ¹

LOCALITIES: ¹ Hungary. ² Serbia. ³ Greece.

homophyla Flor

Jassus (Athysanus) homophylus Flor 1861a: 276 [n. sp.] ¹

A[thysanus] homophylus Flor 1861a: 268 [Key]

[*Jassus*] *homophylus* Kirschbaum 1868b: 81 [Notes]

J[assus] (Ath[ysanus]) homophylus Kirschbaum 1868b: 123 [Key] ²

Athysanus homophylus Sahlberg 1868a: 215 [Notes] ³

A[thysanus] homophylus Sahlberg 1868b: 193 [Ecology, catalogued] ³³

J[assus] homophylus Thomson 1869a: 57 [Described, catalogued] ⁴

[*Athysanus*] *homophilus* [sic] Oshanin 1870a: 62 [Listed] ²⁶

homophyla Flor—Continued

- [*Athysanus*] *homophilus* [sic] Oshanin 1871b: 39 [Listed] ²⁶
D[oratura] homophyla Sahlberg 1871a: 293 [Described, catalogued] ^{3, 4} Equals *Jassus* (*Athysanus*) [*homophylus* Flor] Equals *Cicada* [*homophyla* Flor] Equals *Jassus* [*homophylus* Flor] :36 [Ecology] :50 [Listed] ^{3, 4}
[Doratura] homophyla Fieber 1872a: 11 [Listed] ^{5, 6}
[Doratura homophyla] Fieber 1872b: 31 Equals *Jassus homophylus* Flor
J[assus] (Athysanus) *homophylus* Raddatz 1874a: 91 [Ecology] ⁷
Doratura homophyla Scott 1874h: 149 [Comparative note]
[Doratura] homophyla Puton 1875a: 136 [Listed] ^{8, 32}
[Doratura] homophyla Lethierry 1876b: 26 [Comparative note]
D[oratura] homophyla Reuter 1880a: 207 [Listed] ^{3, 9, 10}
D[oratura] homophyla Mayr 1884a: 32 [Listed] ^{6, 11}
Doratura homophyla Ivanoff 1885a: 144 (62) [Key] ³² :92 (10) [Listed] ³²
Doratura homophyla Löw 1886a: 498 [Ecology] ³⁹
[Doratura] homophyla Puton 1886b: 81 [Listed] ^{8, 11, 32}
D[oratura] homophyla Then 1886a: 29 [Ecology] ^{5, 6, 12}
Doratura homophylla [sic] Edwards 1888d: 29 [Comparative note]
[Doratura] homophyla Duda 1890a: 15 [Food plants] ¹⁴
Doratura homophyla Oshanin 1891a: 46 [Zoogeography]
[Doratura] homophyla Coubeaux 1892a: 35 (2) [Listed] ¹³
[Doratura] homophyla Duda 1892a: 32 [Listed] ¹⁴
D[oratura] homophylla [sic] Spitzner 1892a: 31 [Ecology] ¹⁵
D[oratura] homophylla [sic] Edwards 1895b: 129 [Comparative note]
Doratura homophyla Melichar 1896a: 211; pl. X, figs. 20, 23–25 [Described, ecology, illustrated, catalogued] ^{5, 6, 11, 12} Equals *Jassus* [*homophylus*] Flor Equals *Jassus* (*Athysanus*) [*homophylus*] Kirschb. :210 [Key]
D[oratura] homophyla Horváth 1897b: 630 [Comparative note] ¹⁶
[Doratura] homophyla Horváth 1897c: 47 [Listed] ²²
[Doratura] homophyla Melichar 1897a: 70, 71 [Comparative notes]
[Doratura] homophyla Melichar 1899d: 187 (10) [Ecology] ¹⁸
[Doratura] homophyla Puton 1899a: 91 [Listed] ^{3, 8, 11, 12, 32}
Doratura homophyla Montandon 1900a: 748 [Listed] ²¹
[Doratura] homophyla Horváth 1901a: 254 [Listed] ^{25, 30}
D[oratura] homophyla Horváth 1903a: 23 [Comparative note] :22 [Listed] ¹⁷

homophyla Flor—Continued

Doratura homophyla Horváth 1903b: 456; pl. XVII, figs. 4, 8, 9
[Notes, illustrated, catalogued] ^{18, 19, 25} Equals *Jassus homophylus* Thoms. Equals *Jassus* (*Athysanus*) *homophylus* Flor :452, 453 [Key] :457 [Comparative note]

Doratura homophyla Cobelli 1904a: 558 [Listed] ²⁰

[*Doratura*] *homophyla* Hübner 1904a: 261 [Listed] ¹¹

[*Doratura*] *homophyla* Hübner 1904b: 261 [Listed] ¹¹

[*Doratura*] *homophyla* Matsumura 1906a: 70 [Ecology] ²

[*Doratura*] *homophyla* Oshanin 1906a: 104 [Catalogued] ^{1, 3, 4, 11, 12, 19, 21, 22, 23, 24, 25, 26, 27, 28} Equals *Jassus* (*Athysanus*) *homophylus* Flor

Doratura homophyla Bierman 1907b: 30 [Notes] ²⁹

Dorat[ura] *homophyla* Oshanin 1908b: 423 [Listed] ^{29, 30}

Doratura homophyla Cobelli 1909a: 12 [Listed] ²⁰

Doratura homophyla Lambertie 1909b: cxlviii [Ecology] ¹⁶

Doratura homophyla Lambertie 1909c: xlv [Listed] ^{8, 11, 16, 32}

Doratura homophyla Lambertie 1909d: 47 [Ecology] ¹⁶ :48 [Listed] ^{8, 11, 16, 32}

[*Doratura*] *homophyla* Lambertie 1910a: 76 [Listed] ¹⁶

Dorat[ura] *homophyla* Oshanin 1910a: 161 [Listed] ¹⁶

[*Doratura*] *homophyla* Oshanin 1912a: 105 [Listed] ^{18, 33}

[*Doratura*] *homophyla* Schmidt 1912g: 157 [Listed] ³⁴

D[oratura] *homophyla* von Dalla Torre 1913a: 151 [Listed] ³⁵

[*Doratura*] *homophyla* Jacobsen 1915a: 323 [Listed] ³⁷

Doratura homophyla Horváth 1918a: 330 [Listed] ³⁶

[*Doratura*] *homophyla* Jensen-Haarup 1918a: 37; figs. 40 e, g, i
[Described, illustrated, key] ³⁷

[*Doratura*] *homophyla* Jensen-Haarup 1920a: 105; figs. 51 e, g, i
[Described, illustrated, key] ³⁷

D[oratura] *homophyla* Tullgren and Wahlgren 1920a: 147 [List-
ed] ⁴

[*Doratura*] *homophyla* Lindberg 1924a: 43 [Listed] ³

D[oratura] *homophylla* [sic] Buckner 1925a: 152 [Symbionts] :91
[Listed]

D[oratura] *homophyla* Kusnezov 1925a: 112, 113; figs. 1, 3, 5
[Comparative notes, illustrated]

Doratura homophyla Kusnezov 1926c: (1) [Listed] ³²

D[oratura] *homophyla* Blöte 1927b: 60; figs. 25a–b [Described,
illustrated] ²⁹

Doratura homophyla Blöte 1927d: 221 [Listed] ²⁹

D[oratura] *homophyla* Filipieff 1928a: 152 [Key] ³²

Doratura homophyla Ivanov 1928b: 494 [Listed] ⁴⁰

Doratura homophyla Ivanov 1928c: 190 [Listed] ⁴⁰

homophyla Flor--Continued

- Doratura homophyla* Haupt 1934a: 47 (7) [Ecology] ²
D[oratura] homophyla Ossiannilsson 1934a: 134 [Listed] ⁴
[Doratura] homophyla Haupt 1935a: 188; figs. 358D, 359 [Key, illustrated] ¹⁸
[Doratura] homophyla Karl 1935a: 137 [Listed] ³⁴
D[oratura] homophyla Wagner 1935a: 20 [Listed] ^{2, 7, 37, 41, 42, 43, 44, 45}
- Doratura homophyla* Kuntze 1937a: 311, 315, 316, 319, 322, 323, 350, 361, 386 [Ecology] ⁷
D[oratura] homophyla Kuntze 1937b: 30 [Ecology] ⁷
Doratura homophyla Nast 1938d: 229 (5) [Listed] ⁴⁶
D[oratura] homophyla Wagner 1939a: 155 [Ecology] ^{47, 48}
D[oratura] homophyla Wagner 1941a: 156 [Listed] ^{7, 34, 49}
D[oratura] homophyla Wagner 1941d: 61 [Comparative note]
D[oratura] homophyla Reclaire 1944a: 230 [Listed] ²⁹
Doratura homophyla Kontkanen 1947a: 120, 122 [Ecology] ³
D[oratura] homophyla Lindberg 1947a: 39 [Catalogued] ³ Equals
Jassus homophylus Flor :75 [Listed] ³
D[oratura] homophyla Ossiannilsson 1947b: 183; figs. 407, 413, 414 [Described, ecology, illustrated] ^{3, 4, 37} :180, 181 [Key]
Doratura homophyla Ossiannilsson 1948a: 18 [Listed] ^{3, 4, 37, 50, 51, 52}
- D[oratura] homophyla* Zachvatkin 1948a: 174 [Key]
Doratura homophyla Kontkanen 1949b: 89, 92 [Listed] ³
Doratura homophyla Müller 1949a: 357 [Symbionts]
Doratura homophyla Ossiannilsson 1949a: 38 [Morphology of stridulating organs] ⁴ :83 [Stridulation] ⁴
Doratura homophyla Kontkanen 1950b: 127 [Ecology] ³
Doratura homophyla Kontkanen 1950c: 5, 6, 17, 28, 29, 30, 36, 40, 41, 44, 48, 52, 54, 57, 58, 60, 62, 64, 69, 74, 79 [Ecology] ³ :86 [Listed] ³
D[oratura] homophyla Wagner 1951b: 30 [Ecology] ⁴¹
Doratura homophyla Dlabola 1952b: 37 [Listed] ⁵³
[Doratura] homophyla Linnavuori 1952a: 9, 10 [Ecology] ³
D[oratura] homophyla Linnavuori 1952e: 71 [Listed] ³
Doratura homophyla Ribaut 1952a: 303; figs. 802-804 [Described, illustrated] ^{18, 19, 25, 54, 55, 56, 57} :299, 300 [Key]
D[oratura] homophyla Marchand 1953a: 143, 144, 153; fig. 2 [Ecology, illustrated] ² :154; fig. 3 [Genitalia illustrated]
D[oratura] homophyla Dlabola 1954a: 153; pl. XXVIII, figs. 543-545 [Notes, illustrated, catalogued] ^{14, 15, 58} :152 [Key] :68 [Ecology] ^{14, 15, 58}
D[oratura] homophyla Smreczynski 1954a: 123 [Notes] ³¹

homophyla Flor—Continued

LOCALITIES: ¹ Livonia. ² Prussia. ³ Finland. ⁴ Sweden. ⁵ Northern Europe. ⁶ Central Europe. ⁷ Mecklenburg. ⁸ Scandinavia. ⁹ Aland Islands. ¹⁰ Abo Archipelago. ¹¹ Germany. ¹² Austria. ¹³ Belgium. ¹⁴ Bohemia. ¹⁵ Moravia. ¹⁶ France. ¹⁷ Serbia. ¹⁸ Europe. ¹⁹ Turkestan. ²⁰ Italy. ²¹ Rumania. ²² Hungary. ²³ Northern Russia. ²⁴ Central Russia. ²⁵ Siberia. ²⁶ Moscow. ²⁷ Uzbek. ²⁸ Western Siberia. ²⁹ Netherlands. ³⁰ Omsk. ³¹ Poland. ³² Russia. ³³ Turkey. ³⁴ Pomerania. ³⁵ Tyrol. ³⁶ Montenegro. ³⁷ Denmark. ³⁸ Karelia. ³⁹ Southern Austria. ⁴⁰ Kiev. ⁴¹ Bavaria. ⁴² Saxony. ⁴³ Oldenburg. ⁴⁴ Hamburg. ⁴⁵ Holland. ⁴⁶ Kielce. ⁴⁷ Hesse-Nassau. ⁴⁸ Rhenish Hesse. ⁴⁹ Western Prussia. ⁵⁰ Oland. ⁵¹ Eastern Baltic States. ⁵² Northern Germany. ⁵³ Iraq. ⁵⁴ Guienne. ⁵⁵ Gascony. ⁵⁶ Languedoc. ⁵⁷ Burgundy. ⁵⁸ Slovakia.

homophyla var.—Thomson

[*Jassus homophylus*] var.—Thomson 1869a: 58 [n. var.] ¹

LOCALITIES: ¹ Sweden.

homophyla var. **b** Sahlberg

[*Doratura homophyla*] var. *b* Sahlberg 1871a: 294 [n. var.]

homophyla var. *littoralis* Kuntze. See *Doratura littoralis* Kuntze.

homophylla. Typographical error for *Doratura homophyla* Flor.

horváthi Wagner

D[oratura] horváthi Wagner 1939a: 156; figs. 212–215 [n. sp., ecology, illustrated] ^{1, 2, 3, 4} :157 [Key]

D[orátura] horváthi Wagner 1939a: 156; figs. 212–215 [n. sp., ecology, illustrated] ^{1, 2, 3, 4} :157 [Key]

D[orátura] horváthi Reclaire 1944a: 230 [Listed] ⁵

D[orátura] horváthi Wagner 1951b: 30 [Listed] ⁶

Dorátura horváthi Ribaut 1952a: 302; figs. 798–799 [Described, ecology, illustrated] ^{7, 8} :299, 300 [Key]

LOCALITIES: ¹ Germany. ² Hesse-Nassau. ³ Rhenish-Hesse. ⁴ Rhine Province. ⁵ Netherlands. ⁶ Bavaria. ⁷ Central Germany. ⁸ Western Germany.

impudica Horváth

Doratura impudica Horváth 1897b: 629 [n. sp.] ^{1, 2, 3}

[*Doratura*] *impudica* Horváth 1897c: 47 [Listed] ¹

Doratura impudica Edwards 1899a: 530 [Notes] ⁷

[*Doratura*] *impudica* Puton 1899a: 91 [Listed] ^{1, 3}

Doratura impudica Montandon 1900a: 748 [Listed] ¹²

D[oratura] impudica Horváth 1903a: 23 [Comparative note]

Doratura impudica Horváth 1903b: 454; pl. XVII, figs. 1, 5 [Notes, illustrated, catalogued] ^{1, 3, 4, 5, 6} :451, 453 [Key]

Doratura impudica Horváth 1905c: 187 (9) [Listed] ⁶

[*Doratura*] *impudica* Oshanin 1906a: 103 [Catalogued] ^{1, 3, 4, 5, 6}

impudica Horváth—Continued

- Doratura impudica* Edwards 1908a: 58 [Notes, ecology] ⁷
 [*Doratura*] *impudica* Saunders and Edwards 1908a: 12 [Listed] ⁸
Doratura impudica Oshanin 1910a: 161 [Listed] ⁸
 [*Doratura*] *impudica* Oshanin 1912a: 105 [Listed] ^{1, 3, 6, 9, 10}
D[oratura] impudica Jensen-Haarup 1920a: 106 [Described] ^{6, 10, 13}
 :104 [Key]
 [*Doratura*] *impudica* Edwards 1922a: 207 [Listed] ⁸
Doratura impudica Zangheri 1930a: 53 [Listed] ¹⁴
D[oratura] impudica Haupt 1934a: 47 (7) [Ecology] ¹⁵
 [*Doratura*] *impudica* Haupt 1935a: 187; fig. 358A [Key, illustrated] ^{1, 6, 15, 16}
Doratura impudica Ossiannilsson 1935b: 130 [Ecology] ^{1, 3, 6, 7, 10, 17}
 :134 [Listed]
Doratura impudica Nast 1936c: 325 (3) [Listed] ¹⁸
D[oratura] impudica Kuntze 1937a: 311 [Comparative note]
 [*Doratura*] *impudica* China 1938b: 194 [Catalogued] ⁸
Doratura impudica Dlabola 1944b: 96, 100 [Listed] ^{19, 20, 21}
D[oratura] impudica Reclaire 1944a: 230 [Listed] ^{7, 16, 22}
 [*Doratura*] *impudica* Kloet and Hincks 1945a: 53 [Listed] ⁸
Doratura impudica Lang 1945c: 98 [Listed] ¹⁹
D[oratura] impudica Ossiannilsson 1947b: 183; figs. 408, 411
 [Described, ecology, illustrated] ^{10, 17} :180, 181 [Key]
Doratura impudica Ossiannilsson 1948a: 18 [Listed] ^{10, 17, 23}
 [*Doratura*] *impudica* China 1950a: 245 [Listed] ⁸
D[oratura] impudica Wagner 1951b: 30 [Listed] ¹⁶
Doratura impudica Ribaut 1952a: 303; figs. 800–801 [Described, illustrated] ^{1, 5, 6, 7, 10, 11, 17, 18, 24, 25, 26, 27,} :299, 300 [Key]
D[oratura] impudica Dlabola 1954a: 152; pl. XXVII, figs. 531–533; pl. L, fig. 1265 [Notes, key, illustrated, catalogued] ^{19, 20, 28}
 :68 [Ecology] ^{19, 20, 28}

LOCALITIES: ¹ Hungary. ² Serbia. ³ France. ⁴ Herzegovina. ⁵ Austria.
⁶ Asia Minor. ⁷ England. ⁸ Great Britain. ⁹ Europe. ¹⁰ Denmark.
¹¹ Germany. ¹² Rumania. ¹³ Central Europe. ¹⁴ Italy. ¹⁵ Prussia.
¹⁶ Bavaria. ¹⁷ Sweden. ¹⁸ Poland. ¹⁹ Moravia. ²⁰ Bohemia. ²¹ Bulgaria.
²² Netherlands. ²³ Northern Germany. ²⁴ French Flanders.
²⁵ Hainaut. ²⁶ Lorraine. ²⁷ Czechoslovakia. ²⁸ Slovakia.

incisa Oshanin [nom. nud.]

Doratura incisa Oshanin 1891a: 46 [nom. nud., zoogeography]

ivanhofi Lethierry. See *Anoterostemma ivanhofi* Lethierry.

ivanoffi. Typographical error for *Doratura ivanhofi* Lethierry. See *Anoterostemma ivanhofi* Lethierry.

ivanovi Kusnezov

Doratura ivanovi Kusnezov 1928c: 47 [n. sp.] ¹

Doratura ivanovi Ivanov 1928b: 494 [Listed] ²

Doratura ivanovi Ivanov 1928c: 190 [Listed] ²

Dor[atura] ivanovi Kusnezov 1929b: 177 [Comparative note]

LOCALITIES: ¹ Southern Russia. ² Kiev.

littoralis Kuntze

[*Doratura homophyla*] *littoralis* Kuntze 1937a: 311 [n. var., ecology] ¹:309, 310, 311, 312, 361, 386 [Ecology] ¹

[*Doratura homophyla*] *littoralis* Kuntze 1937b: 30 [Ecology] ¹

Doratura littoralis Wagner 1941d: 61 [Notes] ^{1, 2} Equals *Doratura homophyla littoralis* Kuntze

D[eltocephalus] littoralis Reclaire 1944a: 231 [Listed] ^{1, 3, 4}

[*Doratura*] *littoralis* Ossiannilsson 1947b: 180, 181 [Key]

LOCALITIES: ¹ Mecklenburg. ² Northwestern Germany. ³ Netherlands.
⁴ Holstein.

lukjanovitshi Kusnezov

Doratura lukjanovitshi Kusnezov 1929b: 177 [n. sp.] ¹

LOCALITIES: ¹ Transbaikalia.

macroptera Kusnezov (var.) See *Doratura stylata* var. *macroptera* Kusnezov.

marginata Oshanin [nom. nud.]

Doratura marginata Oshanin 1891a: 46 [nom. nud., zoogeography]

minuta Osborn and Ball [nec Van Duzee]. See *Lonatura catalina* Osborn and Ball.

Family EUSCELIDAE.

minuta Van Duzee. See *Deltocephalus minutus* Van Duzee. Family EUSCELIDAE.

paludosa Melichar

Doratura paludosa Melichar 1897a: 70 [n. sp., ecology] ¹

Doratura paludosa Melichar 1899c: 140 (3) [Ecology] ^{1, 6}

[*Doratura*] *paludosa* Puton 1899a: 91 [Listed] ¹

Doratura paludosa Graeffe 1903a: 50 (10) [Ecology] ⁷

Doratura paludosa Horváth 1903b: 456; pl. XVII, figs. 10, 13, 17
[Catalogued, illustrated] ^{2, 3, 4}:452, 454 [Key]

[*Doratura*] *paludosa* Oshanin 1906a: 104 [Catalogued] ^{2, 3, 4}

Doratura paludosa Horváth 1907b: 503 [Listed] ²

[*Doratura*] *paludosa* Oshanin 1912a: 105 [Listed] ^{2, 4}

Doratura paludosa Kusnezov 1929b: 178 [Listed] ⁵

LOCALITIES: ¹ Dalmatia. ² Hungary. ³ Herzegovina. ⁴ Austria. ⁵ Transbaikalia. ⁶ Italy. ⁷ Kustenland.

rusaevi Kusnezov

Doratura rusaevi Kusnezov 1928d: 231; 1 text fig. [n. sp., illustrated] ^{1, 2}

LOCALITIES: ¹ Southeastern Russia. ² Ural Mountains.

salina Horváth

Doratura salina Horváth 1903b: 457; pl. XVII, figs. 14, 18 [n. sp., illustrated] ¹: 452, 453 [Key]

Doratura salina Horváth 1903e: 209 [Listed]

[*Doratura*] *salina* Oshanin 1906a: 104 [Catalogued] ¹

Doratura salina Horváth 1907b: 503 [Listed] ¹

[*Doratura*] *salina* Oshanin 1912a: 105 [Listed] ¹

LOCALITIES: ¹ Hungary.

semenovi Kusnezov

Doratura semenovi Kusnezov 1925a: 111; figs. 2, 4, 6 [n. sp., illustrated] ¹

LOCALITIES: ¹ Crimea.

striata. Typographical error for *Doratura stylata* Boheman.

stylatus Boheman

Athyanus [sic] *stylatus* Boheman 1847a: 31 [n. sp.] ¹

Athysanus stylatus Dahlbom 1850a: 186 [Listed] ²

Iassus (?) *stylatus* Walker 1851b: 891 [Catalogued] ¹ Equals

Athysanus stylatus Walker

Athysanus stylatus Boheman 1852b: 120 [Ecology] ¹

Athysanus stylatus Signoret 1852a: lv [Notes] ⁵⁴

A[thysanus] stylatus Perris 1857a: 172 (92) [Comparative note]

A[thysanus] stylatus Kirschbaum 1858a: 14 [Key, ecology, catalogued] ⁵⁵: 4 [Comparative note] : 3 [Listed]

Athysanus stylatus Walker 1858b: 268 [Catalogued] ¹

[*Jassus*] *stylatus* Dohrn 1859a: 87 [Listed] ¹

Jassus (*Athysanus*) *stylatus* Flor 1861a: 273 [Described] ^{1, 2, 3, 4, 5}: 276, 277 [Comparative notes]

A[thysanus] stylatus Flor 1861a: 268 [Key]

[*Athysanus*] *stylatus* Morris 1865a: 111 [Listed] ¹⁰

Iassus (*A[thysanus]*) *stylatus* Marshall 1866f: 10 [Described, ecology, catalogued] ⁹ Equals *Athysanus stylatus* Boh.

[*Jassus*] (*A[thysanus]*) *stylatus* Kirschbaum 1868b: 123 [Key, comparative note, food plants] ^{55, 56}: 81 [Notes]

Athysanus stylatus Sahlberg 1868a: 215 [Notes] ^{6, 57}

A[thysanus] stylatus Sahlberg 1868b: 193 [Ecology, catalogued] ⁵⁷

[*Jassus*] *stylatus* Thomson 1869a: 58 [Described, catalogued] ¹ Equals *Athysanus stylatus* Boh.

[*Athysanus*] *stylatus* Oshanin 1870a: 62 [Listed] ³⁶

stylatus Boheman—Continued

- [*Athysanus*] *stylatus* Oshanin 1871b: 39 [Listed] ³⁶
- D[oratura] stylata* Sahlberg 1871a: 292; pl. II, fig. 28 [Described, illustrated, ecology, catalogued] ^{1, 3, 6, 17, 18, 57} Equals *Athysanus* [*stylatus*] Boh. Equals *Jassus* (*Athysanus*) [*stylatus* Boh.] Equals *Cicada* [*stylata* Boh.] Equals *Jassus* [*stylatus* Boh.] :36 [Ecology] :50 [Listed] ^{1, 6}
- [*Doratura*] *stylata* Fieber 1872a: 11 [Listed] ⁷
- Doratura* [*stylata*] Fieber 1872b: 31 Equals *Jassus stylatus* Boh.
- D[oratura] stylata* Lethierry 1874a: 264 (60) [Ecology] ³
- J[assus (Athysanus)] stylatus* Raddatz 1874a: 91 [Ecology] ⁸
- Doratura stylata* Scott 1874h: 148 [Described, catalogued] ⁹
- Equals *Athysanus stylatus* Boh. Equals *Jassus (Athysanus) stylatus* Flor Equals *Jassus stylatus* Thoms.
- D[oratura] stylata* Siebke 1874a: 36 [Listed] ⁵³
- [*Jassus (Athysanus)*] *stylatus* Kittel 1875a: 6 [Listed] ⁵⁸
- [*Doratura*] *stylata* Puton 1875a: 136 [Listed] ⁷
- [*Doratura*] *stylata* Douglas and Scott 1876a: 88 [Catalogued] ¹⁰
- Equals *Athysanus stylatus* Boh. Equals *Jassus (Athysanus) stylatus* Flor
- [*Doratura*] *stylata* Lethierry 1876b: 26 [Comparative note]
- Athysanus stylatus* Uhler 1877a: 473 [Comparative note]
- Doratura stylata* Lethierry 1878b: lxxvii [Listed] ¹¹
- Doratura stylata* Lethierry 1878c: xxxviii [Listed] ¹¹
- Doratura stylata* Reiber 1878a: 75 [Ecology] ⁵⁹
- Doratura stylata* Bolívar and Chicote 1879a: 182 (36) [Listed] ¹²
- D[oratura] stylata* Reiber and Puton 1880a: 63 [Listed] ¹³
- Doratura stylata* Reuter 1880a: 207 [Listed] ^{6, 14, 15}
- [*Doratura*] *stylata* Mayr 1881a: 94 (18) [Listed] ¹⁶
- Doratura stylata* von Dalla Torre 1882a: 57 [Listed] ¹⁶
- D[oratura] stylata* Ferrari 1882a: 48 [Catalogued] ¹⁷ Equals *Athysanus* [*stylatus* Boh.] :117 (45) [Ecology] ¹⁷
- Doratura stylata* Heller and von Dalla Torre 1882a: 25 (18) [Listed] ¹⁶
- Doratura stylata* Norman 1882a: 276 [Listed] ⁹
- Doratura stylata* Bloomfield 1883a: 34 [Listed] ⁹
- Doratura stylata* Edwards 1884c: 715 [Listed] ⁹
- [*Doratura*] *stylata* Kieffer 1884a: 80 [Ecology] ⁶⁰
- Doratura stylata* Lomnicki 1884a: 236 [Listed] ¹⁹
- D[oratura] stylata* Mayr 1884a: 32 [Listed] ⁷
- Doratura stylata* Ferrari 1885a: 288 [Catalogued] ¹⁷ Equals *Athysanus* [*stylatus*] Boh.
- Doratura stylata* Ivanoff 1885a: 145 (63) [Key] ¹⁸ :92 (10) [Listed] ¹⁸
- Doratura stylata* Capron 1886a: 264 [Listed] ⁹

stylatus Boheman—Continued

- Doratura stylata* Lethierry 1886a: [Listed] ³
Doratura stylata Löw 1886a: 498 [Ecology] ⁶¹
[Doratura] stylata Puton 1886b: 81 [Listed] ⁷
D[oratura] stylata Then 1886a: 28 [Ecology] ^{5, 7, 16, 19, 20}
D[oratura] stylata Dubois 1888a: 165 (69) [Ecology] ³
Doratura stylata Edwards 1888d: 28 [Described, catalogued] ¹⁰
 Equals *Athysanus stylatus* Boh. Equals *Jassus stylatus* Thoms.
Doratura stylata Edwards 1889a: 710 [Ecology] ⁹
Doratura stylata Dominique 1890a: 113 (29) [Listed] ³
Doratura stylata Duda 1890a: 15 [Food plants] ²¹
Doratura stylata Funk 1890a: 141 [Listed] ⁵⁸
Doratura stylata Piffard 1890a: 296 [Listed] ⁹
[Doratura] stylata Saunders and Edwards 1890a: 13 [Listed] ¹⁰
Doratura stylata Buckton 1891a: 19; pl. XLIII, figs. 2, 2a-f
 [Described, catalogued, illustrated] ⁹ Equals *Athysanus stylatus*
 Boh. Equals *Jassus stylatus* Thoms.
[Doratura] stylata Fokker 1891a: 373 [Listed] ³⁸
Doratura stylata Fokker 1891b: cccxli [Listed] ¹¹
Doratura striata [sic] Jakovleff 1891a: 426 [Listed] ¹⁸
Doratura stylata Oshanin 1891a: 46 [Zoogeography]
Doratura stylata de Carlini 1892b: 89 [Listed] ¹⁷
Doratura stylata Coubeaux 1892a: 35 (2) [Listed] ¹¹
D[oratura] stylata Dominique 1892a: 120 [Listed] ³
[Doratura] stylata Duda 1892a: 32 [Listed] ²¹
Doratura stylata Ferrari 1892a: 572 (24) [Listed] ¹⁷
Doratura stylata Lethierry 1892b: 24 [Listed] ¹¹
D[oratura] stylata Spitzner 1892a: 31 [Ecology] ²²
Athysanus stylatus Tikhomirov 1892a: 105 [Listed] ³⁶
[Doratura] stylata Bezzi 1893a: 111 (31) [Listed] ¹⁷
Doratura stylata Luff 1893a: 208 [Listed] ⁶²
Doratura stylata M'Gregor 1893a: 221 [Listed] ⁶³
Doratura stylata M'Gregor 1893b: 93 [Listed] ⁶³
Doratura stylata Fokker 1894a: 84 [Listed] ¹⁶
Doratura stylata Krieghoff 1894a: 291 [Ecology] ⁶⁴
Doratura stylata Edwards 1895a: pl. 15, fig. 4 [Illustrated]
D[oratura] stylata Edwards 1895b: 129 [Described] ¹⁰
D[oratura] stylata Wüstnei 1895a: 274 [Ecology] ⁶⁵
Doratura stylata Melichar 1896a: 210; pl. X, figs. 17-19, 21-22
 [Described, ecology, catalogued, key, illustrated] ^{20, 29, 66, 67}
 Equals *Athysanus [stylatus]* Boh. Equals *Jassus [stylatus]* Flor
 Equals *Jassus (Athysanus) [stylatus]* Kirschb. :211 [Comparative note]
D[oratura] stylata Horváth 1897b: 630 [Comparative note]

stylatus Boheman—Continued

- [*Doratura*] *stylata* Horváth 1897c: 47 [Listed] ³⁰
D[oratura] stylata Melichar 1897a: 70, 71 [Comparative notes]
Doratura stylata Schneider 1898a: 143 [Listed] ²³
D[oratura] stylata Edwards 1899a: 530 [Listed] ⁹
Doratura stylata Melichar 1899b: 185 [Listed] ²⁴
Doratura stylata Melichar 1899d: 187 (10) [Ecology] ⁷
[*Doratura*] *stylata* Puton 1899a: 91 [Listed] ⁷
Doratura stylata Fokker 1900c: 26 [Listed] ²⁵
Doratura stylata Horváth 1900c: 613 [Listed] ³⁰
D[oratura] stylata Lameere 1900a: 134 [Described, ecology] ¹¹
Doratura stylata Melichar 1900a: 41 [Listed] ²⁶
Doratura stylata Montandon 1900a: 748 [Listed] ³¹
[*Doratura*] *stylata* Strobl 1900a: 212 [Listed] ⁵
[*Doratura*] *stylata* Horváth 1901a: 254 [Listed] ^{34, 40, 68, 69}
[*Doratura*] *stylata* Lambertie 1901a: 202 (74) [Listed] ³
Doratura stylata Cobelli 1902a: 18 [Listed] ¹⁶
Doratura stylata Graeffe 1903a: 50 (10) [Ecology, comparative note] ⁷⁰
Doratura stylata Horváth 1903a: 22 [Listed] ²⁷
Doratura stylata Horváth 1903b: 454; pl. XVII, figs. 2, 6 [Notes, catalogued, illustrated] ^{7, 24, 28, 34} Equals *Athysanus stylatus* Boh. Equals *Jassus (Athysanus) stylatus* Flor Equals *Jassus stylatus* Thoms. :452, 453 [Key] :455 [Comparative note]
[*Doratura*] *stylata* Hübner 1904a: 261 [Listed] ²⁹
[*Doratura*] *stylata* Hübner 1904b: 261 [Listed] ²⁹
[*Doratura*] *stylata* Morley 1905b: 28 [Listed] ⁹
[*Doratura*] *stylata* Oshanin 1906a: 103 [Catalogued] ^{1, 3, 6, 10, 12, 17, 20, 24, 25, 26, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37} Equals *Athysanus stylatus* Boh. Equals *Jassus (Athysanus) [stylatus]* Flor
Doratura stylata Matsumura 1906a: 70 [Ecology] ⁴
Doratura stylata Strand 1906a: 8 [Listed] ⁵³
D[oratura] stylata Bierman 1907b: 31 [Comparative note]
Doratura stylata Bierman 1907c: 52 [Listed] ³⁸
Doratura stylata Bierman 1907e: 164 [Listed] ³⁸
Doratura stylata Butler 1907a: 52 [Notes] ⁹ :56 [Listed] ⁹
Doratura stylata Divatic 1907a: 12 [Listed] ²⁷
Doratura stylata Oshanin 1907b: 229 (17) [Listed] ³⁹
D[oratura] stylata Edwards 1908a: 58 [Comparative note]
Doratura stylata Enderlein 1908a: 107, 136, 166, 182 [Ecology] ⁴
Doratura stylata Melichar 1908b: 13 [Comparative note]
Doratura stylata Oshanin 1908b: 423 [Listed] ^{11, 26, 34, 39, 40, 68, 69, 71}
[*Doratura*] *stylata* Saunders and Edwards 1908a: 12 [Listed] ¹⁰

stylatus Boheman—Continued

- Doratura stylata* Cobelli 1909a: 12 [Listed] ¹⁷
[Doratura] stylata Lambertie 1910a: 76 [Listed] ³
Doratura stylata Sulc 1910a: 16 [Listed]
Doratura stylata Buchner 1912a: 29 [Symbionts]
D[oratura] stylata Haupt 1912b: 451 (6) [Listed] ⁶⁴
[Doratura] stylata Oshanin 1912a: 105 [Listed] ^{7, 24, 25, 34, 42}
[Doratura] stylata Schmidt 1912g: 156 [Listed] ⁴³
Doratura stylata Schumacher 1912d: 106 [Listed] ⁴⁴
D[oratura] stylata von Dalla Torre 1913a: 151 [Listed] ¹⁶
[Doratura] stylata Melichar 1913e: 7 [Listed] ¹⁸
Doratura stylata Mac Gillavry 1914a: 94 [Listed] ^{45, 71}
[Doratura] stylata Jacobsen 1915a: 323 [Listed] ⁴⁶
[Doratura] stylata Jensen-Haarup 1918a: 37; figs. 40 a-d, g, h
 [Described, illustrated, key] ⁴⁶
Doratura stylata Jensen-Haarup 1920a: 105; figs. 51, a-d, f, h
 [Described, illustrated, key] ⁴⁶:105, 106 [Comparative notes]
D[oratura] stylata Tullgren and Wahlgren 1920a: 147; fig. 100e
 [Illustrated, notes] ¹
[Doratura] stylata Edwards 1922a: 207 [Listed] ¹⁰
Doratura stylata Stichel 1922a: 132 [Listed]
Doratura stylata Prohaska 1923a: 85 [Ecology] ⁷²
Doratura stylata Barber 1924a: 170 [Notes] ^{7, 9, 47}
Doratura stylata Brown 1924a: 118 [Listed] ⁴⁸
Doratura stylata Hofmänner 1924a: 53, 77 [Ecology, life history
 notes] ^{41, 97, 98}:69 [Listed] ^{41, 97, 98}
[Doratura] stylata Lindberg 1924a: 43 [Listed] ⁶
D[oratura] stylata Kupka 1925a: 107 [Food plants] ³
Doratura stylata MacGillavry 1925a: 345 [Notes] ³⁸
Doratura stylata Singh-Pruthi 1925b: 210; pl. XXVI, fig. 211
 ♂ genitalia described, illustrated]
Doratura stylata Blöte 1926b: 114 [Listed] ³⁸
Doratura stylata Priesner 1926a: 135 [Listed] ⁷³
D[oratura] stylata Rémy-Perrier 1926a: 83; 2 figs. [Key, ecology,
 illustrated] ³
D[oratura] stylata Blöte 1927b: 59; figs. 22, 23, 24a-b [Described,
 illustrated] ³⁸
Doratura stylata Blöte 1927d: 221 [Notes] ³⁸
D[oratura] stylata Poisson and Poisson 1927a: 137 [Listed] ³
D[oratura] stylata Filipieff 1928a: 152 [Key] ¹⁸
Doratura stylata Ivanov 1928b: 494 [Listed] ⁷⁴
Doratura stylata Ivanov 1928c: 190 [Listed] ⁷⁴
Doratura stylata Kusnezov 1928c: 47, 48 [Comparative notes]
Doratura stylata Brown 1929a: 42 [Listed] ⁹

stylatus Boheman—Continued

- Doratura stylata* Kusnezov 1929b: 177 [Comparative note] ⁷⁵
Doratura stylata Britten 1930a: 72 [Listed] ⁹
Doratura stylata Zangheri 1930a: 53 [Listed] ¹⁷
Athysanus stylatus Sherborn 1931a: 6214 [Catalogued]
D[oratura] stylata Enderlein 1932a: 195 [Listed] ²⁹
Doratura stylata Ossiannilsson 1934a: 134 [Listed] ¹
[Doratura] stylata Haupt 1935a: 187; fig. 358B [Key, illustrated] ⁷
[Doratura] stylata Karl 1935a: 137 [Listed] ⁴³
Doratura stylata Rapp 1935a: 45 [Listed] ⁶⁴
D[oratura] stylata Rémy-Perrier 1935a: 83; 2 figs. [Key, ecology, illustrated] ³
D[oratura] stylata Wagner 1935a: 20 [Listed] ^{4, 8, 9, 46, 58, 71, 76, 77, 78, 79}
Doratura stylata Nast 1936d: 487 (5) [Listed] ⁸⁰
Doratura stylata Kuntze 1937a: 314, 315, 324, 350, 351, 361 [Ecology] ⁸
D[oratura] stylata Kuntze 1937b: 30 [Ecology] ⁸
Doratura stylata Kontkanen 1938a: 11, 31 [Ecology] ⁶
Doratura stylata Nast 1938d: 229 (5) [Listed] ⁸¹
D[oratura] stylata Wagner 1939a: 155; figs. 209–211 [Ecology, illustrated] ^{55, 56, 58, 82, 83} :517 [Key] :156, 157 [Comparative notes]
Doratura stylata Ball and Beamer 1940a: 69; pl. IX, fig. 82 [Described, illustrated, catalogued] ^{7, 47, 49, 50} Equals *Athysanus stylatus* Boh.
D[oratura] stylata Wagner 1941a: 156 [Listed] ^{8, 47, 80, 84}
Doratura stylata Franz 1943a: 378 [Ecology] ²⁰
Doratura stylata Lindberg 1943b: 23 [Listed] ⁶
Doratura stylata Medler 1943a: 77 [Described, catalogued, food plants] ⁴⁹ Equals *Athysanus stylatus* Boh.
Doratura stylata Ossiannilsson 1943c: 19 [Listed] ⁵³
Doratura stylata Holgersen 1944a: 26 [Ecology] ^{6, 7, 34, 46, 53, 85} :33, 36 [Listed] ⁵³
D[oratura] stylata Reclaire 1944a: 230 [Listed] ³⁸
Doratura stylata Roche 1944a: 83 [Listed] ⁹
[Doratura] stylata Kloet and Hincks 1945a: 53 [Listed] ¹⁰
Doratura stylata Lang 1945b: 131, 134 [Ecology] ²²
Doratura stylata Lang 1945c: 98 [Listed] ²²
Doratura stylata Lang 1945d: 272, 274, 275 [Ecology] ^{21, 22}
[Doratura] stylata De Long and Knull 1946a: 45 [Catalogued] ^{49, 51}
 Equals *Athysanus [stylatus]* Boh.]
Doratura stylata Dlabola 1946a: 84 (7) [Notes] ²² :81 (3) [Listed] ²²
Doratura stylata Lang 1946a: 153 [Listed] ⁸⁶

stylatus Boheman—Continued

- Doratura stylata* Moosbrugger 1946a: 71 [Listed] ⁵²
D[oratura] stylata Kontkanen 1947a: 120, 122 [Ecology] ⁶
Doratura stylata Lang 1947a: 23 [Ecology] ²²
Doratura stylata Lang 1947b: 94 [Listed] ²¹
D[oratura] stylata Lindberg 1947a: 39 [Catalogued, ecology] ⁶
 Equals *Athysanus stylatus* Boh. :75 [Listed] ⁶
[Doratura] stylata Osborn and Knull 1947a: 332 [Listed] ⁸⁷
D[oratura] stylata Ossiannilsson 1947b: 181; figs. 379, 409, 412, 415 [Described, ecology, illustrated] ^{1, 6, 46, 53} :180, 181 [Key] :183 [Comparative note]
Doratura stylata Villiers 1947a: 56; pl. V, fig. 76 [Described, illustrated, ecology] ³
Doratura stylata De Long 1948a: 272; fig. 240 [Described, illustrated, catalogued] Equals *Athysanus stylatus* Boh.
Doratura stylata Kontkanen 1948b: 118 [Ecology] ⁵⁷
Doratura stylata Ossiannilsson 1948a: 18 [Listed] ^{1, 2, 6, 46, 53, 88, 89, 95}
Doratura stylata Ossiannilsson 1948c: 126 [Stridulation]
D[oratura] stylata Zachvatkin 1948a: 174 [Key]
Doratura stylata Fagel 1949a: 149 [Ecology] ¹¹
Doratura stylata Kontkanen 1949a: 120, 122, 123, 124 [Ecology] ⁶
D[oratura] stylata Kontkanen 1949b: 89 [Listed]
Doratura stylata Lindberg 1949a: 36 [Listed] ⁹⁰
Doratura stylata Linnavuori 1949a: 68 [Ecology] ⁶
[Doratura] stylata Oman 1949a: 156; pl. 23, fig. 10; pl. 40, fig. 3 [Catalogued, illustrated] ^{7, 50, 91} Equals *Athysanus [stylatus]* Boh.] :8 [Stridulation]
Doratura stylata Ossiannilsson 1949a: 38; pl. 7, figs. 5–6 [Morphology of stridulating organs, illustrated] ¹ :80; pl. 12, figs. 1–4; pl. 13, figs. 40–41 [Stridulation, illustrated] ¹ :104 [Morphology of stridulating organs] :38, 92 [Comparative notes] :112 [Stridulation] :130, 131, 134, 139 [Physiology of stridulating organs]
[Doratura] stylata China 1950a: 245 [Listed] ¹⁰
Doratura stylata Kontkanen 1950b: 127 [Ecology] ⁶
Doratura stylata Kontkanen 1950c: 5, 6, 17, 18, 27, 28, 29, 30, 36, 40, 41, 44, 48, 52, 54, 57, 58, 60, 62, 64, 69, 74, 79 [Ecology] ⁶ :86 [Listed] ⁶
Doratura stylata Kontkanen 1950d: 102, 106 [Parasites] ⁶
Doratura stylata Ossiannilsson 1951c: 12 [Ecology] ^{28, 34, 66, 85, 92}
D[oratura] stylata Wagner 1951b: 29 [Ecology] ⁵⁸
Doratura stylata Fischer 1952a: 113 [Listed] ⁹³
Doratura stylata Kontkanen 1952b: 562 [Listed] ^{6, 94}

stylatus Boheman—Continued

Doratura stylata Linnavuori 1952a: 6, 7, 8, 9, 10, 11, 12, 15
[Ecology] ⁶

Doratura stylata Linnavuori 1952c: 71 [Listed] ⁶

Doratura stylata Rabeler 1952a: 135 [Ecology] ⁴

Doratura stylata Ribaut 1952a: 300; figs. 787–790, 792–794
[Described, key, ecology, illustrated] ^{3, 7, 28, 34, 85} :301, 302, 303
[Comparative notes]

D[oratura] stylata Marchand 1953a: 143, 144, 147, 153, 155; fig. 2
[Ecology, illustrated] ⁴ :154; fig. 3 [Genitalia illustrated]

Doratura stylata Ossiannilsson 1953a: 141 [Stridulation]

D[oratura] stylata Diabola 1954a: 153; pl. VII, figs. 83–84; pl.
XXVIII, figs. 540–542 [Notes, illustrated, catalogued] ^{21, 22, 96}
:46, 68 [Ecology] ^{21, 22, 96} :152 [Key]

D[oratura] stylata Smreczynski 1954a: 123 [Notes] ⁸⁰

LOCALITIES: ¹ Sweden. ² Gotland. ³ France. ⁴ Prussia. ⁵ Styria. ⁶ Finland. ⁷ Europe. ⁸ Mecklenburg. ⁹ England. ¹⁰ Great Britain. ¹¹ Belgium. ¹² Spain. ¹³ Alsace-Lorraine. ¹⁴ Aland Islands. ¹⁵ Abo Archipelago. ¹⁶ Tyrol. ¹⁷ Italy. ¹⁸ Russia. ¹⁹ Galicia. ²⁰ Austria. ²¹ Bohemia. ²² Moravia. ²³ Borkum. ²⁴ Tunisia. ²⁵ Algeria. ²⁶ Irkutsk. ²⁷ Serbia. ²⁸ Turkestan. ²⁹ Germany. ³⁰ Hungary. ³¹ Rumania. ³² Northern Russia. ³³ Central Russia. ³⁴ Siberia. ³⁵ Livonia. ³⁶ Moscow. ³⁷ Buryat Mongolia. ³⁸ Netherlands. ³⁹ Saint Petersburg. ⁴⁰ Omsk. ⁴¹ Switzerland. ⁴² Turkey. ⁴³ Pomerania. ⁴⁴ Oldenburg. ⁴⁵ Terschelling. ⁴⁶ Denmark. ⁴⁷ Massachusetts. ⁴⁸ Isle of Wight. ⁴⁹ Wisconsin. ⁵⁰ Michigan. ⁵¹ Minnesota. ⁵² Vorarlberg. ⁵³ Norway. ⁵⁴ Ile-de-France. ⁵⁵ Hesse. ⁵⁶ Hesse-Nassau. ⁵⁷ Karelia. ⁵⁸ Bavaria. ⁵⁹ Alsace. ⁶⁰ Lorraine. ⁶¹ Southern Austria. ⁶² Alderney. ⁶³ Scotland. ⁶⁴ Thuringia. ⁶⁵ Schleswig-Holstein. ⁶⁶ Northern Europe. ⁶⁷ Central Europe. ⁶⁸ Tomsk. ⁶⁹ Krasnoyarsk. ⁷⁰ Kustenland. ⁷¹ Holland. ⁷² Carinthia. ⁷³ Spikerroog. ⁷⁴ Kiev. ⁷⁵ Transbakkalia. ⁷⁶ Oldenburg. ⁷⁷ Saxony. ⁷⁸ Hamburg. ⁷⁹ East Frisian Islands. ⁸⁰ Poland. ⁸¹ Kielce. ⁸² Rhenish-Hesse. ⁸³ Rhine Province. ⁸⁴ Western Prussia. ⁸⁵ Northern Africa. ⁸⁶ Czechoslovakia. ⁸⁷ Ohio. ⁸⁸ Eastern Baltic States. ⁸⁹ Northern Germany. ⁹⁰ Bulgaria. ⁹¹ New England States. ⁹² Estonia. ⁹³ Swabia. ⁹⁴ North America. ⁹⁵ Oland. ⁹⁶ Slovakia. ⁹⁷ Northern Tyrol. ⁹⁸ Southern Tyrol.

stylata var. **b** Sahlberg

[*Doratura stylata*] var. *b* Sahlberg 1871a: 293 [n. var.]

stylata var. **c** Sahlberg

[*Doratura stylata*] var. *c* Sahlberg 1871a: 293 [n. var.]

stylata var. **macroptera** Kusnezov

Doratura stylata macroptera Kusnezov 1928c: 47 [n. var.] ¹

[*Doratura stylata*] *macroptera* Kusnezov 1929b: 177 [n. var.] ²

LOCALITIES: ¹ Southern Russia. ² Transbakkalia.

zolotovi Kusnezov. See *Doraturopsis zolotovi* Kusnezov. Family EUSCELIDAE.

Genus **Euacanthella** EvansORTHOTYPE *Euacanthella palustris* [n. sp.] Evans 1938b: 8TYPE *Euacanthella palustris* Evans 1947a: 149

Euacanthella Evans 1938b: 8 [gen. n.] :17 [Taxonomy]
 Evans 1938c: 45 [Taxonomy]
 Evans 1947a: 149 [Catalogued] :157 [Taxonomy]
 Neave 1950a: 90 [Catalogued]

bicolor Evans*Euacanthella bicolor* Evans 1938b: 9; pl. III, figs. 10a-c [n. sp., illustrated] ¹*Euacanthella bicolor* Evans 1947a: 147; figs. 12 E-F [Illustrated]LOCALITIES: ¹ Tasmania.**insularis** Evans*Euacanthella insularis* Evans 1938b: 9; pl. III, figs. 9a-b [n. sp., illustrated] ¹LOCALITIES: ¹ Tasmania.**palustris** Evans*Euacanthella palustris* Evans 1938b: 8; pl. III, figs. 8a-c [n. sp., illustrated] ¹ : 9 [Comparative note]*Euacanthella palustris* Evans 1947a: 147; fig. 12P [Illustrated]*Euacanthella palustris* Evans 1947a: 149 [Listed] ¹LOCALITIES: ¹ Tasmania.

GENERIC AND SPECIFIC SYNONYMY

Genus **Accephalus***Accephalus*. Typographical error for *Acocephalus* Burmeister. See *Aphrodes* Curtis.Genus **Acecephalus***Acecephalus*. Typographical error for *Acocephalus* Burmeister. See *Aphrodes* Curtis.Genus **Acocephalus***Acocephalus*. Typographical error for *Acocephalus* Burmeister. See *Aphrodes* Curtis.Genus **Acocephala**Typographical error for *Acocephalus* Burmeister. See *Aphrodes* Curtis.

Genus **Acocephalis**

Acocephalis. Typographical error for *Acocephalus* Burmeister. See *Aphrodes* Curtis.

Genus **Acocephalus** Amyot [non binom.]

Acocephalus Amyot [non binom.]. See *Aphrodes costata* Panzer.

Genus **Acocephalus** Burmeister

Acocephalus Burmeister. See *Aphrodes* Curtis.

- Gistel (var.) [*albifrons*]. See *Aphrodes albifrons* Linné.
- Herrich-Schäffer (var.) [*dispar*]. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
- Sahlberg (var.) [*nigropunctatus*]. See *Aphrodes histrionica* Fabricius.
- Scott (var.) [*polystolus*]. See *Aphrodes albifrons* var. *polystola* Scott.
- a* Edwards (var.) [*albifrons*]. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
- a* Edwards (var.) [*nervosus*]. See *Aphrodes bicincta* var. *a* Edwards.
- a* Fallén (var.) [*affinis*]. See *Aphrodes albifrons* var. *assimilis* Fallén.
- A* Ferrari (var.) [*albifrons*]. See *Aphrodes albifrons* Linné.
- a* Fitch (var.) [*vitellinus*]. See *Fitchana vitellina* var. *a* Fitch. Family EUSCELIDAE.
- a* Marshall (var.) [*agrestis*]. See *Euscelis lineolata* Brullé. Family EUSCELIDAE.
- a* Marshall (var.) [*albifrons*]. See *Aphrodes albifrons* var. *a* Marshall.
- a* Marshall (var.) [*rivularis*]. See *Aphrodes flavostriata* var. *a* Marshall.
- a* Signoret (var.) [*brunneobifasciatus*]. See *Aphrodes serratulae* var. *a* Signoret.
- adustus* Hardy. See *Aphrodes bicincta* von Schrank.
- aestuarinus* Edwards. See *Aphrodes bicincta* var. *aestuarina* Edwards.
- affinis* Fallén. See *Aphrodes albifrons* var. *affinis* Fallén.
- afzelii* Stål. See *Hecalus afzelli* Ståhl. Family HECALIDAE.
- agrestis* Fallén. See *Stroggylocephalus agrestis* Fallén.
- agrestis* Marshall [nec Fallén]. See *Euscelis lineolata* Brullé. Family EUSCELIDAE.
- agrestis* var. *a* Marshall. See *Euscelis lineolata* Brullé. Family EUSCELIDAE.
- agrestis* var. *b* Marshall. See *Batracomorphus irroratus* Lewis. Family IASSIDAE.
- agrestis* var. *c* Marshall. See *Stroggylocephalus agrestis* var. *irroratus* Curtis.
- agrestis* var. *d* Marshall. See *Stroggylocephalus agrestis* var. *d* Marshall.
- agrestis* var. *e* Marshall. See *Stroggylocephalus agrestis* var. *e* Marshall.
- agrestis*. Typographical error for *Acocephalus agrestis* Marshall [nec Fallén]. See *Euscelis lineolata* Brullé. Family EUSCELIDAE.
- albifrons* Herrich-Schäffer [nec Linné]. See *Aphrodes bifasciata* Linné.
- albifrons* Horváth [nec Linné]. See *Aphrodes petrophilus* Lindberg.
- albifrons* Linné. See *Aphrodes albifrons* Linné.
- albifrons* var. *a* Edwards. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
- albifrons* var. *a* Marshall. See *Aphrodes albifrons* var. *a* Marshall.
- albifrons* var. *albiger* Germar. See *Aphrodes albiger* Germar.
- albifrons* var. *apicalis* Signoret. See *Aphrodes albifrons* var. *apicalis* Signoret.
- albifrons* var. *arcuatus* Kirschbaum. See *Aphrodes albifrons* var. *arcuata* Kirschbaum.
- albifrons* var. *argus* Rey. See *Aphrodes albifrons* var. *conspersa* Signoret.
- albifrons* var. *assimilis* Signoret. See *Aphrodes assimilis* Signoret.

- albifrons* var. *b* Edwards. See *Aphrodes albifrons* var. *b* Edwards.
albifrons var. *b* Marshall. See *Aphrodes albifrons* var. *b* Marshall.
albifrons var. *b* Sahlberg. See *Aphrodes albifrons* var. *b* Sahlberg.
albifrons var. *bifasciatus* Linné. See *Aphrodes bifasciata* Linné.
albifrons var. *bifasciatus* Melichar. See *Aphrodes albifrons* var. *bifasciata* Melichar.
albifrons var. *c* Edwards. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
albifrons var. *c* Sahlberg. See *Aphrodes albifrons* var. *c* Sahlberg.
albifrons var. *C* Signoret. See *Aphrodes albifrons* var. *C* Signoret.
albifrons var. *concinnus* Curtis. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
albifrons var. *confusus* Kirschbaum. See *Aphrodes albifrons* var. *confusa* Kirschbaum.
albifrons var. *conspersus* Signoret. See *Aphrodes albifrons* var. *conspersa* Signoret.
albifrons var. δ Fallén. See *Aphrodes albifrons* var. δ Fallén.
albifrons var. *d* Sahlberg. See *Aphrodes albifrons* var. *d* Sahlberg.
albifrons var. *dispar* Zetterstedt. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
albifrons var. *e* Sahlberg. See *Aphrodes albifrons* var. *e* Sahlberg.
albifrons var. *f* Sahlberg. See *Aphrodes albifrons* var. *f* Sahlberg.
albifrons var. *F* Signoret. See *Aphrodes albifrons* var. *F* Signoret.
albifrons var. *fuliginosus*. Typographical error for *Acocephalus albifrons* var. *fuliginosus* Ferrari. See *Aphrodes albifrons* Linné.
albifrons var. *fuliginosus* Ferrari. See *Aphrodes albifrons* Linné.
albifrons var. *g* Sahlberg. See *Aphrodes albifrons* var. δ Fallén.
albifrons var. *h* Sahlberg. See *Aphrodes albifrons* var. *h* Sahlberg.
albifrons var. *i* Sahlberg. See *Stroggylocephalus livens* Zetterstedt.
albifrons var. *K* Signoret. See *Aphrodes albifrons* var. *confusa* Kirschbaum.
albifrons var. *M* Signoret. See *Aphrodes albifrons* var. *M* Signoret.
albifrons var. *nigropunctatus* Zetterstedt. See *stroggylocephalus livens* Zetterstedt.
albifrons var. *O* Signoret. See *Aphrodes albifrons* var. *O* Signoret.
albifrons var. *obliquus* Germar. See *Aphrodes bifasciata* Linné.
albifrons var. *P* Signoret. See *Aphrodes albifrons* var. *P* Signoret.
albifrons var. *polystolus* Scott. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
albifrons var. *Q* Signoret. See *Aphrodes albifrons* var. *Q* Signoret.
albifrons var. *subrusticus* Fallén. See *Aphrodes albifrons* var. *subrustica* Fallén.
albifrons. Typographical error for *Acocephalus albifrons* Linné. See *Aphrodes albifrons* Linné.
albiger Germar. See *Aphrodes albiger* Germar.
alboguttatus Kato. See *Aphrodes alboguttata* Kato.
alpinus Prohaska (var.) See *Aphrodes bicincta* var. *alpina* Prohaska.
angularis Fieber (var.) [nom. nud.]. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
apicalis Signoret. See *Aphrodes albifrons* var. *apicalis* Signoret.
arcuatus Kirschbaum. See *Aphrodes albifrons* var. *arcuata* Kirschbaum.
arcuatus de Motschulsky. See *Thomsoniella arcuata* de Motschulsky. Family EUSCELIDAE.
arenicola Marshall. See *Aphrodes histrionica* Fabricius.
argostagum Amyot. See *Purpuranus guttatus* Fieber. Family EUSCELIDAE.
argus Rey (var.). See *Aphrodes albifrons* var. *conspersa* Signoret.
assimilis Signoret. See *Aphrodes assimilis* Signoret.
b Edwards (var.) [*albifrons*]. See *Aphrodes albifrons* var. *b* Edwards.
b Edwards (var.) [*nervosus*]. See *Aphrodes bicincta* var. *b* Edwards.
b Marshall (var.) [*agrestis*]. See *Batracomorphus irroratus* Lewis. Family IASSIDAE.

- b* Marshall (var.) [*albifrons*]. See *Aphrodes albifrons* var. *b* Marshall.
b Sahlberg (var.) [*albifrons*]. See *Aphrodes albifrons* var. *b* Sahlberg.
b Sahlberg (var.) [*bifasciatus*]. See *Aphrodes bifasciata* var. *b* Sahlberg.
b Sahlberg (var.) [*rivularis*]. See *Aphrodes flavostriata* var. *b* Sahlberg.
b Sahlberg (var.) [*serratulae*]. See *Aphrodes serratulae* var. *b* Sahlberg.
b Signoret (var.) [*brunneobifasciatus*]. See *Aphrodes serratulae* var. *b* Signoret.
b Zetterstedt (var.) [*striatus*]. See *Aphrodes bicincta* var. γ Fallén.
befasciatus. Typographical error for *Acocephalus bifasciatus* Linné. See *Aphrodes bifasciata* Linné.
bicinctus Curtis. See *Aphrodes bicincta* von Schrank.
bicinctus von Schrank. See *Aphrodes bicincta* von Schrank.
bifasciatus Fieber. See *Chiasmus translucidus* var. *cinctus* Perris.
bifasciatus Herrich-Schaffer [nec. Linné]. See *Aphrodes albifrons* Linné.
bifasciatus Linné. See *Aphrodes bifasciata* Linné.
bifasciatus var. *b* Sahlberg. See *Aphrodes bifasciata* var. *b* Sahlberg.
bifasciatus var. *c* Sahlberg. See *Aphrodes bifasciata* var. *c* Sahlberg.
bifasciatus var. *d* Sahlberg. See *Aphrodes bifasciata* var. *d* Sahlberg.
bifasciatus var. *e* Sahlberg. See *Aphrodes bifasciata* var. *e* Sahlberg.
bifasciatus var. *f* Sahlberg. See *Aphrodes bifasciata* var. *f* Sahlberg.
bifasciatus var. *g* Sahlberg. See *Aphrodes bifasciata* var. *g* Sahlberg.
bifasciatus var. *guttatus* Matsumura. See *Aphrodes guttata* Matsumura.
bifasciatus var. *nigricans* Matsumura. See *Aphrodes nigricans* Matsumura.
bifasciatus Melichar (var.). See *Aphrodes albifrons* var. *bifasciata* Melichar.
bimaculatus Amyot and Serville. See *Tettigometra griseola* var. *bimaculata* Amyot and Serville. Family TETTIGOMETRIDAE. Fascicle IV, Part 1.
bistriatus Gmelin. See *Aphrodes serratulae* Fabricius.
blemus. Typographical error for *Acocephalus blennus* Stål. See *Sepullia blenna* Stål. Family APHROPHORIDAE.
blennus Stål. See *Sepullia blenna* Stål. Family APHROPHORIDAE.
bolivari Melichar. See *Aphrodes bolivari* Melichar.
brachypterus China. See *Aphrodes brachyptera* China.
brevior Melichar (var.). See *Aphrodes bicincta* var. *brevior* Melichar.
brunneobifasciatus Signoret. See *Aphrodes serratulae* Fabricius.
brunneobifasciatus var. *a* Signoret. See *Aphrodes serratulae* var. *a* Signoret.
brunneobifasciatus var. *b* Signoret. See *Aphrodes serratulae* var. *b* Signoret.
brunneofasciatus. Typographical error for *Acocephalus brunneobifasciatus* Signoret. See *Aphrodes serratulae* Fabricius.
c Edwards (var.) [*albifrons*]. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
c Marshall (var.) [*agrestis*]. See *Stroggylocephalus agrestis* var. *irroratus* Curtis.
c Sahlberg (var.) [*albifrons*]. See *Aphrodes albifrons* var. *c* Sahlberg.
c Sahlberg (var.) [*bifasciatus*]. See *Aphrodes bifasciata* var. *c* Sahlberg.
c Sahlberg (var.) [*striatus*]. See *Aphrodes bicincta* var. ϵ Fallén.
C Signoret (var.) [*albifrons*]. See *Aphrodes albifrons* var. *C* Signoret.
cardui Curtis. See *Aphrodes bicincta* von Schrank.
carinatus Stål. See *Aphrodes carinata* Stål.
circumflexus Provancher. See *Aphrodes albifrons* Linné.
concinnus Curtis. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
confusus Kirschbaum. See *Aphrodes albifrons* var. *confusa* Kirschbaum.
conspersus Signoret (var.). See *Aphrodes albifrons* var. *conspersa* Signoret.
costatus Panzer. See *Aphrodes costata* Panzer.

- δ Fallén (var.) [*albifrons*]. See *Aphrodes albifrons* var. δ Fallén.
 d Marshall (var.) [*agrestis*]. See *Stroggylocephalus agrestis* var. d Marshall.
 d Sahlberg (var.) [*albifrons*]. See *Aphrodes albifrons* var. d Sahlberg.
 d Sahlberg (var.) [*bifasciatus*]. See *Aphrodes bifasciata* var. d Sahlberg.
 d Sahlberg (var.) [*striatus*]. See *Aphrodes bicincta* var. d Sahlberg.
disciguttus Walker. See *Hishimonus disciguttus* Walker. Family EUSCELIDAE.
dispar Kirschbaum [nec Zetterstedt]. See *Aphrodes trifasciata* de Fourcroy.
dispar Zetterstedt. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
dispar var. —Herrich-Schäffer. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
dubius Berg. See *Metascarta platensis* Berg. Family TETTIGELLIDAE.
 ε Fallén (var.) [*striatus*]. See *Aphrodes bicincta* var. ε Fallén.
 e Marshall (var.) [*agrestis*]. See *Stroggylocephalus agrestis* var. e Marshall.
 e Sahlberg (var.) [*albifrons*]. See *Aphrodes albifrons* var. e Sahlberg.
 e Sahlberg (var.) [*bifasciatus*]. See *Aphrodes bifasciata* var. e Sahlberg.
 e Zetterstedt (var.) [*striatus*]. See *Aphrodes bicincta* var. ε Fallén.
elongatus Lethierry. See *Aphrodes elongata* Lethierry.
 f Sahlberg (var.) [*albifrons*]. See *Aphrodes albifrons* var. f Sahlberg.
 f Sahlberg (var.) [*bifasciatus*]. See *Aphrodes bifasciata* var. f Sahlberg.
 F Signoret (var.) [*albifrons*]. See *Aphrodes albifrons* var. F Signoret.
falklandicus Enderlein. See *Aphrodes falklandica* Enderlein.
fasciatus Curtis. See *Aphrodes bicincta* von Schrank.
flavolineatus. Typographical error for *Acucephalus flavostriatus* Donovan. See *Aphrodes flavostriata* Donovan.
flavostriatus Donovan. See *Aphrodes flavostriata* Donovan.
flavostriatus. Typographical error for *Acocephalus flavostriatus* Donovan. See *Aphrodes flavostriata* Donovan.
foliaticeps Stål. See *Hecalus afzelii* var. *foliaticeps* Stål. Family HECALIDAE.
fuliginosus. Typographical error for *Acocephalus albifrons* var. *fuliginosus* Ferrari. See *Aphrodes albifrons* Linne.
fuliginosus Ferrari (var.). See *Aphrodes albifrons* Linne.
funebis Stål. See *Sepullia funebris* Stål. Family APHROPHORIDAE.
fuscifasciatus Goeze. See *Aphrodes serratulae* Fabricius.
fuscifasciatus var. *vicarius* Horváth. See *Aphrodes serratulae* var. *vicaria* Horváth.
 γ Fallén (var.) [*striatus*]. See *Aphrodes bicincta* var. γ Fallén.
 g Sahlberg (var.) [*albifrons*]. See *Aphrodes albifrons* var. δ Fallén.
 g Sahlberg (var.) [*bifasciatus*]. See *Aphrodes bifasciata* var. g Sahlberg.
giffardi Van Duzee. See *Deltocephalus castoreus* Ball. Family EUSCELIDAE.
granulatus Fieber [nom. nud.]. See *Aphrodes bifasciata* Linné.
guttatus Matsumura (var.). See *Aphrodes guttata* Matsumura.
 h Sahlberg (var.) [*albifrons*]. See *Aphrodes albifrons* var. h Sahlberg.
heydenii Kirschbaum. See *Chiasmus translucidus* var. *heydenii* Kirschbaum.
histrionicus Fabricius. See *Aphrodes histrionica* Fabricius.
histrionicus. Typographical error for *Acocephalus histrionicus* Fabricius. See *Aphrodes histrionica* Fabricius.
 i Sahlberg (var.) [*albifrons*]. See *Stroggylocephalus livens* Zetterstedt.
interruptus Scott. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
interruptus var. *nigrinus* Kirschbaum. See *Aphrodes tricineta* Curtis.
 K Signoret (var.) [*albifrons*]. See *Aphrodes albifrons* var. *confusa* Kirschbaum.
kirschbaumi Edwards. See *Aphrodes albifrons* var. *kirschbaumi* Edwards.
laevus Rey (var.). See *Aphrodes trifasciata* var. *laeva* Rey.
limicola Edwards. See *Aphrodes albifrons* var. *arcuata* Kirschbaum.

- limicola* var. *masculatus* Edwards. See *Aphrodes albifrons* var. *arcuata* Kirschbaum.
- livens* Zetterstedt. See *Stroggylocephalus livens* Zetterstedt.
- luridus* Eversmann [nom. nud.]. See *Aphrodes lurida* Eversmann [nom. nud.].
- livens* var. *nigropunctata* Zetterstedt. See *Stroggylocephalus livens* Zetterstedt.
- M* Signoret (var.) [*albifrons*]. See *Aphrodes albifrons* var. *M* Signoret.
- S. maculatus* Edwards (var.). See *Aphrodes albifrons* var. *arcuata* Kirschbaum.
- maculatus* Gillette and Baker. See *Carsonus maculatus* Gillette and Baker.
- madagascariensis*. Typographical error for *Acocephalus madagascariensis* Signoret.
- See *Chelusa madagascariensis* Signoret. Family HECALIDAE.
- madagascariensis* Signoret. See *Chelusa madagascariensis* Signoret. Family HECALIDAE.
- meratii* Guérin-Ménéville [nom. nud.]. See *Aphrodes bicincta* von Schrank.
- missellus*. Typographical error for *Acocephalus missellus* Stål. See *Sichaea missella* Stål. Family ULOPIDAE.
- missellus* Stål. See *Sichaea missella* Stål. Family ULOPIDAE.
- mixtus* Say. See *Stroggylocephalus agrestis* Fallén.
- nervosus* von Schrank. See *Aphrodes bicincta* von Schrank.
- nervosus* var. *a* Edwards. See *Aphrodes bicincta* var. *a* Edwards.
- nervosus* var. *alpinus* Prohaska. See *Aphrodes bicincta* var. *alpina* Prohaska.
- nervosus* var. *b* Edwards. See *Aphrodes bicincta* var. *b* Edwards.
- nervosus* var. *brevior* Melichar. See *Aphrodes bicincta* var. *brevior* Melichar.
- nervosus* var. *obtusifrons* Kirschbaum. See *Aphrodes bicincta* var. *obtusifrons* Kirschbaum.
- nervosus* var. *signifrons* Rey. See *Aphrodes bicincta* var. *signifrons* Rey.
- nevosus*. Typographical error for *Acocephalus nervosus* von Schrank. See *Aphrodes bicincta* von Schrank.
- niger* Kusnezov (var.). See *Aphrodes trifasciata* var. *nigra* Kusnezov.
- nigricans* Matsumura (var.). See *Aphrodes nigricans* Matsumura.
- nigrilis*. Typographical error for *Acocephalus nigrilus* Kirschbaum. See *Aphrodes tricincta* Curtis.
- nigrilus* Kirschbaum. See *Aphrodes tricincta* Curtis.
- nigropunctatus* Zetterstedt. See *Stroggylocephalus livens* Zetterstedt.
- nitidulus* Donovan. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
- nitidus* Curtis. See *Euscelis lineolata* Brullé. Family EUSCELIDAE.
- O* Signoret (var.) [*albifrons*]. See *Aphrodes albifrons* var. *O* Signoret.
- obliquus*. Typographical error for *Acocephalus obliquus* Germar. See *Aphrodes bifasciata* Linné.
- obliquus* Germar. See *Aphrodes bifasciata* Linné.
- obliquus* Walker. See *Mesamia obliqua* Walker. Family EUSCELIDAE.
- obscurus* Curtis. See *Aphrodes bicincta* von Schrank.
- obtusifrons* Kirschbaum. See *Aphrodes bicincta* var. *obtusifrons* Kirschbaum.
- olivaceus* Walker. See *Aphrodes olivacea* Walker.
- olivaceous*. Typographical error for *Acocephalus olivaceus* Walker. See *Aphrodes olivacea* Walker.
- ornatus* Brischke [nom. nud.]. See *Aphrodes albifrons* Linné.
- P* Signoret (var.) [*albifrons*]. See *Aphrodes albifrons* var. *P* Signoret.
- pallidus* Curtis. See *Aphrodes bicincta* von Schrank.
- pelas* Reiber and Puton. See *Aphrodes albifrons* var. *arcuata* Kirschbaum.
- pelas* Signoret. See *Aphrodes albifrons* var. *arcuata* Kirschbaum.
- pellastes* Burmeister. See *Aphrodes pellastes* Burmeister.
- polystolus* Scott. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
- polystolus* var.—Scott. See *Aphrodes albifrons* var. *dispar* Zetterstedt.

- polystolus* var. *albiger* Germar. See *Aphrodes albiger* Germar.
- polystolus* var. *angularis* Fieber [nom. nud.]. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
- polystolus* var. *arcuatus* Kirschbaum. See *Aphrodes albifrons* var. *arcuata* Kirschbaum.
- polystolus* var. *confusus* Kirschbaum. See *Aphrodes albifrons* var. *confusa* Kirschbaum.
- polystolus* var. *fasciatus* Curtis. See *Aphrodes bicincta* von Schrank.
- polystylus*. Typographical error for *Acocephalus polystolus* Scott. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
- porrectus* Walker. See *Thomsoniella porrecta* Walker. Family EUSCELIDAE.
- prominens* Walker. See *Aphrodes prominens* Walker.
- pulcerulenta*. Typographical error for *Acocephalus pulverulentus* Curtis. See *Aphrodes bicincta* von Schrank.
- pulverulentus* Curtis. See *Aphrodes bicincta* von Schrank.
- punctiger* Stål. See *Titiella punctigera* Stål. Family LEDRIDAE.
- punctulatus* Eversmann [nom. nud.]. See *Aphrodes punctulata* Eversmann [nom. nud.].
- Q* Signoret (var.) [*albifrons*]. See *Aphrodes albifrons* var. *Q* Signoret.
- rivularis* Germar. See *Aphrodes flavostriata* Donovan.
- rivularis* var. *a* Marshall. See *Aphrodes flavostriata* var. *a* Marshall.
- rivularis* var. *b* Sahlberg. See *Aphrodes flavostriata* var. *b* Sahlberg.
- rugosus* Curtis. See *Aphrodes bicincta* von Schrank.
- rusticus* Fabricius. See *Aphrodes bicincta* von Schrank.
- rusticus* var. *bicinctus* von Schrank. See *Aphrodes bicincta* von Schrank.
- rusticus* var. *brevior* Melichar. See *Aphrodes bicincta* var. *brevior* Melichar.
- rusticus* var. *cardui* Curtis. See *Aphrodes bicincta* von Schrank.
- rusticus* var. *costatus* Panzer. See *Aphrodes costata* Panzer.
- rusticus* var. *fasciatus* Curtis. See *Aphrodes bicincta* von Schrank.
- rusticus* var. *livens* Zetterstedt. See *Stroggylocephalus livens* Zetterstedt.
- rusticus* var. *nigropunctatus* Zetterstedt. See *Stroggylocephalus livens* Zetterstedt.
- rusticus* var. *obscurus* Curtis. See *Aphrodes bicincta* von Schrank.
- rusticus* var. *pulverulentus* Curtis. See *Aphrodes bicincta* von Schrank.
- rusticus* var. *rugosus* Curtis. See *Aphrodes bicincta* von Schrank.
- rusticus* var. *sparsus* Curtis. See *Aphrodes bicincta* von Schrank.
- rusticus* var. *unicola*. Typographical error for *Acocephalus rusticus* var. *unicolor* Curtis. See *Aphrodes bicincta* von Schrank.
- rusticus* var. *unicolor* Curtis. See *Aphrodes bicincta* von Schrank.
- sahlbergii* Signoret. See *Aphrodes sahlbergii* Signoret.
- sanguineus* Rathvon [nom. nud.]. See *Aphrodes sanguinea* Rathvon [nom. nud.].
- sellatus* Uhler. See *Hishimonus sellatus* Uhler. Family EUSCELIDAE.
- serratulae* Fabricius. See *Aphrodes serratulae* Fabricius.
- serratulae* var. *b* Sahlberg. See *Aphrodes serratulae* var. *b* Sahlberg.
- signifrons* Rey (var.). See *Aphrodes bicincta* var. *signifrons* Rey.
- siracusae* Matsumura. See *Aphrodes siracusae* Matsumura.
- solidaginis* Walker. See *Paraphlepsius solidaginis* Walker. Family EUSCELIDAE.
- sparsus* Curtis. See *Aphrodes bicincta* von Schrank.
- sparsus* Walker. See *Gypona guianae* Metcalf. Family GYPONIDAE.
- spartus*. Typographical error for *Acocephalus sparsa* Walker. See *Gypona guianae* Metcalf. Family GYPONIDAE.
- spurius* Fallén. See *Aphrodes bifasciata* Linné.

- stramineus* Walker. See *Krisna straminea* Walker. Family IASSIDAE.
- striatellus*. Typographical error for *Acocephalus striatellus* Fabricius. See *Aphrodes bicincta* von Schrank.
- striatellus* Fabricius. See *Aphrodes bicincta* von Schrank.
- striatus* Fabricius. See *Aphrodes bicincta* von Schrank.
- striatus* var. *b* Zetterstedt. See *Aphrodes bicincta* var. γ Fallén.
- striatus* var. *c* Sahlberg. See *Aphrodes bicincta* var. ϵ Fallén.
- striatus* var. *d* Sahlberg. See *Aphrodes bicincta* var. *d* Sahlberg.
- striatus* var. ϵ Fallén. See *Aphrodes bicincta* var. ϵ Fallén.
- striatus* var. *e* Zetterstedt. See *Aphrodes bicincta* var. ϵ Fallén.
- striatus* var. γ Fallén. See *Aphrodes bicincta* var. γ Fallén.
- striatus* var. *obtusifrons* Kirschbaum. See *Aphrodes bicincta* var. *obtusifrons* Kirschbaum.
- striatus* var. *signifrons* Rey. See *Aphrodes bicincta* var. *signifrons* Rey.
- striatus* Linné [1758]. See *Psammotettix striatus* Linné. Family EUSCELIDAE.
- striatus* Linné [1761]. See *Aphrodes bicincta* von Schrank.
- strigatus* Germar. See *Psammotettix striatus* Linné.
- subrusticus* Fallén. See *Aphrodes albifrons* var. *subrustica* Fallén.
- subrusticus* Germar [nec Fallén]. See *Aphrodes albifrons* var. *obliqua* Germar.
- sudetica* Kolenati. See *Diplocolenus* (*Erdianus*) *sudeticus* Kolenati. Family EUSCELIDAE.
- syracusae*. Typographical error for *Acocephalus siracusae* Matsumura. See *Aphrodes siracusae* Matsumura.
- testudo* Curtis. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
- transversalis* de Fourcroy. See *Aphrodes serratulae* Fabricius.
- transversus* Fabricius. See *Aphrodes bicincta* von Schrank.
- tricinctus* Curtis. See *Aphrodes tricincta* Curtis.
- trifasciatus* de Fourcroy. See *Aphrodes trifasciata* de Fourcroy.
- trifasciatus* De Geer. See *Aphrodes bifasciata* Linné.
- trifasciatus* var. *laevis* Rey. See *Aphrodes trifasciata* var. *laevis* Rey.
- trifasciatus* var. *niger* Kusnezov. See *Aphrodes trifasciata* var. *nigra* Kusnezov.
- trifasciatus* Signoret [nom. nud.]. See *Chiasmus translucidus* var. *cinctus* Perris.
- trincitus*. Typographical error for *Acocephalus tricinctus* Curtis. See *Aphrodes tricincta* Curtis.
- tristriatus* Gmelin. See *Aphrodes bifasciata* Linné.
- tritinctus*. Typographical error for *Acocephalus tricinctus* Curtis. See *Aphrodes tricincta* Curtis.
- unicola*. Typographical error for *Acocephalus rusticus* var. *unicolor* Curtis. See *Aphrodes bicincta* von Schrank.
- unicolor* Curtis. See *Aphrodes bicincta* von Schrank.
- variegatus* Fabricius. See *Aphrodes bicincta* von Schrank.
- variegatus* Fieber [nom. nud.]. See *Aphrodes carinata* Stål.
- vicarius* Horváth (var.). See *Aphrodes serratulae* var. *vicaria* Horváth.
- viduus* Stål. See *Sepullia funebris* Stål. Family APHROPHORIDAE.
- viridis* Rathvon [nom. nud.]. See *Aphrodes viridis* Rathvon [nom. nud.].
- vitellinus* Fitch. See *Fitchana vitellina* Fitch. Family EUSCELIDAE.
- vitellinus* var. *a* Fitch. See *Fitchana vitellina* var. *a* Fitch. Family EUSCELIDAE.
- viticollis*. Typographical error for *Acocephalus viticollis* Stål. See *Rubria viticollis* Stål. Family LEDRIDAE.
- vittatus* Fabricius. See *Platymetopius undatus* De Geer. Family EUSCELIDAE.
- vtticollis* Stål. See *Rubria vtticollis* Stål. Family LEDRIDAE.

Genus Acocephalus (Anoscopus Kirschbaum)*Acocephalus* (*Anoscopus* Kirschbaum). See *Aphrodes* Curtis.**Genus Acocephalus (Selenocephalus Germar)***Acocephalus* (*Selenocephalus* Germar). See *Selenocephalus* Germar. Family IASSIDAE.**Genus Acocephalus (Stroggylocephalus Flor)***Acocephalus* (*Stroggylocephalus* Flor). See *Stroggylocephalus* Flor.**Genus Acocephalus (Strongylocephalus Kirschbaum)***Acocephalus* (*Strongylocephalus* Kirschbaum). See *Stroggylocephalus* Flor.**Genus Acrocephalus***Acrocephalus*. Typographical error for *Acocephalus* Burmeister. See *Aphrodes* Curtis.**Genus Acucephalus Germar***Acucephalus* Germar. See *Aphrodes* Curtis.—Gistel (var.) [*albifrons*] [nom. nud.]. See *Aphrodes albifrons* Linné.—Herrich-Schäffer (var.) [*dispar*]. See *Aphrodes albifrons* var. *dispar* Zetterstedt.*a* Marshall (var.) [*agrestis*]. See *Euscelis lineolatus* Brullé. Family EUSCELIDAE.*adustus* Hardy. See *Aphrodes bicincta* von Schrank.*aestuarinus* Edwards. See *Aphrodes bicincta* var. *aestuarina* Edwards.*affinis* Fallén. See *Aphrodes albifrons* var. *affinis* Fallén.*agrestis* Fallén. See *Stroggylocephalus agrestis* Fallén.*agrestis* Marshall (nec Fallén). See *Euscelis lineolatus* Brullé. Family EUSCELIDAE.*agrestis* var. *a* Marshall. See *Euscelis lineolatus* Brullé. Family EUSCELIDAE.*agrestis* var. *b* Marshall. See *Batracomorphus microcephalus* Herrich-Schäffer. Family IASSIDAE.*albifrons* Ball [nec Linné]. See *Aphrodes flavostriata* Donovan.*albifrons* Herrich-Schäffer [nec Linné]. See *Aphrodes bifasciata* Linné.*albifrons* Linné. See *Aphrodes albifrons* Linné.*albifrons* var.—Gistel [nom. nud.]. See *Aphrodes albifrons* Linné.*albifrons* var. *albiger* Germar. See *Aphrodes albiger* Germar.*albifrons* var. *apicalis* Signoret. See *Aphrodes albifrons* var. *apicalis* Signoret.*albifrons* var. *arcuatus* Kirschbaum. See *Aphrodes albifrons* var. *arcuata* Kirschbaum.*albifrons* var. *argus* Rey. See *Aphrodes albifrons* var. *conspersa* Signoret.*albifrons* var. β Buckton. See *Aphrodes albifrons* var. β Buckton.*albifrons* var. *bifasciatus* Melichar. See *Aphrodes albifrons* var. *bifasciata* Melichar.*albifrons* var. *confusus* Kirschbaum. See *Aphrodes albifrons* var. *confusa* Kirschbaum.*albifrons* var. *fuliginosus* Ferrari. See *Aphrodes albifrons* Linné.*albifrons* var. *subrusticus* Fallén. See *Aphrodes albifrons* var. *subrustica* Fallén.

- albiger* Germar. See *Aphrodes albiger* Germar.
albuguttatus Kato. See *Aphrodes albuguttata* Kato.
apicalis Signoret (var.). See *Aphrodes albifrons* var. *apicalis* Signoret.
arcuatus Kirschbaum. See *Aphrodes albifrons* var. *arcuata* Kirschbaum.
arenicola Marshall. See *Aphrodes histrionica* Fabricius.
argus Rey (var.). See *Aphrodes albifrons* var. *conspersa* Signoret.
assimilis Signoret. See *Aphrodes assimilis* Signoret.
 β Buckton (var.) [*albifrons*]. See *Aphrodes albifrons* var. β Buckton.
b Marshall (var.) [*agrestis*]. See *Batracomorphus microcephalus* Herrich-Schäffer.
 Family IASSIDAE.
bifasciatus. Typographical error for *Acucephalus bifasciatus* Linné. See *Aphrodes bifasciata* Linné.
bicinctus Curtis. See *Aphrodes bicincta* von Schrank.
bifasciatus. Typographical error for *Acucephalus bifasciatus* Linné. See *Aphrodes bifasciata* Linné.
bifasciatus Linné. See *Aphrodes bifasciata* Linné.
bifasciatus Herrich-Schäffer [nec Linné]. See *Aphrodes albifrons* Linné.
bifasciatus Melichar (var.). See *Aphrodes albifrons* var. *bifasciata* Melichar.
bistriatus Gmelin. See *Aphrodes serratulae* Fabricius.
blennus Stål. See *Sepullia blenna* Stål. Family APHROPHORIDAE.
bolivari Melichar. See *Aphrodes bolivari* Melichar.
brunneobifasciatus Signoret. See *Aphrodes serratulae* Fabricius.
cardui Curtis. See *Aphrodes bicincta* von Schrank.
cardui var. *obscurus* Curtis. See *Aphrodes bicincta* von Schrank.
cardui var. *obscurus*. Typographical error for *Acucephalus cardui* var. *obscurus* Curtis. See *Aphrodes bicincta* von Schrank.
cardui var. *sparsus* Curtis. See *Aphrodes bicincta* von Schrank.
carinatus Stål. See *Aphrodes carinata* Stål.
circumflexus Provancher. See *Aphrodes albifrons* Linné.
concinus Curtis. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
confusus Kirschbaum. See *Aphrodes albifrons* var. *confusa* Kirschbaum.
costatus Panzer. See *Aphrodes costata* Panzer.
disciguttus Walker. See *Eutettix discigutta* Walker.
dispar Zetterstedt. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
dispar var.—Herrich-Schäffer. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
elongatus Lethierry. See *Aphrodes elongata* Lethierry.
exstinguens Gistel (var.) [nom. nud.]. See *Aphrodes bicincta* von Schrank.
fasciatus Curtis. See *Aphrodes bicincta* von Schrank.
ferrugineus Gistel [nom. nud.]. See *Aphrodes ferruginea* Gistel [nom. nud.].
flavolineatus. Typographical error for *Acucephalus flavostriatus* Donovan. See *Aphrodes flavostriata* Donovan.
flavostriatus Donovan. See *Aphrodes flavostriata* Donovan.
flavostriatus. Typographical error for *Acucephalus flavostriatus* Donovan. See *Aphrodes flavostriata* Donovan.
fuliginosus Ferrari (var.). See *Aphrodes albifrons* Linné.
funebis Stål. See *Sepullia funebis* Stål. Family APHROPHORIDAE.
fuscobifasciatus Goeze. See *Aphrodes serratulae* Fabricius.
giffardi Van Duzee. See *Deltocephalus castoreus* Ball. Family EUSCELIDAE.
histrionicus Fabricius. See *Aphrodes histrionica* Fabricius.
interruptus Scott. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
interruptus var. *nigritus* Kirschbaum. See *Aphrodes tricineta* Curtis.
laevus Rey (var.). See *Aphrodes trifasciata* var. *laeva* Rey.

- limicola* Edwards. See *Aphrodes albifrons* var. *arcuata* Kirschbaum.
livens Zetterstedt. See *Stroggylocephalus livens* Zetterstedt.
livens var. *nigropunctatus* Zetterstedt. See *Stroggylocephalus livens* Zetterstedt.
meratii Guérin-Ménéville [nom. nud.]. See *Aphrodes bicincta* von Schrank.
merratii. Typographical error for *Acucephalus meratii* Guérin-Ménéville [nom. nud.]. See *Aphrodes bicincta* von Schrank.
missellus Stål. See *Sichaea missella* Stål. Family ULOPIDAE.
nervosus von Schrank. See *Aphrodes bicincta* von Schrank.
nervosus var. *extinguens* Gistel [nom. nud.]. See *Aphrodes bicincta* von Schrank.
nervosus var. *obtusifrons* Kirschbaum. See *Aphrodes bicincta* var. *obtusifrons* Kirschbaum.
nervosus var. *pallens* Gistel [nom. nud.]. See *Aphrodes bicincta* von Schrank.
nervosus var. *signifrons* Rey. See *Aphrodes bicincta* var. *signifrons* Rey.
nigropunctatus Zetterstedt. See *Stroggylocephalus livens* Zetterstedt.
nitidulus Donovan. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
nitidus Curtis. See *Euscelis lineolata* Brullé. Family EUSCELIDAE.
obliquus Germar. See *Aphrodes bifasciata* Linné.
obliquus Walker. See *Deltocephalus obliquus* Walker. Family EUSCELIDAE.
obscurus. Typographical error for *Acucephalus cardui* var. *obscurus* Curtis. See *Aphrodes bicincta* von Schrank.
obscurus Curtis. See *Aphrodes bicincta* von Schrank.
obtusifrons Kirschbaum. See *Aphrodes bicincta* var. *obtusifrons* Kirschbaum.
olivaceus Walker. See *Aphrodes olivacea* Walker.
ornatus Brischke [nom. nud.]. See *Aphrodes albifrons* Linné.
pallens Gistel (var.) [nom. nud.]. See *Aphrodes bicincta* von Schrank.
pallidus Curtis. See *Aphrodes bicincta* von Schrank.
pellastes Burmeister. See *Aphrodes pellastes* Burmeister.
placidus Provancher. See *Aphrodes flavostriata* Donovan.
polystolus Scott. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
polystylus. Typographical error for *Acucephalus polystolus* Scott. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
pulverulentus Curtis. See *Aphrodes bicincta* von Schrank.
punctiger Stål. See *Titiella punctigera* Stål. Family LEDRIDAE.
punctigerus Gistel [nom. nud.]. See *Aphrodes albifrons* Linné.
rivularis Germar. See *Aphrodes flavostriata* Donovan.
rugosus Curtis. See *Aphrodes bicincta* von Schrank.
rusticus Fabricius. See *Aphrodes bicincta* von Schrank.
rusticus var. *pallidus* Curtis. See *Aphrodes bicincta* von Schrank.
rusticus var. *striatus* Fabricius. See *Aphrodes bicincta* von Schrank.
serratae. Typographical error for *Acucephalus serratae* Fabricius. See *Aphrodes serratae* Fabricius.
serratae Fabricius. See *Aphrodes serratae* Fabricius.
signifrons Rey (var.). See *Aphrodes bicincta* var. *signifrons* Rey.
solidaginis Walker. See *Paraphlepsius solidaginis* Walker. Family EUSCELIDAE.
sparsus Curtis. See *Aphrodes bicincta* von Schrank.
spurius Fallén. See *Aphrodes bifasciata* Linné.
stramineus Walker. See *Krisna straminea* Walker. Family IASSIDAE.
striatellus Fabricius. See *Aphrodes bicincta* von Schrank.
striatus Fabricius. See *Aphrodes bicincta* von Schrank.
striatus Linné. See *Aphrodes bicincta* von Schrank.
striatus var. *obtusifrons* Kirschbaum. See *Aphrodes bicincta* var. *obtusifrons* Kirschbaum.

subrusticus Fallén. See *Aphrodes albifrons* var. *subrustica* Fallén.
sudeticus Kolenati. See *Diplocolenus (Erdianus) sudeticus* Kolenati. Family EUSCELIDAE.

testudo Curtis. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
transversalis de Fourcroy. See *Aphrodes serratulae* Fabricius.
transversus Fabricius. See *Aphrodes bicincta* von Schrank.
tricinctus Curtis. See *Aphrodes tricincta* Curtis.
trifasciatus De Geer. See *Aphrodes bifasciata* Linné.
trifasciatus de Fourcroy. See *Aphrodes trifasciata* de Fourcroy.
trifasciatus var. *laevis* Rey. See *Aphrodes trifasciata* var. *laeva* Rey.
tristriatus Gmelin. See *Aphrodes bifasciata* Linné.
unicolor Curtis. See *Aphrodes bicincta* von Schrank.
unicolor var. *pulverulentus* Curtis. See *Aphrodes bicincta* von Schrank.
variegatus Fabricius. See *Aphrodes bicincta* von Schrank.
viduus Stål. See *Sepullia funebris* Stål. Family APHROPHORIDAE.
vittatus Fabricius. See *Platymetopius undatus* De Geer. Family EUSCELIDAE.
vitticollis Stål. See *Rubria vitticollis* Stål. Family LEDRIDAE.

Genus **Aeocephalus**

Aeocephalus. Typographical error for *Acucephalus* Germar. See *Aphrodes* Curtis.

Genus **Albiger** Amyot [non binom.]

Albiger Amyot [non binom.]. See *Aphrodes albiger* Germar.

Genus **Allochus** Fieber [nom. nud.]

Allochus Fieber [nom. nud.]. See *Doratura* Sahlberg.

Genus **Amblycephalus** Kirschbaum

Amblycephalus Kirschbaum. See *Stroggylocephalus* Flor.

agrestis Fallén. See *Stroggylocephalus agrestis* Fallén.
irroratus Curtis. See *Stroggylocephalus agrestis* var. *irroratus* Curtis.
maculipes Curtis. See *Aphrodes maculipes* Curtis.

Genus **Anoscopsis**

Anoscopsis. Typographical error for *Anoscopus* Kirschbaum.
 See *Aphrodes* Curtis.

Genus **Anoscopus** Kirschbaum

Anoscopus Kirschbaum. See *Aphrodes* Curtis.

a Signoret (var.) [*brunneobifasciatus*]. See *Aphrodes serratulae* var. *a* Signoret.
albifrons Linné. See *Aphrodes albifrons* Linné.
arenicola Marshall. See *Aphrodes histrionica* Fabricius.
b Signoret (var.) [*brunneobifasciatus*]. See *Aphrodes serratulae* var. *b* Signoret.
bifasciatus Linné. See *Aphrodes bifasciata* Linné.
bistriatus Gmelin. See *Aphrodes serratulae* Fabricius.
brunneobifasciatus Signoret. See *Aphrodes serratulae* Fabricius.

- brunneobifasciatus* var. *a* Signoret. See *Aphrodes serratulae* var. *a* Signoret.
brunneobifasciatus var. *b* Signoret. See *Aphrodes serratulae* var. *b* Signoret.
carinatus Stål. See *Aphrodes carinata* Stål.
confusus Kirschbaum. See *Aphrodes albifrons* var. *confusa* Kirschbaum.
costatus Walker. See *Aphrodes bicincta* var. *costata* Walker.
dispar Zetterstedt. See *Aphrodes albifrons* Linné.
flavostriatus Donovan. See *Aphrodes flavostriata* Donovan.
flavostrigatus. Typographical error for *Anoscopus flavostriatus* Donovan. See *Aphrodes flavostriata* Donovan.
heydenii Kirschbaum. See *Chiasmus translucidus* var. *heydenii* Kirschbaum.
histrionicus Fabricius. See *Aphrodes histrionica* Fabricius.
interruptus Scott. See *Aphrodes albifrons* Linné.
kirschbaumi Edwards. See *Aphrodes albiger* var. *kirschbaumi* Edwards.
nigritus Kirschbaum. See *Aphrodes tricincta* Curtis.
obliquus Germar. See *Aphrodes albifrons* var. *obliqua* Germar.
obtusifrons Kirschbaum. See *Aphrodes rustica* var. *obtusifrons* Kirschbaum.
ornatus Brischke [nom. nud.] See *Aphrodes albifrons* Linné.
pelas Signoret. See *Aphrodes albifrons* var. *arcuata* Kirschbaum.
polystolus Scott. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
rivularis Germar. See *Aphrodes flavostriata* Donovan.
serratulae Fabricius. See *Aphrodes serratulae* Fabricius.
subrusticus Germar. See *Aphrodes albifrons* var. *subrustica* Fallén.
transversalis de Fourcroy. See *Aphrodes serratulae* Fabricius.
tricinctus Curtis. See *Aphrodes tricincta* Curtis.
trifasciatus Fabricius. See *Aphrodes trifasciata* Fabricius.

Genus **Anosterostema**

- Anosterostema*. Typographical error for *Anosterostemma* Puton. See *Anoterostemma* Löw.

Genus **Anosterostemma** Puton

- Anosterostemma* Puton. See *Anoterostemma* Löw.

Genus **Aphroderes**

- Aphroderes*. Typographical error for *Aphrodes* Curtis.

Genus **Aprodes**

- Aprodes*. Typographical error for *Aphrodes* Curtis.

Genus **Apterodes**

- Apterodes*. Typographical error for *Aphrodes* Curtis.

Genus **Atractotypus** Fieber

- Atractotypus* Fieber. See *Chiasmus* Mulsant and Rey.

- bicolor* Fieber [nom. nud.]. See *Chiasmus translucidus* Mulsant and Rey.
bicolor Signoret [nom. nud.]. See *Chiasmus conspurcatus* Perris.
bifasciatus Fieber. See *Chiasmus translucidus* var. *cinctus* Perris.

cinctus Perris. See *Chiasmus translucidus* var. *cinctus* Perris.
cinctus var. *conspurcatus* Perris. See *Chiasmus conspurcatus* Perris.
conspurcatus Perris. See *Chiasmus conspurcatus* Perris.
curtipennis Oshanin. See *Chiasmus curtipennis* Oshanin.
fasciatus Fieber [nom. nud.]. See *Chiasmus translucidus* Mulsant and Rey.
gautschii Then. See *Chiasmus conspurcatus* Perris.
gautschii. Typographical error for *Atractotypus gautschii* Then. See *Chiasmus conspurcatus* Perris.
heydeni Kirschbaum. See *Chiasmus translucidus* Mulsant and Rey.
laboulbenii Perris. See *Chiasmus translucidus* Mulsant and Rey.
translucidus Mulsant and Rey. See *Chiasmus translucidus* Mulsant and Rey.
trifasciatus Signoret [nom. nud.]. See *Chiasmus translucidus* var. *cinctus* Perris.

Genus **Attractotypus**

Attractotypus. Typographical error for *Atractotypus* Fieber. See *Chiasmus* Mulsant and Rey.

Genus **Aucecephalus**

Aucecephalus. Typographical error for *Acucephalus* Germar. See *Aphrodes* Curtis.

Genus **Bathematophorus**

Bathematophorus. Typographical error for *Bathysmatophorus* Sahlberg.

Genus **Batysmatophorus**

Batysmatophorus. Typographical error for *Bathysmatophorus* Sahlberg.

Genus **Cassassus** Amyot [non binom.]

Cassassus Amyot [non binom.]. See *Aphrodes bicincta* von Schrank.

Genus **Cephaleleus** Percheron

Cephaleleus Percheron. See *Cephaleleus* Percheron. Family ULOPIDAE.

Genus **Cephalius** Signoret

Cephalius Signoret. See *Cephalius* Signoret. Family HECALIDAE.

Genus **Chiasmus**

Chiasmus. Typographical error for *Chiasmus* Mulsant and Rey.

Genus **Clavena** Melichar

Clavena Melichar. See *Clavena* Melichar. Family HECALIDAE.

Genus **Diadesmia** Amyot [non binom.]

Diadesmia Amyot [non binom.]. See *Aphrodes trifasciata* de Fourcroy.

Genus **Diataeniops** Amyot [non binom.]

Diataeniops Amyot [non binom.]. See *Aphrodes bicincta* von Schrank.

Genus **Diataemops**

Diataemops. Topographical error for *Diataeniops* Amyot [non binom.]. See *Aphrodes bicincta* von Schrank.

Genus **Dorycephalus** Kouschakewitch

Dorycephalus Kouschakewitch. See *Dorycephalus* Kouschakewitch. Family HECALIDAE.

Genus **Dorydium** Burmeister

Dorydium Burmeister. See *Paradorydium* Kirkaldy. Family HECALIDAE.

Genus **Driotura** Osborn and Ball

Driotura Osborn and Ball. See *Driotura* Osborn and Ball. Family EUSCELIDAE.

Genus **Ehromenellus**

Ehromenellus. Typographical error for *Errhomenellus* Puton. See *Errhomenus* Fieber.

Genus **Entaeniothes** Amyot [non binom.]

Entaeniothes Amyot [non binom.]. See *Cixius* (*Tachycixius*) *distinctus* Signoret. Family CIXIIDAE. Fascicle IV, Part 2.

serratulae Fabricius. See *Aphrodes serratulae* Fabricius.

Genus **Epicephalius** Matsumura

Epicephalius Matsumura. See *Epicephalius* Matsumura. Family HECALIDAE.

Genus **Erhomenellus**

Erhomenellus. Typographical error for *Errhomenellus* Puton. See *Errhomenus* Fieber.

Genus **Errhomellus**

Errhomellus. Typographical error for *Errhomenellus* Puton. See *Errhomenus* Fieber.

Genus **Errhomenellus** Puton

Errhomenellus Puton. See *Errhomenus* Fieber.

aridus Ball. See *Carsonus aridus* Ball.

brachypterus Fieber. See *Errhomenus brachypterus* Fieber.

flavopunctatus Melichar. See *Errhomenus flavopunctatus* Melichar.
flavovarius. Typographical error for *Errhomenellus flavopunctatus* Melichar. See *Errhomenus flavopunctatus* Melichar.
friscanus Ball. See *Friscanus friscanus* Ball.
irroratus Ball. See *Carsonus irroratus* Ball.
lineatus Baker. See *Errhomus lineatus* Baker.
maculatus Gillette and Baker. See *Carsonus maculatus* Gillette and Baker.
montanus Baker. See *Errhomus montanus* Baker.
oregonensis Baker. See *Errhomus oregonensis* Baker.
uhleri Baker. See *Lystridea uhleri* Baker.

Genus **Errhomenillus**

Errhomenillus. Typographical error for *Errhomenellus* Puton. See *Errhomenus* Fieber.

Genus **Errhomus** (**Carsonus** Oman)

Errhomus (*Carsonus* Oman). See *Carsonus* Oman.

Genus **Eupelix** Germar

Eupelix Germar. See *Eupelix* Germar. Family HECALIDAE.

Genus **Eupelix** Le Peletier and Serville [nec Germar]

Eupelix Le Peletier and Serville [nec Germar]. See *Aphrodes* Curtis.

Genus **Euscelis** Brullé

Euscelis Brullé. See *Euscelis* Brullé. Family EUSCELIDAE.

Genus **Fieberiella** Signoret

Fieberiella Signoret. See *Fieberiella* Signoret. Family EUSCELIDAE.

Genus **Glyptocephalus** Edwards

Glyptocephalus Edwards. See *Rhytistylus* Fieber. Family EUSCELIDAE.

Genus **Graphocraerus** Thomson

Graphocraerus Thomson. See *Graphocraerus* Thomson. Family EUSCELIDAE.

Genus **Hecalus** Stål

Hecalus Stål. See *Hecalus* Stål. Family HECALIDAE.

Genus **Horvathiella** Matsumura

Horvathiella Matsumura. See *Agrica Strand.*
arisana Matsumura. See *Agrica arisana* Matsumura.

Genus **Iberia** Kirkaldy

Iberia Kirkaldy. See *Iberia* Kirkaldy. Family COELIDIDAE.

Genus **Kartwa** Distant

Kartwa Distant. See *Chiasmus* Mulsant and Rey.

mustelina Distant. See *Chiasmus mustelinus* Distant.

Genus **Kosmiopelix**

Kosmiopelix. Typographical error for *Kosmiopelix* Kirkaldy.

Genus **Krisna** Kirkaldy

Krisna Kirkaldy. See *Krisna* Kirkaldy. Family COELIDIDAE.

Genus **Macroceps** Signoret

Macroceps Signoret. See *Macroceps* Signoret. Family LEDRIDAE.

Genus **Parabolocratus** Fieber

Parabolocratus Fieber. See *Parabolocratus* Fieber. Family HECALIDAE

Genus **Paradirydium**

Paradirydium. Typographical error for *Paradorydium* Kirkaldy. Family HECALIDAE.

Genus **Paradorydium** Kirkaldy

Paradorydium Kirkaldy. See *Paradorydium* Kirkaldy. Family HECALIDAE.

Genus **Paragomia**

Paragomia. Typographical error for *Pagaronia* Ball.

Genus **Paragonia**

Paragonia. Typographical error for *Pagaronia* Ball.

Genus **Paramesus** Fieber

Paramesus Fieber. See *Paramesus* Fieber. Family EUSCELIDAE.

Genus **Penthotaenia** Amyot [non binom.]

Penthotaenia Amyot [non binom.]. See *Aphrodes bifasciata* Linné.
bifasciata Linné. See *Aphrodes bifasciata* Linné.

Genus **Phlepsius** Fieber

Phlepsius Fieber. See *Phlepsius* Fieber. Family EUSCELIDAE.

Genus **Pholetaera** Zetterstedt

Pholetaera Zetterstedt. See *Aphrodes* Curtis.

- a* Zetterstedt (var.) [*rustica*]. See *Aphrodes bicincta* var. β Fallén.
albifrons Linné. See *Aphrodes albifrons* Linné.
b Zetterstedt (var.) [*rustica*]. See *Aphrodes bicincta* var. γ Fallén.
bifasciata Linné. See *Aphrodes bifasciata* Linné.
c Zetterstedt (var.) [*rustica*]. See *Aphrodes bicincta* von Schrank.
d Zetterstedt (var.) [*rustica*]. See *Aphrodes bicincta* var. δ Fallén.
dispar Zetterstedt. See *Aphrodes albifrons* var. *dispar* Zetterstedt.
e Zetterstedt (var.) [*rustica*]. See *Aphrodes bicincta* var. ϵ Fallén.
histrionica Fabricius. See *Aphrodes histrionica* Fabricius.
livens Zetterstedt. See *Stroggylocephalus livens* Zetterstedt.
livens var. *nigropunctata* Zetterstedt. See *Stroggylocephalus livens* Zetterstedt.
nigropunctata Zetterstedt. See *Stroggylocephalus livens* Zetterstedt.
rustica Fabricius. See *Aphrodes bicincta* von Schrank.
rustica var. *a* Zetterstedt. See *Aphrodes bicincta* var. β Fallén.
rustica var. *b* Zetterstedt. See *Aphrodes bicincta* var. γ Fallén.
rustica var. *c* Zetterstedt. See *Aphrodes bicincta* von Schrank.
rustica var. *d* Zetterstedt. See *Aphrodes bicincta* var. δ Fallén.
rustica var. *e* Zetterstedt. See *Aphrodes bicincta* var. ϵ Fallén.
spuria Fallén. See *Aphrodes bifasciata* Linné.
striata Fabricius. See *Aphrodes bicincta* von Schrank.
vittata Perris [nom. nud.]. See *Aphrodes vittata* Perris [nom. nud.].

Genus **Pholetera**

Pholetera. Typographical error for *Pholetaera* Zetterstedt. See *Aphrodes* Curtis.

Genus **Platymetopius** Burmeister

Platymetopius Burmeister. See *Platymetopius* Burmeister. Family EUSCELIDAE.

Genus **Prodesmia** Amyot [nom. binom.]

Prodesmia Amyot [non binom.]. See *Aphrodes histrionica* Fabricius.

Genus **Psegmatus** Signoret

Psegmatus Signoret. See *Psegmatus* Signoret. Family HECALIDAE.

Genus **Rhytistylus** Fieber

Rhytistylus Fieber. See *Rhytistylus* Fieber. Family EUSCELIDAE.

Genus **Selenocephalus** Germar

Selenocephalus Germar. See *Selenocephalus* Germar. Family IASSIDAE.

Genus **Stegelytra** Mulsant and Rey.

Stegelytra Mulsant and Rey. See *Stegelytra* Mulsant and Rey. Family COELIDIIDAE.

Genus **Stroglylocephalus**

Stroglylocephalus. Typographical error for *Stroggylocephalus* Flor.

Genus **Stronglocephalus**

Stronglocephalus. Typographical error for *Stroggylocephalus* Flor.

Genus **Stronglylocephalus** Kirschbaum

Stronglylocephalus. Typographical error for *Stronggylocephalus* Kirschbaum. See *Stroggylocephalus* Flor.

Genus **Stronggylocephalus** Kirschbaum

Stronggylocephalus Kirschbaum. See *Stroggylocephalus* Flor.

agrestes. Typographical error for *Stronggylocephalus agrestis* Fallén. See *Stroggylocephalus agrestis* Fallén.

agrestis Fallén. See *Stroggylocephalus agrestis* Fallén.

agrestis Sahlberg [nec. Fallén]. See *Stroggylocephalus livens* Zetterstedt.

agristis. Typographical error for *Stronggylocephalus agrestis* Fallén. See *Stroggylocephalus agrestis* Fallén.

irroratus Curtis. See *Stroggylocephalus agrestis* var. *irroratus* Curtis.

livens Zetterstedt. See *Stroggylocephalus livens* Zetterstedt.

megerlei Scott. See *Stroggylocephalus livens* Zetterstedt.

megerli. Typographical error for *Stronggylocephalus megerlei* Scott. See *Stroggylocephalus livens* Zetterstedt.

meigerlai. Typographical error for *Stronggylocephalus megerlei* Scott. See *Stroggylocephalus livens* Zetterstedt.

mergelei. Typographical error for *Stronggylocephalus megerlei* Scott. See *Stroggylocephalus livens* Zetterstedt.

nigropunctatus Zetterstedt. See *Stroggylocephalus livens* Zetterstedt.

Genus **Tartessus** Stål

Tartessus Stål. See *Tartessus* Stål. Family COELIDIIDAE.

Genus **Titia** Stål

Titia Stål. See *Titiella* Bergroth.

kirbyi Kirkaldy. See *Krisna kirbyi* Kirkaldy. Family IASSIDAE.

punctigera Stål. See *Titiella punctigera* Stål.

walkeri Kirkaldy. See *Acostemma walkeri* Kirkaldy. Family IASSIDAE.

Genus Uhleriella Ball

Uhleriella Ball. See *Cochlorhinus* Uhler. Family EUSCELIDAE.

coquilletti Van Duzee. See *Cochlorhinus coquilletti* Van Duzee.

pasadena Ball. See *Cochlorhinus pasadenus* Ball.

signata Ball. See *Calonia signata* Ball.

stygica Ball. See *Cochlorhinus stygicus* Ball.

ziczac Ball. See *Cochlorhinus ziczac* Ball.

Genus Xestocephalus Van Duzee

Xestocephalus Van Duzee. See *Xestocephalus* Van Duzee. Family EUSCELIDAE.

Genus Aeocephalus

Aeocephalus. Typographical error for *Acocephalus* Germar. See *Aphrodes* Curtis.

INDEX OF GENERA AND HIGHER GROUPS

	Page		Page
<i>Acocephalus</i> Burmeister.....	58, 249	<i>Errhomenus</i> Fieber.....	19
<i>Acucephalus</i> Germar.....	58, 256	<i>Errhomus</i> Oman.....	23
<i>Agrica</i> Strand.....	224	<i>Euacanthella</i> Evans.....	248
<i>Allochus</i> Fieber [nom. nud.]....	227, 259	<i>Eupelix</i> Le Peletier and Serville..	59, 263
<i>Amblycephalus</i> Kirschbaum.....	35, 259	<i>Friscanus</i> Oman.....	17
<i>Anoscopus</i> Kirschbaum.....	58, 259	<i>Gealeka</i> Naudé.....	218
<i>Anosterostemma</i> Puton.....	221, 260	<i>Gurawa</i> Distant.....	217
<i>Anoterostemma</i> Löw.....	221	<i>Horvathiella</i> Matsumura.....	224, 263
ANOTEROSTEMMINI	221	<i>Kartwa</i> Distant.....	209, 264
<i>Aphrodes</i> Curtis.....	58	<i>Kosmiopelex</i> Kirkaldy.....	208
APHRODIADE	5	<i>Leofa</i> Distant.....	225
APHRODINAE	11	<i>Luheria</i> Osborn.....	226
APHRODINI	33	<i>Lystridea</i> Baker.....	32
<i>Argaterma</i> White.....	220	<i>Memnonia</i> Ball.....	55
<i>Arrugada</i> Oman.....	220	<i>Oniroxis</i> China.....	225
<i>Atractotypus</i> Fieber.....	208, 260	<i>Pagaronia</i> Ball.....	13
<i>Baileyus</i> Singh-Pruthi.....	34	<i>Pholetaera</i> Zetterstedt.....	59, 265
<i>Bathysmatophorus</i> Sahlberg.....	29	<i>Postumus</i> Distant.....	224
<i>Carsonus</i> Oman.....	26	<i>Stroggylocephalus</i> Flor.....	34
<i>Chiasmus</i> Mulsant and Rey.....	208	<i>Strongylocephalus</i> Kirschbaum..	35, 266
<i>Doratura</i> Sahlberg.....	227	<i>Thatuna</i> Oman.....	31
DORATURINI	227	<i>Titia</i> Stål.....	219, 266
<i>Errhomenellus</i> Puton.....	19, 262	<i>Titiella</i> Bergroth.....	219
ERRHOMENINI	12		

INDEX OF NEW NAMES PROPOSED

<i>blotei</i> Metcalf (var.).....	91
268	



NATIONAL AGRICULTURAL LIBRARY



1022498595